



नेपाल सरकार

गृह मन्त्रालय

जिल्ला प्रशासन कार्यालय

दररेट निर्धारण समिति

वीरेन्द्रनगर, सुर्खेत



जिल्ला दररेट



[Signature]

[Signature]

आ.व. २०८३/०८४

[Signature]

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

विषय सूची
 जिल्ला प्रशासन विभाग

सि.नं.	
१	ज्याला दर्रेट
२	निर्माण सामाग्री तथा बस्तुहरूको दर्रेट
३	सामान छुपानी : मेरिन उपकरण भाडा
४	विभिन्न औजारहरूको दर्रेट
५	विद्युतिय सामान तथा बिद्युतिय सम्बन्धी काम
६	खानेपानि तथा खानेपानी फिटिङ्गका सामाग्रीहरु
७	स्यानिटरी सामग्रीहरु
८	फलाम सामग्रीहरु
९	आलुमुनियम यु पि भि सि का इयाल ढोका, जिप्समबोर्ड, पार्टिसन तथा फलस सिलिङ
१०	किचन तथा बाथरुमका सामाग्रीहरु
११	बन तथा भूसंरक्षण
१२	खाद्य तथा व्यापार
१३	कंकड एडमिक्सर तथा वाटर पुफ्रिङको काम
१४	रङ्गा रोगन सम्बन्धी सामाग्रीहरु
१५	Interlocking Block सम्बन्धि दर्रेट
१६	घर भाडा सम्बन्धी
१७	घरगोठ मूल्यांकन तथा मुहब्जा सम्बन्धित

(Signature)

(Signature)

(Signature)

(Signature)

धर्मराज जोशी
 प्रमुख जिल्ला अधिकारी

सुर्खेत जिल्लाको लागि स्वीकृत श्रमिक ज्याला दररेट

क्र.सं.	कामदारको किसिम	इकाई	आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	आ.व २०८३/८४
१	डकर्मी	प्रति जवान प्रति दिन	१०४०.००	१०६५.००	१०६५.००	११२०.००
२	सिकर्मी	प्रति जवान प्रति दिन	१०४०.००	१०६५.००	१०६५.००	११२०.००
३	चक्रकर्मी	प्रति जवान प्रति दिन	१०४०.००	१०६५.००	१०६५.००	११२०.००
४	चित्रकार/पेन्टर	प्रति जवान प्रति दिन	१०४०.००	१०६५.००	१०६५.००	११२०.००
५	ब्ल्याटर	प्रति जवान प्रति दिन	१०४०.००	१०६५.००	१०६५.००	११२०.००
६	बेल्डर	प्रति जवान प्रति दिन	१०४०.००	१०६५.००	१०६५.००	११२०.००
७	ज्यामी (बिधुत,सुरंग मार्ग तथा बिस्फोटन गर्ने कार्य लगायतका अलि जोखिम युक्त क्षेत्रमा काम गर्ने ज्यामीको हकमा १०% थप हुने)	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
८	ढल सफा गर्ने ज्यामी	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
९	सुपर भाइजर अप्राविधिक	प्रति जवान प्रति दिन	१०४५.००	१०४५.००	१०४५.००	११००.००
१०	सुपरभाइजर प्राविधिक खरिदार वा सो सरह	प्रति जवान प्रति दिन	११००.००	११००.००	११००.००	नेपाल सरकारको को शुरु तलब स्केल बराबरको रकमलाई आधार मानी प्रतिदिनको ज्याला कायम गर्ने ।
११	सुपरभाइजर प्राविधिक ना. सु. वा सो सरह	प्रति जवान प्रति दिन	११६०.००	११६०.००	११६०.००	नेपाल सरकारको को शुरु तलब स्केल बराबरको रकमलाई आधार मानी प्रतिदिनको ज्याला कायम गर्ने ।
१२	सुपरभाइजर इन्जिनियर	प्रति जवान प्रति दिन	१३७५.००	१३७५.००	१३७५.००	नेपाल सरकारको को शुरु तलब स्केल बराबरको रकमलाई आधार मानी प्रतिदिनको ज्याला कायम गर्ने ।
१३	प्लम्बर खरिदार वा सो सरह	प्रति जवान प्रति दिन	११००.००	११००.००	११००.००	नेपाल सरकारको को शुरु तलब स्केल बराबरको रकमलाई आधार मानी प्रतिदिनको ज्याला कायम गर्ने ।
१४	प्लम्बर	प्रति जवान प्रति दिन	८००.००	८००.००	८००.००	नेपाल सरकारको को शुरु तलब स्केल बराबरको रकमलाई आधार मानी प्रतिदिनको ज्याला कायम गर्ने ।
१५	सिनियर प्लम्बर	प्रति जवान प्रति दिन	८१०.००	८१०.००	८१०.००	९००.००
१६	इलेक्ट्रीसियन हेल्पर	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
१७	विद्युत पोलमा तार तान्ने हेल्पर	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
१८	इलेक्ट्रीसियन	प्रति जवान प्रति दिन	८१०.००	८२५.००	८२५.००	८००.००
१९	विद्युत पोलमा तार तान्ने मिस्त्री	प्रति जवान प्रति दिन	७५०.००	७६५.००	७६५.००	८००.००
२०	सहायक बेल्डर	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
२१	चेन म्यान/टेप म्यान	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
२२	ल्याब असिस्टेन्ट (निर्माण सामाग्री परीक्षण सम्बन्धि काममा सहयोग गर्ने)	प्रति जवान प्रति दिन	७५०.००	७६५.००	७६५.००	८००.००
२३	ल्याब टेक्निसियन (निर्माण सामाग्री परीक्षण सम्बन्धि काममा गर्ने)	प्रति जवान प्रति दिन	८६०.००	८८०.००	८८०.००	नेपाल सरकारको को शुरु तलब स्केल बराबरको रकमलाई आधार मानी प्रतिदिनको ज्याला कायम गर्ने ।

(Signature)

(Signature)

(Signature)

धुवराज जोशी
प्रमुख जिल्ला अधिकारी

क्र.सं.	कामदारको किस्म	इकाई	आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	आ.व २०८३/८४
२४	डाईभर (हलुका)	प्रति जवान प्रति दिन	८८०.००	९००.००	९००.००	नेपाल सरकारको को शुरु तलव स्केल बराबरको रकमलाई आधार मानी प्रतिदिनको ज्याला कायम गर्ने ।
२५	डाईभर (हेभि)	प्रति जवान प्रति दिन	९५०.००	९७०.००	९७०.००	नेपाल सरकारको को शुरु तलव स्केल बराबरको रकमलाई आधार मानी प्रतिदिनको ज्याला कायम गर्ने ।
२६	हेभि इक्वीपमेण्ट अप्रेटर	प्रति जवान प्रति दिन	१०००.००	१०२०.००	१०२०.००	नेपाल सरकारको को शुरु तलव स्केल बराबरको रकमलाई आधार मानी प्रतिदिनको ज्याला कायम गर्ने ।
२७	डाईभर सहयोगी	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
२८	नगर निरीक्षक (का.सहयोगी सरह)	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
२९	नर्सरी नाईके	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
३०	क्याम्प वर्कर/चौकिदार	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
३१	कुचिकार	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
३२	सर्भे हेल्पर	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
३३	माली	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
३४	लेन्थ वर्कर(सडक सम्बन्धि)	प्रति जवान प्रति दिन	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम
३५	कृषि ज्यामि	प्रति जवान प्रति दिन	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम
३६	ड्रिलर कम कम्प्रेसर अप्रेटर	प्रति जवान प्रति दिन	८१०.००	८२५.००	८२५.००	९००.००
३७	<u>भुकम्प मापन कार्यालय र खानी तथा भुगर्भ विभागको कामका लागि</u>	प्रति जवान प्रति दिन				
३७.१	क्याम्प वर्कर	प्रति जवान प्रति दिन	७५०.००	७६५.००	७६५.००	८००.००
३७.२	खनेल	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
३७.३	स्याम्पल - कटर(ढुंगा काट्ने)	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
३७.४	सर्भे हेल्पर (भू-गर्भ सम्बन्धि)	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
३७.५	भरिया (भू-गर्भ सम्बन्धि)	प्रति जवान प्रति दिन	७५०.००	७६५.००	७६५.००	८००.००
३७.६	क) एस.पि.टि. हेल्पर (भू-गर्भ सम्बन्धि)	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
३७.७	ख) ड्रिल हेल्पर (भू-गर्भ सम्बन्धि)	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
३८	<u>हावापानी कार्यालयसंग सम्बन्धित कामको लागि</u>					८००.००
३८.१	भरिया(संवेदनशील मौसमी उपकरण चोक्ने)	प्रति जवान प्रति दिन	७००.००	७१५.००	७१५.००	८००.००
३८.२	मौसम टेकनिसियन हेल्पर	प्रति जवान प्रति दिन	७५०.००	७६५.००	७६५.००	८००.००
३९	परामर्शदाता विशेषज्ञ (३० दिन भन्दा कम कार्य अवधिका लागि)					
३९.१	Architect/Urban Planner	प्रति बिज्ञ प्रति दिन	सम्बन्धित विभागको विभागीय नमस अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नमस अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नमस अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नमस अनुसार गर्न सकिने छ ।

२

 २०८३

 पम्ख जिल्ला अधिकारी

क्र.सं.	कामदारको किसिम	इकाई	आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	आ.व २०८३/८४
२९.२	Highway/Transportation /Bridge Engineer / Irrigation Engineer(Civil Engineer- Expert)	प्रति बिज्ञ प्रति दिन	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।
२९.३	Hydrologist/Geologist/Engineering Geologist/Geotechnical Engineer	प्रति बिज्ञ प्रति दिन	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।
२९.४	Environmentalist/Ecologist/Forestry Specialist	प्रति बिज्ञ प्रति दिन	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।
२९.५	Socialist/Economist	प्रति बिज्ञ प्रति दिन	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।	सम्बन्धित विभागको विभागीय नम्स अनुसार गर्न सकिने छ ।
४०.	Geotechnical Investigation of Soil with Driling extraction, lab testing,Test report Writing etc.all complete Work	per running meter	८०००.००	८०००.००	८०००.००	८०००.००

नोट : माथि समावेश नभएका थपिक तथा अन्य कामदारहरुको हकमा नेपाल सरकारको समान तहको कार्यालयमा कार्यरत कर्मचारी को तलबमान लाई

२६ कार्य दिनले भाग गरी हुन आउने रकमलाई १ दिनको ज्याला कायम गर्ने निर्णय गरियो ।











धर्मराज जोशी
प्रमुख जिल्ला अधिकारी



स्वीकृत निर्माण सामग्री तथा विभिन्न वस्तुहरूको दररेट

2

क स	विवरण	किसिम	एकाई	स्वीकृत दररेट आ	स्वीकृत दररेट आ	स्वीकृत दररेट आ	आ.व
				व २०८०/८१	व २०८१/८२	२०८२/८३	२०८३/८४
				भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
१	ईंटा बुबानी समेत	प्रथम श्रेणी (एन.एस.-०१-०३५)	प्रति हजार	१७०००।००	१७०००।००	१७०००।००	१८५००।००
		टुक्रा ईंटा	प्रति घ.मि.	३२००।००	३२००।००	३२००।००	३३६०।००
२	दुङ्गा	फोरुवा/बोल्डर	प्रति घ.मि.	१९५०।००	१९५०।००	१९५०।००	२०५०।००
		काबोरिन्डम	प्रति थान	७००।००	७००।००	७००।००	७३५।००
		मार्बल चिप्स	प्रति के.जी.	१८।००	१८।००	१८।००	१९।००
३	एजिङ्ग स्टोन	५"X९"X३"	प्रति थान	४५।००	४५।००	४५।००	४५।००
४	एजिङ्ग स्टोन वेण्ड	५"X९"X३"	प्रति थान	६०।००	६०।००	६०।००	६३।००
५	इन्टरलक पेभर टायल एम २५- ६० एम एम बाक्लो		प्रति व.मी.	९००।००	९००।००	९००।००	९५०।००
६	इन्टरलक पेभर टायल एम २५- ८० एम एम बाक्लो		प्रति व.मी.	१०००।००	१०००।००	१०००।००	१०५०।००
७	इन्टरलक पेभर टायल एम ३५- ६० एम एम बाक्लो		प्रति व.मी.	१०५०।००	१०५०।००	१०५०।००	११००।००
८	इन्टरलक पेभर टायल एम ३५- ८० एम एम बाक्लो		प्रति व.मी.	१२००।००	१२००।००	१२००।००	१२५०।००
९	CSEB Interlocking Brick	३००.१५०.१०० mm	प्रति थान	४४.००	४४.००	४४.००	४६.००
१०	Hollow Concrete Block (NS ११९-२०४२)	१५"X१५"X१५" feet	प्रति थान	५५।००	५५.००	५५.००	६०.००
११	Hollow Concrete Block(NS ११९-२०४२)	१५"X१५"X१५" feet	प्रति थान	४४।००	४४.००	४४.००	४६.००
१२	Hollow Concrete Block(NS ११९-२०४२)	१५"X१५"X१५" feet	प्रति थान	३९।००	३९.००	३९.००	४१.००
१३	Good Brick System .CSEB technology	२२.५*१०.५*६.५ cm	प्रति थान		१६।००	१६।००	१७।००
१४	कर्ब स्टोन २२५-२००-३८० एम २०		प्रति मि	९००।००	९००।००	९००।००	९५०।००
१५	दुङ्गा को बाल टायल ननपोलिस		प्रति वर्ग फिट	८०।००	८०।००	८०।००	८४।००
१६	दुङ्गाको बाल टायल पोलिस		प्रति वर्ग फिट	११०।००	११०।००	११०।००	११५।००
१७	छाना/भुइ मा प्रयोग हुनेदुङ्गाको टायल ननपोलिस		प्रति वर्ग फिट	९०।००	९०।००	९०।००	९४।००
१८	छाना/भुइ मा प्रयोग हुनेदुङ्गाको टायल पोलिस		प्रति वर्ग फिट	१२५।००	१२५।००	१२५।००	१३०।००
१९	आर सी सी चौकोर,फयाल तथा ढोकाको लागि साईज ४ ईन्च * 2.75 ईन्च		प्रति वर्ग फिट	२५।०७७	२५।०७७	२५।०७७	२६।००
२०	आर सी सी भेन्टीलेसन साईज ४ ईन्च * 2.75 ईन्च		प्रति वर्ग फिट	२५।०७७	२५।०७७	२५।०७७	२६।००
२१	आर सी सी आरक फेम साईज ४ ईन्च * 2.75 ईन्च		प्रति वर्ग फिट	४९।०१५	४९।०१५	४९।०१५	५१।००
२२	दुङ्गाको ईटा		प्रति थान	३९।९०	३९।९०	३९।९०	४२।००
२३	स्टोन डस्ट		प्रति घ.मि.	२३००।००	२३००।००	२३००।००	२४००।००
२४	माटो	चाप्पो	प्रति घ.मि.	३५।००	३५।००	३५।००	३५।००
२०	गिट्टि - तोडेको	१० एम.एम., जिरा	प्रति घ.मि.	३३००।००	३३००।००	३३००।००	३३००।००
		२० एम.एम.	प्रति घ.मि.	३२००।००	३२००।००	३२००।००	३२००।००
		४० एम.एम. र सो भन्दा माथी	प्रति घ.मि.	३०००।००	३०००।००	३०००।००	३०००।००
	गिट्टि - नतोडेको (खोला वा खानीबाट चाली साईज अनुसार निकालिएको)	खोलामा चालेको	प्रति घ.मि.	०।००	०।००	०।००	०।००
		५ देखि १० मि.मि. सम्म	प्रति घ.मि.	२६००।००	२६००।००	२६००।००	२६००।००
		५ देखि २० मि.मि. सम्म	प्रति घ.मि.	२५५०।००	२५५०।००	२५५०।००	२५५०।००
		५ देखि ४० मि.मि. सम्म	प्रति घ.मि.	२३००।००	२३००।००	२३००।००	२३००।००
		५ देखि ७० मि.मि. सम्म	प्रति घ.मि.	१९००।००	१९००।००	१९००।००	१९००।००
		खोलामा नचालेको	प्रति घ.मि.	१५००।००	१५००।००	१५००।००	१५००।००
२१	बालुवा	खोलाको (धोएको)	प्रति घ.मि.				२५००।००
	बालुवा	कसरको	प्रति घ.मि.	३२००।००	३२००।००	३२००।००	३५००।००
		साल	प्रति घ.मि.	२१०००।००	२१०००।००	२१०००।००	२१०००।००
		सिसौ	प्रति घ.मि.	१०५०००।००	१०५०००।००	१०५०००।००	१०५०००।००

[Handwritten signatures]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

धर्मराज जीशी
गण्डक जिल्ला अधिकारी

क स	विवरण	किसिम	एकाई	स्वीकृत दररेट आ ब २०८०/८१	स्वीकृत दररेट आ ब २०८१/८२	स्वीकृत दररेट आब २०८२/८३	आ.व २०८३/८४
				भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
२२	काठ	जंगली सीसौ	प्रति घ.मि.				१४०८४०।००
		कु-काठ(साल र सिसौ बाहेक)	प्रति घ.मि.	४००००।००	४००००।००	४००००।००	४००००।००
		दाउरा	प्रति के.जी.	१२।००	१२।००	१२।००	१२।००
	विभिन्न बुट्टा तथा देवी देवताको मुर्ती कुहिएको साल काठको भुयाल ढोका बनाउने काम (खापाको मोटाई ४० मि.मि. देखि ५० मि.मि. सम्म)		व.फि				३१५।००
	कुहिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"×५", को कार्नेस थिम आदि तयारी गर्ने कार्य		र.फि				१६२।००
		बाँस	प्रति घना	४००।००	४००।००	४००।००	४००।००
२३	सिमेन्ट (५० के.जी. बोरा)	नेपाली ४३ ग्रेड पिपिसि	प्रति बोरा	७००।००	५६०।००	५६०।००	६२०।००
		नेपाली ५३ ग्रेड पिपिसि	प्रति बोरा	७३०।००	६१०।००	६१०।००	७००।००
		नेपाली ओपिसि सिमेन्ट ५३ ग्रेड	प्रति बोरा	८४०।००	७२०।००	७२०।००	८००।००
		नेपाली ओपिसि सिमेन्ट ४३ ग्रेड	प्रति बोरा	८२०।००	६८०।००	६८०।००	७२०।००
		सेतो सिमेन्ट ४० के जी	प्रति बोरा	१२५।००	१२५।००	१२५।००	१३७५।००
२४	फलामे छड (एफ.ई.- ४१५) सबै साईजको		प्रति के.जी.	९७।००	९७।००	९७।००	९७।००
	फलामे छड (टि एम टि ५००) ८ मि मि		प्रति के.जी.	१००।००	१००।००	१००।००	१००।००
	फलामे छड (टि एम टि ५००) १० मिमि भन्दा माथी		प्रति के.जी.	१००।००	१००।००	१००।००	१००।००
	बान्डिङ तार		प्रति के.जी.	१२५।००	१२५।००	१२५।००	१२५।००
		१४ गेज	प्रति के.जी.	१२०।००	१२०।००	१२०।००	१२०।००
२५	जि आई वायर (गेवियन तार)	हेमि कोटेड	प्रति के.जी.	१३१।२५	१३१।२५	१३१।२५	१३१।२५
		मेडियम कोटेड	प्रति के.जी.	११७।६०	११७।६०	११७।६०	११७।६०
		कमर्शियल	प्रति के.जी.	११५।५०	११५।५०	११५।५०	११५।५०
२६	फलामे जाली	मस्वीटो फुफ (कमर्शियल)चाईनिज	प्रति ब.फि	४६।००	४६।००	४६।००	४६।००
२७	जाली	मस्वीटो फुफ (कमर्शियल) भारतिय	प्रति ब.फि	५४।००	१३७।००	१३७।००	१३७।००
		कुखुरे जाली २२ गेज	प्रति ब.मि.	१५।००	८६।००	८६।००	८६।००
		कुखुरे जाली १८ गेज	प्रति ब.मि.	२००।००	१००।००	१००।००	१००।००
		ब्रास बरफी (एक्स्पेन्डेड)	" "	२१५।००	२१५।००	२१५।००	२१५।००
२८	जे - हुक - साधारण		प्रति थान	२२।००	२२।००	२२।००	२२।००
२९	बिटुमिन वासर		"	१।००	१।००	१।००	१।००
३०	प्लाईउड - कमर्शियल	३ मिमि	प्रति ब.मि.	२३०।००	२३०।००	२३०।००	२३०।००
		६ मिमि	" "	३७०।००	३७०।००	३७०।००	३७०।००
		१२ मिमि	" "	४४०।००	४४०।००	४४०।००	४४०।००
	प्लाईउड - आर्टिफिशियल टिक	३ मिमि	प्रति ब.मि.	४००।००	४००।००	४००।००	४००।००
		६ मिमि	" "	५००।००	५००।००	५००।००	५००।००
३१	सनमाईका	साधारण	प्रति ब.मि.	२३०।००	२३०।००	२३०।००	२३०।००
३२	सीसा	३.५ मिमि.	प्रति ब.मि.	७२५।००	७२५।००	७२५।००	७२५।००
		४ मिमि सेतो	प्रति ब.मि.	७७५।००	७७५।००	७७५।००	७७५।००
		४ मिमि कालो	" "	१०००।००	१०००।००	१०००।००	१०००।००
३३	धारा टुटी	ब्रास (साधारण)	प्रति थान	४२०।००	४२०।००	४२०।००	४२०।००
		ब्रास (हेमि)	प्रति थान	६५०।००	६५०।००	६५०।००	६५०।००
		जोन्सन (साधारण)	" "	५२५।००	५२५।००	५२५।००	५२५।००
		जोन्सन (हेमि)	" "	७३०।००	७३०।००	७३०।००	७३०।००
३४	६ नं. हैन्डपम्प हेड आवश्यक सबै सामान सहित	मिडियम २० के.जि.	प्रति सेट	बाँके जिल्लाको स्वीकृत दररेट अनुसारको दररेट	बाँके जिल्लाको स्वीकृत दररेट अनुसारको	बाँके जिल्लाको स्वीकृत दररेट अनुसारको दररेट	बाँके जिल्लाको स्वीकृत दररेट अनुसारको दररेट
	६ नं. हैन्डपम्प हेड आवश्यक सबै सामान सहित	लाईट १८ के.जि.	प्रति सेट				

(Signature)

(Signature)

(Signature)

(Signature)

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
मुख्य मन्त्रालय
जिल्ला प्रशासन कार्यालय
सुर्खेत

क स	विवरण	एकाई	स्वीकृत दररेट आ ब २०८०/८१	स्वीकृत दररेट आ ब २०८१/८२	स्वीकृत दररेट आब २०८२/८३	आ.व २०८३/८४
			भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
	४ नं. हेन्डपम्प हेड आवश्यक सबै सामान सहित	मिडियम २० के.जि.	प्रति सेट	कायम गर्ने	दररेट कायम गर्ने	कायम गर्ने
	४ नं. हेन्डपम्प हेड आवश्यक सबै सामान सहित	लाईट १८ के.जि.	प्रति सेट			
३५	पोर्सिलिन ग्लेज टायल			०।००	०।००	०।००
३५.१	बाल टायल	४"X६", ६" X ८"	प्रति ब.फि.	६३।००	६३।००	६३।००
		८" X ८"	" "	६३।००	६३।००	६३।००
		८" X १२"	" "	७३।५०	७३।५०	७३।५०
		१२" X १२"	" "	७३।५०	७३।५०	७३।५०
		१०" X १२"	" "	७८।७५	७८।७५	७८।७५
		१२" X १८"	" "	१०१।८५	१०१।८५	१०१।८५
३५.२	फ्लोर टायल	४"X६", ६" X ८"	प्रति ब.फि.	७३।५०	७३।५०	७३।५०
		८" X ८"	" "	७३।५०	७३।५०	७३।५०
		८" X १२"	" "	७३।५०	७३।५०	७३।५०
		१२" X १२"	" "	७८।७५	७८।७५	७८।७५
		१६" X १६"	" "	९४।५०	९४।५०	९४।५०
		२४" X २४"	" "	१३६।५०	१३६।५०	१३६।५०
३६	Marble					
३७	14mm thick		प्रति ब.मी.	२७००।००	२७००।००	२७००।००
३८	16mm thick		प्रति ब.मी.	३०००।००	३०००।००	३०००।००
३९	Marble Chips (3mm to 6mm)		प्रति घ.मी.	१२५००।००	१२५००।००	१२५००।००
४०	स्लेट छाना छाउने प्रयोजन का लागि राम्रो १/२ इन्च देखि ३/४ इन्च सम्म बाक्लो		ब.फि.	७९।००	७९।००	९०।००
४१	छपनी बुंगा बाक्लो १ इन्च सम्म मोटाईको		ब.फि.	२४२।००	२४२।००	२७०।००
४२	ग्रेनाइट					
	१६ मी.मी ग्रेनाइट कालो		ब.फि.	४०२।००	४०२।००	४०२।००
४३	Parquet(sisam,saaj & Teak)					
	1"x3"x6mm thickness		ब.फि.	२२५।००	२२५।००	२२५।००
	1"x6"x8mm thickness		ब.फि.	३३९।००	३३९।००	३३९।००
	2"x10"x10mm thickness		ब.फि.	४५२।००	४५२।००	४५२।००
	3"x14"x12mm thickness		ब.फि.	६१७।००	६१७।००	६१७।००
	3"x18"x14mm thickness		ब.फि.	७२९।००	७२९।००	७२९।००
४४	सिमेन्ट टायल ईन्टरलक स्थानीय	८" X ७"	प्रति गोटा	३८।००	३८।००	३८।००
४५	चेक टायल स्थानीय	१०" X १०"	प्रति गोटा	४३।००	४३।००	४३।००
४६	खाक्सी काठमा लगाउने		प्रति ताउ	२२।००	२२।००	२२।००
४७	खाक्सी फलाममा लगाउने		प्रति ताउ	२२।००	२२।००	२२।००
४८	खर		प्रति भारी	३००।००	३००।००	३००।००
४९	गोबर		प्रति घ.मि.	६५।००	६५।००	६५।००
५०	भुस		प्रति के.जी.	६।००	६।००	६।००
५१	नट बोल्ट	८ मिमि, १० मी.मी. २ १५ मी.मी.	प्रति के.जी.	२२१।००	२२१।००	२२१।००
५२	छिस्कीनी	३" (साधारण)	प्रति थान	३७।००	३७।००	३७।००
		३" (आलमुनियम)	" "	५३।००	५३।००	५३।००
		४" (साधारण)	" "	४३।००	४३।००	४३।००
		४" (आलमुनियम)	" "	७०।००	७०।००	७०।००
		६" (साधारण)	प्रति थान	६०।००	६०।००	६०।००
		६" (आलमुनियम)	प्रति थान	९०।००	९०।००	९०।००
		१२" (साधारण)	" "	१००।००	१००।००	१००।००
		१२" (आलमुनियम)	" "	१२०।००	१२०।००	१२०।००
५३	कच्चा	३"	प्रति थान	३३।००	३३।००	३३।००
		४"	" "	४३।००	४३।००	४३।००
		५"	" "	५३।००	५३।००	५३।००



नवल पुराण
महानगरपालिका
कानून प्रशासन कार्यालय

02

क स	विवरण	किसिम	एकाई	स्वीकृत दररेट आ व २०८०/८१	स्वीकृत दररेट आ व २०८१/८२	स्वीकृत दररेट आ २०८२/८३	आ.व २०८३/८४
				भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
५४	ह्याण्डल (आलमुनियम)	६"	" "	६९१००	६९१००	६९१००	६९१००
		८"	" "	९०१००	९०१००	९०१००	९०१००
५५	लकिक सेट (२५० मी.मी.)	स्टिल	" "	२९०१००	२९०१००	२९०१००	२९०१००
		आलमुनियम	" "	३८०१००	३८०१००	३८०१००	३८०१००
५६	डोर स्त्रीङ	साधारण	" "	२२५१००	२२५१००	२२५१००	२२५१००
५७	भयाल अड्याउने आई- हुक	९" जि.आई. फलामे साधारण	प्रति थान	२७१००	२७१००	२७१००	२७१००
		८" आलमुनियम	" "	४४१००	४४१००	४४१००	४४१००
५८	होल्डफास्ट (प्रति के.जी ७ थान)	९"	" "	२८१००	२८१००	२८१००	२८१००
५९	कार्बन फाईबा युपिभिसी जस्ता पाता ३ मिमि	३ मि मि	प्रति वर्ग फिट	१७०१००	१७०१००	१७०१००	१७०१००
६०	पाउडर कोटिङ फिक्सर		प्रति थान	१११००	१११००	१११००	१११००
६१	सेल्फ टेपिङ स्कु ३"		प्रति थान	९१००	९१००	९१००	९१००
६२	सेल्फ टेपिङ स्कु ३.५"		प्रति थान	८१००	८१००	८१००	८१००
६३	सेल्फ टेपिङ स्कु २"		प्रति थान	६१००	६१००	६१००	६१००
६४	सेल्फ टेपिङ स्कु १.५ "		प्रति थान	६१००	६१००	६१००	६१००
६५	सेल्फ टेपिङ स्कु १"		प्रति थान	४५०	४५०	४५०	४५०
६६	युपिभिसी रिज कभर (४"६"X२")		प्रति थान	१५५०१००	१५५०१००	१५५०१००	१५५०१००
६७	अलकत्रा				०१००	०१००	०१००
	अलकत्रा (८०/१००)		प्रति मं. ट.	९००००१००	९००००१००	९००००१००	९००००१००
	CRMB- DIGO 55		प्रति मं. ट.	९२०००१००	९२०००१००	९२०००१००	९२०००१००
	अलकत्रा (VG10)		प्रति मं. ट.	नेपाल बिटुमीन तथा ब्यारेल उद्योगको दर बमोजिम हुनेछ			
	अलकत्रा (VG20)		प्रति मं. ट.				
	अलकत्रा (VG30)		प्रति मं. ट.				
६४	रबर सिल						
	३ इन्च		प्रति र मि	४७५१००	४७५१००	४७५१००	४७५१००
	६ इन्च		प्रति र मि	६३५१००	६३५१००	६३५१००	६३५१००
	९ इन्च		प्रति र मि	९७५१००	९७५१००	९७५१००	९७५१००
६५	Anti Stripping Agent (कालो पत्रे सडकमा प्रयोग हुने)		प्रति के.जी.	३६०१००	३६०१००	३६०१००	३६०१००
६६	Thermoplastic Road marking						
	BS Grade		प्रति के.जी.	१९५१००	१९५१००	१९५१००	१९५१००
	MOST Grade		प्रति के.जी.	२१५१००	२१५१००	२१५१००	२१५१००
	Glass Beads		प्रति के.जी.	१७५१००	१७५१००	१७५१००	१७५१००
	टार फेल्ड		प्रति व.मी.	१६०१००	१६०१००	१६०१००	१६०१००
	बेन्टोनाइट		प्रति के.जी.	३२१००	३२१००	३२१००	३२१००
६७	Heavy coated machine made gabion boxes (mesh wire-3mm,Selvedge wire- 3.9 mm,Lacing wire-2.4 mm & mesh size(10*12)cm hexagonal mesh size				०१००	०१००	०१००
	(1.5*1*.50) m		प्रति बक्स	१६२७००	१६२७००	१६२७००	१६२७००
	(2*1*.5)m		प्रति बक्स	२२०५१००	२२०५१००	२२०५१००	२२०५१००
	(3*1*.5)m		प्रति बक्स	३१५०१००	३१५०१००	३१५०१००	३१५०१००
	(4*1*.5)m		प्रति बक्स	३९९०१००	३९९०१००	३९९०१००	३९९०१००
	(1.5*1*1)m		प्रति बक्स	२३६२१००	२३६२१००	२३६२१००	२३६२१००
	(2*1*1)m		प्रति बक्स	३१५०१००	३१५०१००	३१५०१००	३१५०१००
	(3*1*1)m		प्रति बक्स	४४१०१००	४४१०१००	४४१०१००	४४१०१००
	(4*1*1)m		प्रति बक्स	५६७०१००	५६७०१००	५६७०१००	५६७०१००
	Meccafferri jumbo Gabion				०१००	०१००	०१००
	(3*1.5*.5)m		प्रति बक्स	४६२०१००	४६२०१००	४६२०१००	४६२०१००
	(4*1.5*.50)m		प्रति बक्स	५७७५१००	५७७५१००	५७७५१००	५७७५१००
	(5*1.5*.5)m		प्रति बक्स	७३५०१००	७३५०१००	७३५०१००	७३५०१००

[Signature]

[Signature]

[Signature]

[Signature]

धर्मराज जोशी
पमख जिल्ला अधिकारी

क स	विवरण	किसिम	एकाई	स्वीकृत दररेट आ व २०८०/८१	स्वीकृत दररेट आ व २०८१/८२	स्वीकृत दररेट आ व २०८२/८३	आ.व २०८३/८४
				भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
	(6*1.5*.50)m		प्रति बक्स	८७५१००	८७५१००	८७५१००	८७५१००
	(3*1.5*1)m		प्रति बक्स	६५१०१००	६५१०१००	६५१०१००	६५१०१००
	(4*1.5*1)m		प्रति बक्स	८१९०१००	८१९०१००	८१९०१००	८१९०१००
	(5*1.5*1)m		प्रति बक्स	१०९८५१००	१०९८५१००	१०९८५१००	१०९८५१००
	(6*1.5*1)m		प्रति बक्स	१२०७५१००	१२०७५१००	१२०७५१००	१२०७५१००
	(3*2*.50)m		प्रति बक्स	५८८०१००	५८८०१००	५८८०१००	५८८०१००
	(4*2*.50)m		प्रति बक्स	७४५५१००	७४५५१००	७४५५१००	७४५५१००
	(5*2*.50)m		प्रति बक्स	८९२५१००	८९२५१००	८९२५१००	८९२५१००
	(6*2*.50)m		प्रति बक्स	१०७९०१००	१०७९०१००	१०७९०१००	१०७९०१००
	(3*2*1)m		प्रति बक्स	७८७५१००	७८७५१००	७८७५१००	७८७५१००
	(4*2*1)m		प्रति बक्स	९८७०१००	९८७०१००	९८७०१००	९८७०१००
	(5*2*1)m		प्रति बक्स	१२२८५१००	१२२८५१००	१२२८५१००	१२२८५१००
	(6*2*1)m		प्रति बक्स	१४७००१००	१४७००१००	१४७००१००	१४७००१००
६८	Wiremesh Netting		प्रति व मि	३०६१००	३०६१००	३०६१००	३०६१००
	Wiremesh Netting (10 Swg , Mesh Size 3*3 inch)		प्रति के.जी.		१४०१००	१४०१००	१४०१००
७०	जियोटेक्सटाईल						
	जियो टेक्सटाइल TS -30		प्रति वर्ग मि.	२००१००	२००१००	२००१००	२००१००
	जियो टेक्सटाइल TS -50		प्रति व.मी.	२९५१००	२९५१००	२९५१००	२९५१००
	जियो टेक्सटाइल TS -60		प्रति व.मी.	३४५१००	३४५१००	३४५१००	३४५१००
	जियो टेक्सटाइल 100gm		प्रति व.मी.	१३५१००	१३५१००	१३५१००	१३५१००
	जियो टेक्सटाइल 150gm		प्रति व.मी.	१५०१००	१५०१००	१५०१००	१५०१००
७१	खाली सिमन्ट बोरा						
	नया खाली बोरा		प्रति बोरा	३२१००	३२१००	३२१००	३२१००
	पुरानो खाली बोरा		प्रति बोरा	२२१००	२२१००	२२१००	२२१००
७२	नायलन डोरी		प्रति केजी	२६५१००	२६५१००	२६५१००	२६५१००
७१	स्टेनलेस स्टील रेलीङ्गको कार्य- २ इन्च पाईपको ठाडो पोष्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से.मि.)		प्रति र. फिट.	१२००१००	१२६०१००	१२६०१००	१२६०१००
	स्टेनलेस स्टील रेलीङ्गको कार्य-२ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेसा पाईप राखी तयार गरि जडान गर्ने काम		प्रति र. फिट.	१०५०१००	११०२१००	११०२१००	११०२१००
७२	स्टेनलेस स्टील रेलीङ्गको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम		प्रति र. फिट.		१०९६१००	१०९६१००	१०९६१००
७३	स्टिल रेलिग डिजाईन बुटाबाला		प्रति र. फिट.	१८००१००	१८००१००	१८००१००	१८००१००
७४	प्रिक्कास्ट RCC NP-3 Class हयुमपाइप						
	300 mm व्यास भएको	40 mm D.W. Thickness	rm	३८००१००	३८००१००	३८००१००	४०००१००
	450 mm व्यास भएको	75 mm D.W. Thickness	rm	५४००१००	५४००१००	५४००१००	५७००१००
	600 mm व्यास भएको	85 mm D.W. Thickness	rm	७२००१००	७२००१००	७२००१००	७६००१००
	900 mm व्यास भएको	100 mm D.W. Thickness	rm	१२२००१००	१२२००१००	१२२००१००	१२८००१००
	1000 mm व्यास भएको	100 mm D.W. Thickness	rm		१४१००१००	१४१००१००	१४१००१००
	1200 mm व्यास भएको	120 mm D.W. Thickness	rm	१७४००१००	१७४००१००	१७४००१००	१८२००१००
७५	विद्युत पोल (P.S.C pole)						
	८ मि. लम्बाई विद्युत पोल		गोटा	७७००१००	७७००१००	७७००१००	८०००१००
	९ मि. लम्बाई विद्युत पोल		गोटा	९०००१००	९०००१००	९०००१००	९५००१००
	११ मि. लम्बाई विद्युत पोल		गोटा	१७०००१००	१७०००१००	१७०००१००	१७८५०१००

(Signature)

(Signature)

(Signature)

(Signature)

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

क.स.	विवरण	किसिम	एकाई	स्वीकृत दररेट आ	स्वीकृत दररेट आ	स्वीकृत दररेट आ	आ.व.
				व २०८०/८१	व २०८१/८२	२०८२/८३	२०८३/८४
				भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
७८	कंक्रीट र बालुवा द्वारा निर्माण गरिएको बायोसप्याण्ड फिल्टर		गोटा	५०००।००	५०००।००	५०००।००	५०००।००
७९	Hot dip Galvanization 8 micron of Heavy structural steel		के.जी.	५६।००	५६।००	५६।००	५६।००
८०	Hot dip Galvanization 8 micron of Light structural steel		के.जी.	६६।००	६६।००	६६।००	७०।००
८१	Material Supply, Fabrication & hot dip galvanization of building structural steel		के.जी.	१९४।००	१९४।००	१९४।००	२००।००
८२	Material supply, Fabrication & hot dip galvanization of motonible Truss & Girder Bridge structural steel		के.जी.	२०४।००	२०४।००	२०४।००	२१०।००
८३	Material supply, Fabircation & hot dip glavanization of Trail/Pedestrain/Truss Bridge structural steel		के.जी.	२२४।००	२२४।००	२२४।००	२३५।००
८४	Material supply, Fabrication of Non galvanization Trail/Pedestrain. Truss Bridge structural steel		के.जी.	१६४।००	१६४।००	१६४।००	१७२।००
८५	Material supply, fabircation & hot dip glavanization of electric pole		के.जी.	२१४।००	२१४।००	२१४।००	२२५।००
८६	Material supply, fabrication & hot dip galvanization of electric pole accessories		के.जी.	२३४।००	२३४।००	२३४।००	२४५।००
८७	Material upply, fabrication of galvanization steel tubular pole		के.जी.	२१४।००	२१४।००	२१४।००	२२०।००
८८	Road crass barrier/W-bem th.3.00 mm		र.मि.	६२४६।००	६२४६।००	६२४६।००	६५६०।००
८९	Road crass barrier/W-bem th.4.00 mm		र.मि.	५८५९।००	५८५९।००	५८५९।००	६१५०।००
९०	Material supply, fabrication & hot dip galvanization of baily bridge		के.जी.	२७९।००	२७९।००	२७९।००	२९२।००

नोट:-

- सुर्खेत जिल्लाको स्वीकृत दररेटमा समावेश नभएका निर्माण सामग्रीहरूको हकमा नजिकको छिमेकी जिल्लाको स्वीकृत दररेट मा ढुबानी जोडि कायम गर्न सकिने ।
- भुलुगे पुल निर्माण सम्वन्धि फलामे सामग्रीहरूको हकमा Trial Bridge Support Unit र स्थानिय पुर्वाधार विभागबाट निर्धारण गरे बमोजिम को दररेट लाई आधार मानी कायम गर्ने
- Petrolium Product को मुन्यको सन्दर्भमा नेपालय आयल निगमको तत्कालिन दर रेट अनुसार हुने।

(Signatures)

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

सामान दुवानी/मेशिन उपकरण भाडा

2

क स	विवरण	किसिम	एकाई	स्वीकृत दररेट आ व	स्वीकृत दररेट आ व	स्वीकृत दररेट आ व	आ.व २०८३/८४
				२०८०/०८१	२०८१/८२	२०८२/८३	
				भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
१	भरिया मानिसद्वारा दुवानी	४० के.जी.१३ कि.मी. प्रति दिन बोक्ने	प्रति व्यक्ति प्रति दिन	६००।००	६००।००	६००।००	६३६।००
२	भरिया मानिसद्वारा दुवानी	सजिलो सामानहरु	प्रति के.जी प्रति कोष	३।२०	३।२०	३।२०	३।५०
		असजिलो सामानहरु	" "	३।५०	३।५०	३।५०	३।७०
३	सामग्री लोड/अनलोड गर्दा		प्रति क्वीन्टल	०।००	०।००	०।००	०।००
	५० के.जी. सम्मको सजिलो सामान			२३।२०	२३।२०	२३।२०	२४।६०
	५० के.जी. भन्दा माथिको असजिलो सामान			३९।००	३९।००	३९।००	४१।००
	उपत्यकाभित्र बजारदेखि निर्माणस्थलसम्म निर्माण सामग्री दुवानी		प्रति क्वीन्टल	३९।००	३९।००	३९।००	४१।००
४	ग्राभेल सडकका लागि	सजिलो सामानहरु	प्रति कि.मी. प्रति क्वी.	४।००	४।००	४।००	४।२५
		असजिलो सामानहरु	" "	४।३०	४।३०	४।३०	४।५०
५	माटो सडकका लागि	सजिलो सामानहरु	" "	५।२०	५।२०	५।२०	५।५०
		असजिलो सामानहरु	" "	५।२०	५।२०	५।२०	५।५०
६	पिच सडकका लागि	सजिलो सामानहरु	" "	३।६०	३।६०	३।६०	३।८०
		असजिलो सामानहरु	" "	३।९०	३।९०	३।९०	४।००
७	ट्रक भाडा (१० टन क्षमता)	उपत्यकाभित्र मात्र	प्रति टिप	३७००।००	३७००।००	३७००।००	३९००।००
८	विद्युत पोल ट्रकबाट दुवानी	अति असजिलो	प्रति पोल	बाँके जिल्लाको दररेट लाई आधार मानी दररेट कायम गर्ने	बाँके जिल्लाको दररेट लाई आधार मानी दररेट कायम गर्ने	बाँके जिल्लाको दररेट लाई आधार मानी दररेट कायम गर्ने	बाँके जिल्लाको दररेट लाई आधार मानी दररेट कायम गर्ने
९	१० टन क्षमता भएको नयाँ ट्रकको मूल्य (दर-विश्लेषण प्रयोजनको लागि)		प्रति गोटा	४००००००।००	४००००००।००	४००००००।००	४००००००।००
१०	ट्रकबाट दुवानी गराउँदा		प्रति ट्रक आवर	दररेट विश्लेषण अनुसार	दररेट विश्लेषण अनुसार	दररेट विश्लेषण अनुसार	दररेट विश्लेषण अनुसार
११	विभिन्न यान्त्रिक मेशिन उपकरणहरुका भाडा दररेट (ईन्धन वाहक)	मिति २०७७।१२।३१ को मन्त्रीस्तरीय निर्णय अनुसार सडक विभाग अर्न्तगतका निकायमा रहेका विभिन्न प्रकारका यान्त्रिक उपकरणहरुको भाडा दररेट (तालीका संलग्न छ) संसोधन भएमा सोही अनुसार कायम गरिने छ)					

असजिलो सामान भन्नाले निम्न सामानहरु जनाउँछ।

- एच.डि.पि. /जि.आई.पाईपहरु
- जि.आई.सिटहरु
- सिसा
- पुलका सामानहरु
- पुलका लट्ठाहरु
- फलामे छड (एक मिटरभन्दा लामो)

(Signature)

(Signature)

(Signature)

(Signature)

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी



औजार सम्बन्धी दररेट

(Signature)

क्र.सं.	विवरण	किसिम	एकाई	स्वीकृत दररेट आ.व. २०८०/८१	स्वीकृत दररेट आ.व. २०८१/८२	स्वीकृत दररेट आ.व. २०८२/८३	आ.व. २०८३/८४
				भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
१	भारी (हजारी)	१० लिटर	प्रति थान	३७०१००	३७०१००	३७०१००	३९०१००
		५ लिटर	"	२७०१००	२७०१००	२७०१००	२९०१००
२	फलामे गल	१.५" X ५ फिट लम्बाई	"	२०५०१००	२०५०१००	२०५०१००	२१७०१००
३	कैची	रुखको हागा काटने	"	७१५१००	७१५१००	७१५१००	७६०१००
४	करौती फेम समेत	" "	"	३२०१००	३२०१००	३२०१००	३४०१००
५	करौती ब्लेड	प्रति पिस	"	२७००	२७००	२७००	२९१००
६	कुटो	राम्रो	प्रति थान	२५५१००	२५५१००	२५५१००	२७०१००
७	फरुवा टाटा	राम्रो	"	५७०१००	५७०१००	५७०१००	६००१००
८	कोदालो	राम्रो	"	४७५१००	४७५१००	४७५१००	५००१००
९	बेल्ला टाटा	राम्रो	"	६४५१००	६४५१००	६४५१००	६८०१००
१०	गैटी १"X१/४"	राम्रो	"	५३०१००	५३०१००	५३०१००	५६०१००
११	घन	१० पाउण्ड	"	१३७०१००	१३७०१००	१३७०१००	१४५०१००
१२	घन	३ के जी	"	७६५१००	७६५१००	७६५१००	८१०१००
१३	घन ढुङ्गा कुदने	१के जी	"	३५०१००	३५०१००	३५०१००	३७०१००
१४	तसला	राम्रो	"	२७०१००	२७०१००	२७०१००	२८५१००
१५	कर्नी	राम्रो	"	१४५१००	१४५१००	१४५१००	१५०१००
१६	तार बुश	राम्रो	"	७५१००	७५१००	७५१००	८०१००
१७	५०० गेजको पोलिथिन सिट		र.मी.	९०१००	९०१००	९०१००	९५१००
१८	सावल खन्डी सानो		गोटा	४५०१००	४५०१००	४५०१००	४८०१००
१९	सलाईड रेन्वी १२ ईन्च	१"X २ "	गोटा	७२०१००	७२०१००	७२०१००	७६०१००
२०	ओपन रेन्वी २४*२७ ईन्च		गोटा	५१०१००	५१०१००	५१०१००	५४०१००
२१	गोलो रेन्वी १८*१९ ईन्च		गोटा	४३५१००	४३५१००	४३५१००	४६०१००
२२	गोलो रेन्वी ३०*३२ ईन्च		गोटा	४२५१००	४२५१००	४२५१००	४५०१००
२३	गोलो रेन्वी २४*२७ ईन्च		गोटा	५३०१००	५३०१००	५३०१००	५६०१००
२४	पाईप रेन्वी १८ ईन्च		गोटा	१२१०१००	१२१०१००	१२१०१००	१२८०१००
२५	प्लास्टिक वाल्टन २० लिटर		गोटा	५३०१००	५३०१००	५३०१००	५६०१००
२६	टुल बक्स		गोटा	२६३०१००	२६३०१००	२६३०१००	२७९०१००
२७	३/४ ईन्च सस्पेन्डर डाई		गोटा	४७५१००	४७५१००	४७५१००	५००१००
२८	छिन्ना लामो २ "		गोटा	५३०१००	५३०१००	५३०१००	५६०१००
२९	ढुङ्गा फोडने छिन्ना		गोटा	४२५१००	४२५१००	४२५१००	४५०१००
३०	बटाम ८ ईन्च		गोटा	२१५१००	२१५१००	२१५१००	२३०१००
३१	घन्टी (Plum bob)		गोटा	२१५१००	२१५१००	२१५१००	२३०१००
३२	नाप्ने फिता ५ मी	५ मी	गोटा	१६०१००	१६०१००	१६०१००	१७०१००
३३	बालुवा चालने जाली		प्रति मी	३०५१००	३०५१००	३०५१००	३२५१००
३४	लेवल पाइप		प्रति मी	४५१००	४५१००	४५१००	५०१००
३५	घागो		प्रति रोल	४०१००	४०१००	४०१००	४५१००

(Signature)

(Signature)

(Signature)

(Signature)

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

- बुनेको ग्याबिन जालीहरु
- काँडेतार
- भरियाको लागि भारी बाँधेर ४० किलो बनाई बोक्न नसक्ने सबै सामानहरु
- ट्रकको लागि १० टन बनाई लोड गर्न नसक्ने सबै सामानहरु

अति असजिलो सामान भन्नाले निम्न सामानहरु जनाउछु

१. औषधी उपचार संग सम्बन्धित टुटफुट भई जाने संवेदनशील सामाग्रीहरुको हकमा असजिलो ढुवानी दररेट लाई १.२५ ले गुणन गरी कायम गर्ने
२. तौल ज्यादा कम हुने तर आयतन ज्यादा बढी हुने (वासको भकारी, २० एम.एम देखी ५० एम.एम. सम्मका पोलिथिन पाईपहरु)
३. ढुवानीको हकमा बोक्न नपुगेको (बहन क्षमतामा नपुग भएको परिमाण X दुरी बर्गको दर) / २ का दरले कायम हुने रकम थप गरिने छ। दुई वा सो भन्दा बढी स्थलहरुबाट सामाग्री उठाई पुर्ण क्षमताको बोझ नपुगानदा सम्म यो सुविधा उपलब्ध गराउन सकिने छ।



(Handwritten signatures)


(Handwritten signature and date 20...)

(Handwritten signature)
धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

बिद्युतिय सामग्री तथा बिद्युत सम्बन्धी काम को दररेट

सि.नं.	निर्माण सामाग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	सिलिड. पंखा उषा,ओरिएन्ट,कम्पटन ग्रिभ्स वा सो सरह					
	४८ इञ्च	गोटा	३,९६२.००	३,९६२.००	३,९६२.००	३,९६२.००
	३६ इञ्च	गोटा	३,२३२.००	३,२३२.००	३,२३२.००	३,२३२.००
	४२ इञ्च	गोटा	३,३५२.००	३,३५२.००	३,३५२.००	३,३५२.००
२	वाल फेन (१६ ")	गोटा	३,२०२.००	३,२०२.००	३,२०२.००	३,२०२.००
३	एकजस्ट पंखा ९ ईञ्च	गोटा	२,११६.००	२,११६.००	२,११६.००	२,११६.००
	६ ईञ्च	गोटा	१,८४५.००	१,८४५.००	१,८४५.००	१,८४५.००
	१२ ईञ्च	गोटा	३,४१९.००	३,४१९.००	३,४१९.००	३,४१९.००
४	२५ लि.- वाटर हिटर-गिजर	थान	१६,३४८.००	१६,३४८.००	१६,३४८.००	१६,३४८.००
५	३५ लि.- वाटर हिटर-गिजर	थान	१८,८६२.००	१८,८६२.००	१८,८६२.००	१८,८६२.००
६	५० लि.- वाटर हिटर-गिजर	थान	२५,१५०.००	२५,१५०.००	२५,१५०.००	२५,१५०.००
७	ट्यूब लाईट फिलिप्स वा सो सरह (साधारण) ४' साइजमा)	सेट	१,३८३.००	१,३८३.००	१,३८३.००	१,३८३.००
८	ट्यूब लाईट फिलिप्स वा सो सरह (साधारण) २' साइजमा)	सेट	१,३८३.००	१,३८३.००	१,३८३.००	१,३८३.००
९	४ फिटको बक्स टाईप ट्यूब लाईट सिंगल रड फिलिप्स वा सो सरह	सेट	२,२६४.००	२,२६४.००	२,२६४.००	२,२६४.००
१०	४ फिटको बक्स टाईप ट्यूब लाईट डबल रड फिलिप्स वा सो सरह	सेट	२,४५०.००	२,४५०.००	२,४५०.००	२,४५०.००
११	ट्यूबलाईट सेट रड बाहेक	गोटा	६५३.००	६५३.००	६५३.००	६५३.००
१२	ट्यूबलाईट रड	गोटा	१३२.००	१३२.००	१३२.००	१३२.००
१३	डोमलाईट ८ इञ्चको	गोटा	४२६.००	४२६.००	४२६.००	४२६.००
१४	डोमलाईट ६ इञ्चको	गोटा	४१४.००	४१४.००	४१४.००	४१४.००
१५	इन्फ्लेक्टिकल बेल	गोटा	४१४.००	४१४.००	४१४.००	४१४.००
१६	रिमोट कन्ट्रोल कलबेल	सेट	६२७.००	६२७.००	६२७.००	६२७.००
१७	डि.पि. मेन स्वीच ३० एम्पियर इण्डिकेटर सहित	गोटा	३७०.००	३७०.००	३७०.००	३७०.००
१८	फलामे ३२ एम्पियर मेनस्वीच	गोटा	२,१३६.००	२,१३६.००	२,१३६.००	२,१३६.००
१९	फलामे ६३ एम्पियर मेनस्वीच	गोटा	५,०१७.००	५,०१७.००	५,०१७.००	५,०१७.००
२०	६ एम्पियर फ्यूज	गोटा	६६.००	६६.००	६६.००	६६.००
२१	१६ एम्पियर फ्यूज	गोटा	१३०.००	१३०.००	१३०.००	१३०.००
२२	३८ एम्पियर फ्यूज	गोटा	१२४.००	१२४.००	१२४.००	१२४.००
२३	एन.एस. चिन्ह प्राप्त पि.भि.सि.कोटेड कपर वायर (९० मिटर)		-	-	-	-
	१/१८ एस.सि.	क्वायल	१,०६१.००	१,०६१.००	१,०६१.००	१,२००.००
	३/२० एस.सि.	क्वायल	१,९७२.००	१,९७२.००	१,९७२.००	२,२००.००
	३/२२ एस.सि.	क्वायल	१,२४९.००	१,२४९.००	१,२४९.००	१,४००.००
	७/२० एस.सि.	क्वायल	५,८०५.००	५,८०५.००	५,८०५.००	६,४००.००
	७/२२ एस.सि.	क्वायल	२,९२२.००	२,९२२.००	२,९२२.००	३,२००.००
	७/१८ एस.सि.	क्वायल	६,८३१.००	६,८३१.००	६,८३१.००	७,५००.००
	७/१६ एस.सि.	क्वायल	१४,४२४.००	१४,४२४.००	१४,४२४.००	१५,८५०.००
	१९/१८ एस.सि.	क्वायल	१८,९७९.००	१८,९७९.००	१८,९७९.००	२०,८५०.००
	१९/१६ एस.सि.	क्वायल	३७,९६०.००	३७,९६०.००	३७,९६०.००	४१,७५०.००
	०.७५ बर्ग मि.मि. एफ.एम.एस.	क्वायल	९०९.००	९०९.००	९०९.००	१,०००.००
	१.०० बर्ग मि.मि. एफ.एम.एस.	क्वायल	१,३८३.००	१,३८३.००	१,३८३.००	१,५२०.००
	१.५० बर्ग मि.मि. एफ.एम.एस.	क्वायल	१,७२२.००	१,७२२.००	१,७२२.००	१,९००.००
	२.५० बर्ग मि.मि. एफ.एम.एस.	क्वायल	२,३८८.००	२,३८८.००	२,३८८.००	२,६२५.००



प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	४.०० बर्ग मि.मि. एफ.एम.एस.	क्वायल	३,८९७.००	३,८९७.००	३,८९७.००	४,३००.००
	६.०० बर्ग मि.मि. एफ.एम.एस.	क्वायल	६,९६०.००	६,९६०.००	६,९६०.००	६,८००.००
	१०.०० बर्ग मि.मि. एफ.एम.एस.	क्वायल	१०,८१४.००	१०,८१४.००	१०,८१४.००	११,९००.००
२४	PVC insulated flexible copper wire (९० मीटर)			-	-	-
	14/60 MDM	क्वायल	५४०.००	५४०.००	५४०.००	६००.००
	14/60 SPT	क्वायल	६७७.००	६७७.००	६७७.००	७५०.००
	23/60 SPT	क्वायल	८७९.००	८७९.००	८७९.००	९५०.००
	40/60 HV	क्वायल	१,७६०.००	१,७६०.००	१,७६०.००	१,९००.००
	14/60 TP	क्वायल	७५५.००	७५५.००	७५५.००	८३०.००
	23/60 TP	क्वायल	१,००६.००	१,००६.००	१,००६.००	१००.००
	40/60 TP	क्वायल	१,७८५.००	१,७८५.००	१,७८५.००	२,०००.००
	23/60 TWR	क्वायल	१,८८५.००	१,८८५.००	१,८८५.००	२,०००.००
	40/60 TWR	क्वायल	२,०१२.००	२,०१२.००	२,०१२.००	२,२००.००
	40/60 TCR	क्वायल	२,८९०.००	२,८९०.००	२,८९०.००	३,२००.००
	23/60 TCR	क्वायल	३,०१७.००	३,०१७.००	३,०१७.००	३,३००.००
२५	Concentric Cable		-	-	-	-
	4mm	मिटर	२८.००	२८.००	२८.००	३०.००
	5mm	मिटर	२९.००	२९.००	२९.००	३२.००
	6mm	मिटर	३०.००	३०.००	३०.००	३३.००
	10mm	मिटर	५१.००	५१.००	५१.००	५६.००
	16mm	मिटर	७४.००	७४.००	७४.००	८०.००
	25mm	मिटर	१००.००	१००.००	१००.००	११०.००
२६	Multi Stand flexible wire (90meter)			-	-	-
	0.5mm SC	Coil	६२७.००	६२७.००	६२७.००	६९०.००
	0.75mm SC	Coil	७५५.००	७५५.००	७५५.००	८३०.००
	1.0 mm SC	Coil	१,०५६.००	१,०५६.००	१,०५६.००	१,१६०.००
	1.5 mm SC	Coil	१,८८५.००	१,८८५.००	१,८८५.००	२,०७५.००
	2.5 mm SC	Coil	२,२६४.००	२,२६४.००	२,२६४.००	२,५००.००
	4 mm SC	Coil	३,७७२.००	३,७७२.००	३,७७२.००	४,१५०.००
	6 mm SC	Coil	५,६५८.००	५,६५८.००	५,६५८.००	६,२२५.००
	10mm SC	Coil	१०,०६०.००	१०,०६०.००	१०,०६०.००	११,०५०.००
२७	TV Antenna Wire flat type (90 meter coil)		१,०५६.००	१,०५६.००	१,०५६.००	१,०५६.००
२८	Telecommunication (90 meter coil)			-	-	-
	2/22 SC	क्वायल	१,०८४.००	१,०८४.००	१,०८४.००	१,०८४.००
	2/20 SC	क्वायल	१,५५४.००	१,५५४.००	१,५५४.००	१,५५४.००
२९	स्वीच साधारण लोकल	गोटा	३०.००	३०.००	३०.००	३०.००
३०	स्वीच क्लस टाइप लोकल	गोटा	३६.००	३६.००	३६.००	३६.००
३१	एंगल होल्डर लोकल	गोटा	३३.००	३३.००	३३.००	३३.००
३२	प्लाष्टिक ग्रीप	पिस	२.००	२.००	२.००	२.००
३३	५ एम्पीयर विद्युत प्लग लोकल	गोटा	२९.००	२९.००	२९.००	२९.००
३४	१६ एम्पीयर विद्युत प्लग लोकल	गोटा	४४.००	४४.००	४४.००	४४.००
३५	साधारण प्लग लोकल	गोटा	२४.००	२४.००	२४.००	२४.००
३६	चोक	गोटा	२६९.००	२६९.००	२६९.००	२६९.००
३७	स्टार्टर ट्युबलाईटको लागि	गोटा	४३.००	४३.००	४३.००	४३.००
३८	यू हूक	गोटा	१४३.००	१४३.००	१४३.००	१४३.००
३९	विजूलिको बल्ब ६० वाट	गोटा	४२.००	४२.००	४२.००	४२.००
४०	विजूलिको बल्ब १०० वाट	गोटा	३२.००	३२.००	३२.००	३२.००
४१	विजूलिको बल्ब ४० वाट	गोटा	३९.००	३९.००	३९.००	३९.००
४२	विजूलिको बल्ब ० वाट	गोटा	४०.००	४०.००	४०.००	४०.००
४३	विजूलिको बल्ब २०० वाट	गोटा	८६.००	८६.००	८६.००	८६.००



नेपाल सरकार
महानगरपालिका
प्रशासन कार्यालय
सुर्खेत

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
४४	हेलोजेन बल्ब ५०० वाट	गोटा	४२६.००	४२६.००	४२६.००	४२६.००
४५	हेलोजेन बल्ब १००० वाट	गोटा	६२७.००	६२७.००	६२७.००	६२७.००
४६	पि.एसि.बल्ब ९ वाट	गोटा	३१३.००	३१३.००	३१३.००	३१३.००
४७	पि.एसि.बल्ब १०.१३ वाट	गोटा	४३८.००	४३८.००	४३८.००	४३८.००
४८	पि.एसि.बल्ब १८ वाट	गोटा	४७६.००	४७६.००	४७६.००	४७६.००
४९	पि.एसि.बल्ब ३६ वाट ४ पिन	गोटा	८१६.००	८१६.००	८१६.००	८१६.००
५०	Compact Flourescent Lamp (CFL) based Lumaniries set all complete. (सम्बन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)		-	-	-	-
	2 *18 W CFL recessed / surface mounting mirror optic complete set WCP32218	सेट	२,९०७.००	२,९०७.००	२,९०७.००	२,९०७.००
	1*11 W CFL recessed / surface mounting mirror optic complete set WVP41111	सेट	१,९८९.००	१,९८९.००	१,९८९.००	१,९८९.००
	2*11 W CFL recessed / surface mounting mirror optic complete set WVP41211	सेट	२,४५९.००	२,४५९.००	२,४५९.००	२,४५९.००
	2*38 W CFL 4 pin with electronic ballast direct/ indirect, surface/ recessed with louver complete set WVP24236	सेट	६,५८६.००	६,५८६.००	६,५८६.००	६,५८६.००
	3*36 W CFL 4 pin low glare fixture with P 5 luminaire & electronic ballast complete set WVP24336	सेट	७,४०८.००	७,४०८.००	७,४०८.००	७,४०८.००
	Recess mounting Direct Indirect LED luminaire LM16-321-XXX-60-XX	सेट	११,७४०.००	११,७४०.००	११,७४०.००	११,७४०.००
	Recess mounting Direct Indirect LED luminaire LM11-291-XXX-57-XX	सेट	१५,२६३.००	१५,२६३.००	१५,२६३.००	१५,२६३.००
	Recess Surface mounted LED luminaire CRCO10R038HP57	सेट	१४,४८०.००	१४,४८०.००	१४,४८०.००	१४,४८०.००
	High efficiency circular LED Down Light LD71	सेट	३,५२२.००	३,५२२.००	३,५२२.००	३,५२२.००
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01	सेट	१५,८४९.००	१५,८४९.००	१५,८४९.००	१५,८४९.००
	IP20 and IP65 non-integral flexible LED Strip Light LS 06/26	सेट	१,१७४.००	१,१७४.००	१,१७४.००	१,१७४.००
	Circular LED/Dome Light Suitable for true ceiling LW01	सेट	३,५२२.००	३,५२२.००	३,५२२.००	३,५२२.००
	Square LED Wall/Dome Light Suitable for true ceiling LW02-101-XXX-60-XX	सेट	३,५२२.००	३,५२२.००	३,५२२.००	३,५२२.००
	Recess Mounted indirect & direct luminaries WVP 64236		६,६५३.००	६,६५३.००	६,६५३.००	६,६५३.००
	2*36 Watt CFL Surface Mirror Optic WVP44236		६,६५३.००	६,६५३.००	६,६५३.००	६,६५३.००
५१	LED FIXTURES (सम्बन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)		-	-	-	-
	LED BULBS		-	-	-	-
	LED Bulb (Wh, R, Bl, Or, G, Y) 0.5 Watt B22	गोटा	६८.००	६८.००	६८.००	६८.००
	LED Bulb 3Watt B22/E27 2700K/6500K	गोटा	१३४.००	१३४.००	१३४.००	१३४.००
	LED Bulb 5Watt B22/E27 2700K/6500K	गोटा	१५०.००	१५०.००	१५०.००	१५०.००
	LED Bulb 8.3Watt B22/E27 2700K/6500K	गोटा	१९८.००	१९८.००	१९८.००	१९८.००
	LED Bulb 9Watt B22/E27 2700K/6500K	गोटा	१९८.००	१९८.००	१९८.००	१९८.००
	LED Bulb 11Watt B22/E27 2700K/6500K	गोटा	२९३.००	२९३.००	२९३.००	२९३.००
	LED Bulb 14Watt B22/E27 2700K/6500K	गोटा	३७१.००	३७१.००	३७१.००	३७१.००
	High Power LED 20Watt E27 2700K/6500K	गोटा	५६६.००	५६६.००	५६६.००	५६६.००
	High Power LED 28Watt E27 2700K/6500K	गोटा	८५०.००	८५०.००	८५०.००	८५०.००
	High Power LED 40Watt E27 2700K/6500K	गोटा	१,०९३.००	१,०९३.००	१,०९३.००	१,०९३.००
	High Power LED 50Watt E27 2700K/6500K	गोटा	१,३७०.००	१,३७०.००	१,३७०.००	१,३७०.००

धर्मराज जोशी
जिल्ला अधिकारी



निकास नगरपालिका
नगर प्रशासन कार्यालय
सुर्खेत

भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)

सि.नं.	निर्माण सामग्रीको नाम	इकाई	आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
	SURFACE MOUNTING DOWNLIGHT		-	-	-	-
	Downlight Square 6W 3000K/6500K	गोटा	४८२.००	४८२.००	४८२.००	४८२.००
	Downlight Square 12W 3000K/6500K	गोटा	६८१.००	६८१.००	६८१.००	६८१.००
	Downlight Square 18W 3000K/6500K	गोटा	८४५.००	८४५.००	८४५.००	८४५.००
	Downlight Round 6W 3000K/6500K	गोटा	४८२.००	४८२.००	४८२.००	४८२.००
	Downlight Round 12W 3000K/6500K	गोटा	६८१.००	६८१.००	६८१.००	६८१.००
	Downlight Round 18W 3000K/6500K	गोटा	८५०.००	८५०.००	८५०.००	८५०.००
	RECESS MOUNTING DOWNLIGHT		-	-	-	-
	Downlight Square 6W 3000K/6500K	गोटा	४५९.००	४५९.००	४५९.००	४५९.००
	Downlight Square 12W 3000K/6500K	गोटा	६०४.००	६०४.००	६०४.००	६०४.००
	Downlight Square 18W 3000K/6500K	गोटा	८०९.००	८०९.००	८०९.००	८०९.००
	Downlight Round 6W 3000K/6500K	गोटा	४५९.००	४५९.००	४५९.००	४५९.००
	Downlight Round 12W 3000K/6500K	गोटा	६०४.००	६०४.००	६०४.००	६०४.००
	Downlight Round 18W 3000K/6500K	गोटा	८०९.००	८०९.००	८०९.००	८०९.००
	LED Panel Light (Slim) 2'x2' 38W 4000K/6500K	गोटा	४,३१८.००	४,३१८.००	४,३१८.००	४,३१८.००
	LED Panel Cover (Surface/Recess) 2'x2'	गोटा	८०९.००	८०९.००	८०९.००	८०९.००
	LED TUBELIGHTS		-	-	-	-
	LED Tubelight 18 watt 6500K	गोटा	२९०.००	२९०.००	२९०.००	२९०.००
	LED Tubelight with holder 18 watt 6500K	गोटा	४५९.००	४५९.००	४५९.००	४५९.००
	FLOODLIGHTS		-	-	-	-
	Flood Light 20watt 6500K	गोटा	१,४२४.००	१,४२४.००	१,४२४.००	१,४२४.००
	Flood Light 30watt 6500K	गोटा	१,७०७.००	१,७०७.००	१,७०७.००	१,७०७.००
	Flood Light 50watt 6500K	गोटा	२,४८२.००	२,४८२.००	२,४८२.००	२,४८२.००
	Flood Light 70watt 6500K	गोटा	३,८४६.००	३,८४६.००	३,८४६.००	३,८४६.००
५२	SOLAR POWER		-	-	-	-
	Solar PV Module	प्रति वाट	९७.००	९७.००	९७.००	९७.००
	Solar Tubular Battery (200Ah@c20, 12V)	गोटा	३४,८४७.००	३४,८४७.००	३४,८४७.००	३४,८४७.००
	Solar Tubular Battery (150Ah@c20, 12V)	गोटा	२६,५९७.००	२६,५९७.००	२६,५९७.००	२६,५९७.००
	Solar Tubular Battery (100Ah@c20, 12V)	गोटा	१८,४५५.००	१८,४५५.००	१८,४५५.००	१८,४५५.००
	Solar Tubular Battery (80Ah@c20, 12V)	गोटा	१८,३४६.००	१८,३४६.००	१८,३४६.००	१८,३४६.००
	Solar Tubular Battery (60Ah@c20, 12V)	गोटा	१३,२४४.००	१३,२४४.००	१३,२४४.००	१३,२४४.००
	Solar Tubular Battery (40Ah@c20, 12V)	गोटा	८,६८४.००	८,६८४.००	८,६८४.००	८,६८४.००
	Solar Gel Battery (200Ah@c20, 12V)	गोटा	७२,४०९.००	७२,४०९.००	७२,४०९.००	७२,४०९.००
	Solar Gel Battery (150Ah@c20, 12V)	गोटा	५४,४९७.००	५४,४९७.००	५४,४९७.००	५४,४९७.००
	Solar Gel Battery (100Ah@c20, 12V)	गोटा	३९,९९०.००	३९,९९०.००	३९,९९०.००	३९,९९०.००
	Solar Gel Battery (80Ah@c20, 12V)	गोटा	३३,७६२.००	३३,७६२.००	३३,७६२.००	३३,७६२.००
	Solar Gel Battery (75Ah@c20, 12V)	गोटा	२९,९६२.००	२९,९६२.००	२९,९६२.००	२९,९६२.००
	Solar Gel Battery (40Ah@c20, 12V)	गोटा	१७,१५२.००	१७,१५२.००	१७,१५२.००	१७,१५२.००
	Solar Lithiumium Ion Battery (100Ah@c10,12v)	गोटा	३९,८४९.००	३९,८४९.००	३९,८४९.००	३९,८४९.००
	Solar Lithiumium Ion Battery (80Ah@c10,12v)	गोटा	३५,३९०.००	३५,३९०.००	३५,३९०.००	३५,३९०.००
	Solar Lithiumium Ion Battery (50Ah@c10,12v)	गोटा	२०,३००.००	२०,३००.००	२०,३००.००	२०,३००.००
	Charge Controller (60A/24-48V)	गोटा	३५,२८२.००	३५,२८२.००	३५,२८२.००	३५,२८२.००
	Charge Controller (45A/12-24-48V)	गोटा	२५,९४५.००	२५,९४५.००	२५,९४५.००	२५,९४५.००
	Charge Controller (30A/12-24-48V)	गोटा	२१,४९४.००	२१,४९४.००	२१,४९४.००	२१,४९४.००
	Charge Controller (25A/12-24-48V)	गोटा	१६,०६६.००	१६,०६६.००	१६,०६६.००	१६,०६६.००

15
जिल्ला अधिकारी



नेपाल सरकार
नगर मन्त्रालय
जिल्ला प्रशासन कार्यालय
सुर्खेत

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
	Charge Controller (20A/12-24V)	गोटा	६,५१३.००	६,५१३.००	६,५१३.००	६,५१३.००
	Charge Controller (15A/12-24V)	गोटा	५,३१९.००	५,३१९.००	५,३१९.००	५,३१९.००
	Charge Controller (10A/12-24V)	गोटा	२,९३१.००	२,९३१.००	२,९३१.००	२,९३१.००
	Charge Controller (5A/12-24V)	गोटा	१,७३६.००	१,७३६.००	१,७३६.००	१,७३६.००
	Solar dusk to down controller 20A/12V with driver Circuit.	गोटा	४,८८५.००	४,८८५.००	४,८८५.००	४,८८५.००
	Solar Street Light 40W-12V DC with Autodimming system.	गोटा	१४,७६४.००	१४,७६४.००	१४,७६४.००	१४,७६४.००
	Solar Street Light 30W-12V DC with Autodimming system.	गोटा	२६,३८०.००	२६,३८०.००	२६,३८०.००	२६,३८०.००
	Solar Street Light 20W-12V DC with Autodimming system.	गोटा	१६,६०९.००	१६,६०९.००	१६,६०९.००	१६,६०९.००
	Solar Street Light 100 Watt	गोटा	४५,९२०.००	४५,९२०.००	४५,९२०.००	४५,९२०.००
	Solar Street Light 80 Watt	गोटा	३८,८६४.००	३८,८६४.००	३८,८६४.००	३८,८६४.००
	Solar Street Light 60 Watt	गोटा	२९,०९४.००	२९,०९४.००	२९,०९४.००	२९,०९४.००
	Solar Street Light 40 Watt	गोटा	१६,३९२.००	१६,३९२.००	१६,३९२.००	१६,३९२.००
	Solar Street Light 30 Watt	गोटा	१३,०२७.००	१३,०२७.००	१३,०२७.००	१३,०२७.००
	Solar Street Light 20 Watt	गोटा	९,३३६.००	९,३३६.००	९,३३६.००	९,३३६.००
	Solar Street Light 12 Watt	गोटा	६,०७९.००	६,०७९.००	६,०७९.००	६,०७९.००
	MS Pole 6 mtr high with rustproof enamel paint Dimension 4" for buttom 3m 3" for top 3 m	गोटा	१८,८८९.००	१८,८८९.००	१८,८८९.००	१८,८८९.००
	MS Pole 7 mtr high with rustproof enamel paint Dimension 4" for buttom 4m 6" for top 3 m	गोटा	२०,८४३.००	२०,८४३.००	२०,८४३.००	२०,८४३.००
	MS Pole 8 mtr high with rustproof enamel paint Dimension 4" for buttom 5m 6" for top 3 m	गोटा	२३,२३१.००	२३,२३१.००	२३,२३१.००	२३,२३१.००
	MS Pole 9 mtr high with rustproof enamel paint Dimension 4" for buttom 6m 3" for top 3 m	गोटा	२३,५५७.००	२३,५५७.००	२३,५५७.००	२३,५५७.००
	7m Hot Deep Galvanized Pole with Diameter of section 4" for bottom 4.5 m and 3" for top 2.5 m.	गोटा	२३,२३१.००	२३,२३१.००	२३,२३१.००	२३,२३१.००
	8m Hot Deep Galvanized Pole with Diameter of section 5" for bottom 4.5 m, 4" for Middle 1.75m and 3" for top 1.75m.	गोटा	२६,८१४.००	२६,८१४.००	२६,८१४.००	२६,८१४.००
	9m Hot Deep Galvanized Pole with Diameter of section 5" for bottom 5 m, 4" for Middle 2m and 3" for top 2m.	गोटा	२९,२०२.००	२९,२०२.००	२९,२०२.००	२९,२०२.००
	10m Hot Deep Galvanized Pole with Diameter of section 5" for bottom 5.2 m, 4" for Middle 2.4m and 3" for top 2.4m.	गोटा	३१,५९०.००	३१,५९०.००	३१,५९०.००	३१,५९०.००
	Pure Sine Wave Inverter 250 VA/12V	गोटा	७,८१६.००	७,८१६.००	७,८१६.००	७,८१६.००
	Pure Sine Wave Inverter 400 VA/12V	गोटा	१४,६५५.००	१४,६५५.००	१४,६५५.००	१४,६५५.००
	Pure Sine Wave Inverter 850 VA/12V	गोटा	१७,९१२.००	१७,९१२.००	१७,९१२.००	१७,९१२.००
	Pure Sine Wave Inverter 1000 VA/12V	गोटा	२४,८६०.००	२४,८६०.००	२४,८६०.००	२४,८६०.००
	Pure Sine Wave Inverter 1400 VA	गोटा	२६,३८०.००	२६,३८०.००	२६,३८०.००	२६,३८०.००
	Pure Sine Wave Solar Hybrid Inverter 850 VA with inbuilt charge controller.	गोटा	२१,९२९.००	२१,९२९.००	२१,९२९.००	२१,९२९.००
	Pure Sine Wave Solar Hybrid Inverter 1000 VA with inbuilt charge controller.	गोटा	२६,२७१.००	२६,२७१.००	२६,२७१.००	२६,२७१.००
	Pure Sine Wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller.	गोटा	७७,६२०.००	७७,६२०.००	७७,६२०.००	७७,६२०.००
	Pure Sine Wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller.	गोटा	१५५,२४०.००	१५५,२४०.००	१५५,२४०.००	१५५,२४०.००
	MS Light Arms	सेट	२,३८८.००	२,३८८.००	२,३८८.००	२,३८८.००
	SPV Mounting Frame	सेट	६,२९६.००	६,२९६.००	६,२९६.००	६,२९६.००
	Battery Box	सेट	४,८८५.००	४,८८५.००	४,८८५.००	४,८८५.००
	Battery Stand	सेट	४,८८५.००	४,८८५.००	४,८८५.००	४,८८५.००

(Signature)

(Signature)

(Signature)

धर्मराज जोशी
जिल्ला अधिकारी



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
सुर्खेत

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
			-	-	-	-
५३	FIRE ALARM SYSTEM (सम्बन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)		-	-	-	-
	Photoelectric Smoke Detector	सेट	२,०३५.००	२,०३५.००	२,०३५.००	२,०३५.००
	Rate of Rise Heat Detector	सेट	२,०३५.००	२,०३५.००	२,०३५.००	२,०३५.००
	Fixed Temperature Detector	सेट	२,४८२.००	२,४८२.००	२,४८२.००	२,४८२.००
	Base	सेट	४०२.००	४०२.००	४०२.००	४०२.००
	Conv. Manual Call Point (MCP) Red with LED 470 ohm. With BB, India	सेट	१,६०९.००	१,६०९.००	१,६०९.००	१,६०९.००
	Wall Mount Horn+Strobe	सेट	४,४७२.००	४,४७२.००	४,४७२.००	४,४७२.००
	Ceilling Mount Horn+Strobe	सेट	४,४७२.००	४,४७२.००	४,४७२.००	४,४७२.००
	Break Glass Type Manual Call Point	सेट	१,९५४.००	१,९५४.००	१,९५४.००	१,९५४.००
	Fire Alarm Control Panel (FACP)	सेट	४२,१७६.००	४२,१७६.००	४२,१७६.००	४२,१७६.००
			-	-	-	-
५४	EPABX SYSTEM		-	-	-	-
	1-4 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट	८,३०२.००	८,३०२.००	८,३०२.००	८,३०२.००
	2-6 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट	१९,९८६.००	१९,९८६.००	१९,९८६.००	१९,९८६.००
	3-6 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट	२२,२९६.००	२२,२९६.००	२२,२९६.००	२२,२९६.००
	4-12 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट	३९,९७५.००	३९,९७५.००	३९,९७५.००	३९,९७५.००
	6-16 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट	५३,८१२.००	५३,८१२.००	५३,८१२.००	५३,८१२.००
	8-24 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट	९२,२४८.००	९२,२४८.००	९२,२४८.००	९२,२४८.००
	8-48 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट	९८,७०६.००	९८,७०६.००	९८,७०६.००	९८,७०६.००
	8-72 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट	१०५,६१५.००	१०५,६१५.००	१०५,६१५.००	१०५,६१५.००
			-	-	-	-
५५	पैनलबोर्ड राम्रो फ्लार पाइन्ट भएको डबल कमर पुस टाइप स्वीच लिंकबल साइज १२X३०X४० मेटल बोर्ड	सेट	२,७६७.००	२,७६७.००	२,७६७.००	२,७६७.००
५६	ब्राकेट लैम्प	गोटा	४३८.००	४३८.००	४३८.००	४३८.००
५७	३३ एम्पीयर टि.पि.एम.एस.सी.बी. ट्रान्सफरमा लगाउने थ्रि फेज कमर्सियल टाइप	गोटा	१,६०८.००	१,६०८.००	१,६०८.००	१,६०८.००
५८	टि.पि.एम.एस.सी.बी. २० एम्पीयर	गोटा	८,०४७.००	८,०४७.००	८,०४७.००	८,०४७.००
५९	टि.पि.एम.एस.सी.बी. १५ एम्पीयर	गोटा	८,०४७.००	८,०४७.००	८,०४७.००	८,०४७.००
६०	भोल्टमिटर सेलेक्टेड स्वीच समेत कमर्सियल टाइप	गोटा	२,१३६.००	२,१३६.००	२,१३६.००	२,१३६.००
६१	हेभी ड्यूटी इन्डिकेटर पेनलबोर्ड कमर्सियल टाइप	गोटा	४१४.००	४१४.००	४१४.००	४१४.००
६२	१० एस.डब्ल्यू.जि.प्लाष्टिक कोटेड कपर वायर अर्थिङको लागि	र.मी.	१५०.००	१५०.००	१५०.००	१५०.००
६३	अर्थिङको लागि ६५X५०X ३.१५ मी.मी. कपरप्लेट र ८ एस. व्लु जि. कपर वायर बोर्ड देखि अर्थिङ.सम्म आवश्यक नून कोईला समेत	गोटा	८,०४७.००	८,०४७.००	८,०४७.००	८,०४७.००

[Signature]

[Signature]

[Signature]

[Signature]

धर्मराज जोशी
जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
६४	स्तरीय सामान र पि.भि.सी.पाइप प्रयोग गरी सर्फेसवायरिङ गर्ने काम राम्रो मेटल बक्स, स्वीच, सिलिङ. रोज आदि वायरिङ. सामान समेत प्रयोग गरी वायरिङ को काम		-	-	-	-
	क. ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	९२९.००	९२९.००	९२९.००	९२९.००
	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	१,१०६.००	१,१०६.००	१,१०६.००	१,१०६.००
	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	१,३८३.००	१,३८३.००	१,३८३.००	१,३८३.००
६५	स्तरीय सामान र पि.भि.सी. पाइप प्रयोग गरी कन्सीलड वायरिङ गर्ने काम । (स्वीच, स्वीच बोर्ड, सिलिङ रोज, बक्स आदि आवश्यक सम्पूर्ण सामान समेत)		-	-	-	-
	क ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	७५५.००	७५५.००	७५५.००	७५५.००
	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	१,००६.००	१,००६.००	१,००६.००	१,००६.००
	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	८७९.००	८७९.००	८७९.००	८७९.००
६६	स्तरीय सामान र प्लास्टिक फन्टी लगाई सर्फेसवायरिङ गर्ने काम । (स्वीच, स्वीच बोर्ड, सिलिङ रोज, बक्स आदि आवश्यक सम्पूर्ण सामान समेत)		-	-	-	-
	क. ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	६२७.००	६२७.००	६२७.००	६२७.००
	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	८७९.००	८७९.००	८७९.००	८७९.००
	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	१,००६.००	१,००६.००	१,००६.००	१,००६.००
६७	गृह कटिङ र वाल बैंक फिलिङ.	र.मि.	२८.००	२८.००	२८.००	२८.००
६८	पाईप लाईनिङ (वायरिङ.को लागि)	र.मि.	१५.००	१५.००	१५.००	१५.००
६९	केबल विच्छाउने काम (वायरिङ.को लागि)	र.मि.	१७.००	१७.००	१७.००	१७.००
७०	लो डेन्सिटी पोलिथिन पाइप वायरिङ.का लागि		-	-	-	-
	१५ मि.मि. डाय	र.मी.	२४.००	२४.००	२४.००	२४.००
	२० मि.मि. डाय	र.मी.	३२.००	३२.००	३२.००	३२.००
	२५ मि.मि. डाय	र.मी.	३६.००	३६.००	३६.००	३६.००
७१	पि.भि.सि. पाईप वायरिङ.का लागि		-	-	-	-
	१५ मि.मि. डाय	र.मी.	५४.००	५४.००	५४.००	५४.००
	२० मि.मि. डाय	र.मी.	५६.००	५६.००	५६.००	५६.००
	२५ मि.मि. डाय	र.मी.	८०.००	८०.००	८०.००	८०.००
७२	आई एस .आई मार्क प्राप्त एम.सि.बी. (standard, Rodex, Geco, havells)		-	-	-	-
	६- ३२ टी.पी.	थान	४१४.००	४१४.००	४१४.००	४१४.००

सि.नं.	निर्माण सामाग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
	६- ३२ टी.पी एन.	थान	१,०६८.००	१,०६८.००	१,०६८.००	१,०६८.००
७३	आई एस .आई मार्क प्राप्त एम.सि.बी. (standard,rodex, Geco,havells)		-	-	-	-
	६- ३२ टी.पी.	थान	१,६८३.००	१,६८३.००	१,६८३.००	१,६८३.००
	६- ३२ टी.पी एन.	थान	२,१३६.००	२,१३६.००	२,१३६.००	२,१३६.००
	४० एस.पी.	थान	५०३.००	५०३.००	५०३.००	५०३.००
	४० डि.पी.	थान	१,१९४.००	१,१९४.००	१,१९४.००	१,१९४.००
	४० टि.पी.	थान	१,८८५.००	१,८८५.००	१,८८५.००	१,८८५.००
७४	डायना / सि.पि.एल. / रथी स्तरको स्विच र सकेट		-	-	-	-
	बेल स्वीच	सेट	१४३.००	१४३.००	१४३.००	१४३.००
	टेलिफोन सकेट	सेट	१९३.००	१९३.००	१९३.००	१९३.००
	टि.भि. सकेट	सेट	२१३.००	२१३.००	२१३.००	२१३.००
	वन ग्याङ्ग वन वे स्वीच	सेट	१५०.००	१५०.००	१५०.००	१५०.००
	वन ग्याङ्ग टु वे	सेट	१६३.००	१६३.००	१६३.००	१६३.००
	टु ग्याङ्ग वन वे	सेट	२७६.००	२७६.००	२७६.००	२७६.००
	थ्रि ग्याङ्ग वन वे	सेट	३५२.००	३५२.००	३५२.००	३५२.००
	फोर ग्याङ्ग वन वे	सेट	५०३.००	५०३.००	५०३.००	५०३.००
७५	३२ एम्पीयर डि.पि.एम.सि.बी. मेन स्वीचको लागि	गोटा	१,२५८.००	१,२५८.००	१,२५८.००	१,२५८.००
७६	२० एम्पीयर डि.पि.एम.सि.बी.(आई.एस.आई.)	गोटा	१,२५८.००	१,२५८.००	१,२५८.००	१,२५८.००
७७	१६ एम्पीयर एम.सि.बी मेन स्वीचको लागि	गोटा	१,२४४.००	१,२४४.००	१,२४४.००	१,२४४.००
७८	६-३२ एम्पीयर पावर सकेट डायनारसि.पि.एल.स्तरको	सेट	४३८.००	४३८.००	४३८.००	४३८.००
७९	डिमर सिड.गल ४०० वाट डायनार सि.पि.एल. स्तरको	सेट	५०३.००	५०३.००	५०३.००	५०३.००
८०	डिमर सिड.गल ८०० वाट डायनार सि.पि.एल. स्तरको	सेट	९४२.००	९४२.००	९४२.००	९४२.००
८१	मेटलको जंक्सन बक्स हेवि		-	-	-	-
	४"X४"	गोटा	७४.००	७४.००	७४.००	७४.००
	४"X६"	गोटा	७४.००	७४.००	७४.००	७४.००
	६"X८"	गोटा	१३६.००	१३६.००	१३६.००	१३६.००
	८"X१०"	गोटा	१६९.००	१६९.००	१६९.००	१६९.००
	८"X१२"	गोटा	१८१.००	१८१.००	१८१.००	१८१.००
८२	पि.भि.सि. कभर		-	-	-	-
	४"X४"	गोटा	१४३.००	१४३.००	१४३.००	१४३.००
	४"X६"	गोटा	२१९.००	२१९.००	२१९.००	२१९.००
	६"X८"	गोटा	३१३.००	३१३.००	३१३.००	३१३.००
	८"X१०"	गोटा	४७६.००	४७६.००	४७६.००	४७६.००
	८"X१२"	गोटा	५४०.००	५४०.००	५४०.००	५४०.००
८३	एम.सि.बि.को लागि पि.भि.सि. बक्स		-	-	-	-
	One pole PVC box GPS	set	१०६.००	१०६.००	१०६.००	१०६.००
	Two pole PVC box GPS	set	१७४.००	१७४.००	१७४.००	१७४.००
	Fourpole PVC box GPS	set	४१४.००	४१४.००	४१४.००	४१४.००
८४	बायरिड.को लागि पि.भि.सि. लिष्टी डबल लक सिस्टम		-	-	-	-
	1/2"	मिटर	७०.००	७०.००	७०.००	७०.००
	3/4"		९४.००	९४.००	९४.००	९४.००
	१"		१३६.००	१३६.००	१३६.००	१३६.००
	१ 1/2"		२००.००	२००.००	२००.००	२००.००
८५	२५ एम्पीयर डि.पि.एम.सि.बी. मेन स्वीचको लागि	गोटा	९५५.००	९५५.००	९५५.००	९५५.००
८६	६ तथा १६ एम्पीयर एम.सि.बी.(standard,rodex, Geco, havells)	गोटा	३२६.००	३२६.००	३२६.००	३२६.००
८७	३२ एम्पीयर एम.सि.बी. (standard,rodex, Geco, havells)	गोटा	३५२.००	३५२.००	३५२.००	३५२.००
८८	Distribution Board GECO, Havells, Rodex,standard or equivalent		-	-	-	-

[Signature]

[Signature] 19

[Signature]

[Signature]
धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामाग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
	4way SPN DB Double Cover	Set	१,७३४.००	१,७३४.००	१,७३४.००	१,७३४.००
	6way SPN DB Double Cover	Set	२,०१२.००	२,०१२.००	२,०१२.००	२,०१२.००
	8way SPN DB Double Cover	Set	२,३५०.००	२,३५०.००	२,३५०.००	२,३५०.००
	12way SPN DB Double Cover	Set	३,२६९.००	३,२६९.००	३,२६९.००	३,२६९.००
	16way SPN DB Double Cover	Set	३,३९४.००	३,३९४.००	३,३९४.००	३,३९४.००
	3/4 TPN DB Double Cover	Set	५,४०७.००	५,४०७.००	५,४०७.००	५,४०७.००
	6 TPN DB Double Cover	Set	६,२७३.००	६,२७३.००	६,२७३.००	६,२७३.००
	8 TPN DB Double Cover	Set	६,९१५.००	६,९१५.००	६,९१५.००	६,९१५.००
८९	T-Type Cross arm	No	-	-	-	-
९०	100x50x5x2250 mm Channel for transformer fixi	Pc	-	-	-	-
९१	PSC pole Clamp (Single)	PC	-	-	-	-
९०	PSC pole Clamp (Double)	PC	-	-	-	-
९२	11 KV Disc Insulator with all accessories	PC	-	-	-	-
९३	11 KV Pin Insulator with all accessories	PC	-	-	-	-
	11 KV Pin Insulator with Spindle.	PC	५९९.००	५९९.००	५९९.००	५९९.००
९४	Shackle Insulator with D- Iron	PC	२७६.००	२७६.००	२७६.००	२७६.००
९५	5/8x7" Nut Bol;t	Kg	२८७.००	२८७.००	२८७.००	२८७.००
९६	5/8x3" Nut Bolt	Kg	२८७.००	२८७.००	२८७.००	२८७.००
९७	Stay set	set	२,१३६.००	२,१३६.००	२,१३६.००	२,१३६.००
९८	Stay Insulator	PC	१८०.००	१८०.००	१८०.००	१८०.००
९९	Stay Wire	kg	४०२.००	४०२.००	४०२.००	४०२.००
	Neek or Equivalent with NS.		-	-	-	-
१००	Transformer (11/040 kv, 25 KVA, 50 Hz)	PC	२७७,३७५.९१	२७७,३७५.९१	२७७,३७५.९१	२९७,०१६.००
१०१	Transformer (11/040 kv, 50 KVA, 50 Hz)	PC	४००,६५३.५२	४००,६५३.५२	४००,६५३.५२	४२३,८२२.००
१०२	Transformer (11/040 kv, 100 KVA, 50 Hz)	PC	६४१,०४५.२२	६४१,०४५.२२	६४१,०४५.२२	६७०,५०२.००
१०३	Transformer (11/040 kv, 150 KVA, 50 Hz)	PC	७६४,३२२.८३	७६४,३२२.८३	७६४,३२२.८३	७६४,३२२.८३
१०४	Transformer (11/040 kv, 200 KVA, 50 Hz)	PC	९५२,९३९.५२	९५२,९३९.५२	९५२,९३९.५२	९५२,९३९.५२
१०५	Electrical panelled box with incoming 60-100 MCCB, out going MCCB & MCBS for AC & internal lighting	1 set	३१,४३५.००	३१,४३५.००	३१,४३५.००	३१,४३५.००
१०६	Electrical panelled box with incoming 75-100 MCCB, out going MCCB & MCBS for AC & internal lighting size (9"x36"x48") made of mild steel sheet 14 guage push type lockable bus bar chamber included screw, cable shoe etc all completed geoc or equalant	1 set	३५,२०९.००	३५,२०९.००	३५,२०९.००	३५,२०९.००
१०७	Supplying & fixing 4x6" size matel duct for wairing purposes in floor	per m	७५५.००	७५५.००	७५५.००	७५५.००
१०८	2.00 TR capacity wall mounted inverter split type air condition Mc Quay, midea, fujiare, malaysian or equ.	1 set	११९,४५८.००	११९,४५८.००	११९,४५८.००	११९,४५८.००
१०९	1.5 TR capacity wall mounted inverter split type air condition Mc Quay, midea, fujiare, malaysian or equ.	1 set	-	-	-	९१,६८३.००
११०	1.0 TR capacity wall mounted inverter split type air condition Mc Quay, midea, fujiare, malaysian or equ.	1 set	-	-	-	७४,३२३.००
१११	Automatic centrl voltage stablizer 30 kva	No	२३२,६३१.००	२३२,६३१.००	२३२,६३१.००	२३२,६३१.००
११२	9 Kv lighting arrestor (Set of 3)	set	१२,५६७.००	१२,५६७.००	१२,५६७.००	१२,५६७.००
११३	11 Kv Drop out fuse set (Set of 3)	set	२५,१३४.००	२५,१३४.००	२५,१३४.००	२५,१३४.००
११४	0.03 sq inch ACSR conductor	प्रति मि.	३९.००	३९.००	३९.००	३९.००
१११	0.05 sq inch ACSR conductor	प्रति मि.	५३.००	५३.००	५३.००	५३.००
११२	0.10 sq inch ACSR conductor	प्रति मि.	१०६.००	१०६.००	१०६.००	१०६.००
११३	50 AMP MCCB set	set	१३,८३१.००	१३,८३१.००	१३,८३१.००	१३,८३१.००
११४	75 AMP MCCB set	set	१६,९७४.००	१६,९७४.००	१६,९७४.००	१६,९७४.००
११५	MCCB Box	No	१६,९७४.००	१६,९७४.००	१६,९७४.००	१६,९७४.००
११६	3 phase metalic meter box	No	६,९१५.००	६,९१५.००	६,९१५.००	६,९१५.००
११७	11 Kv D.O. switch with all fitting accessories	set	-	-	-	-
११८	3 core 4 sqmm size flat PVC insulated copper submersible cable	प्रति मि.	४८३.००	४८३.००	४८३.००	४८३.००
११९	3 core 6 sqmm size flat PVC insulated copper submersible cable	प्रति मि.	७४६.००	७४६.००	७४६.००	७४६.००
१२०	35 sq.mm 4 core electric connecting cable	प्रति मि.	६७७.००	६७७.००	६७७.००	६७७.००



नेपाल सरकार
मुख्य मन्त्रालय
जिल्ला प्रशासन कार्यालय
सुर्खेत

भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)

(Signature)

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१२१	25 sq.mm 4 core electric connecting cable	प्रति मि.	४८३.००	४८३.००	४८३.००	४८३.००
१२२	16 sq.mm 4 core electric connecting cable	प्रति मि.	४०८.००	४०८.००	४०८.००	४०८.००
१२३	11KVA disc.insulator with tension set	set	२,५१४.००	२,५१४.००	२,५१४.००	२,५१४.००
१२४	T-channel(size 6*50*100*50*1200*305 mm	No	-	-	-	-
१२५	D.O. Chanell (size 6*50*100*2250)	No	-	-	-	-
१२६	Tapping channel (size 6*50*100*50*1200)	No	-	-	-	-
१२७	Internet wiring (Surface wiring) with materials all complete works	Point	३,६४५.००	३,६४५.००	३,६४५.००	३,६४५.००
१२८	Surface wiring by 1x1/10+2x7/20 copper wire	No	१,६३३.००	१,६३३.००	१,६३३.००	१,६३३.००
१२९	Washer.	Kg	३१६.००	३१६.००	३१६.००	३१६.००
१३०	Earthina Copper wire.	Kg	२,६३३.००	२,६३३.००	२,६३३.००	२,६३३.००
१३१	Copper Coated Earthing Rod.	No	४,१८९.००	४,१८९.००	४,१८९.००	४,१८९.००
१३२	Copper Strip (Special)	Kg	३,३५१.००	३,३५१.००	३,३५१.००	३,३५१.००
१३३	G.I. Earthing Pipe (6 Ft.* 1.5 inch dia.	No	२,९९२.००	२,९९२.००	२,९९२.००	२,९९२.००

(Signatures)

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी



सिमाना सम्बन्धी सामाग्रीहरु को दर रेट

2

सि.नं.	सामाग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
१	विभिन्न पाइपहरु					
१.१	एन.एस.४० (PE-१००) अनुसारको पोलिथिन पाइप विभिन्न साइज	के. जि.	३०५.००	३०५.००	३०५.००	३२०.००
१.२	सिचाई प्रयोजनको पोलिथिन डेलीभरी पाइप	के. जि.	२५५.००	२५५.००	२५५.००	२७०.००
१.३	सिचाई प्रयोजनको सेक्सन पाइप ३ "	र. फुट	१६५.००	१६५.००	१६५.००	१७५.००
१.४	सिचाई प्रयोजनको सेक्सन पाइप ४ "	र. फुट	३२०.००	३२०.००	३२०.००	३४०.००
१.५	सिचाई प्रयोजनको कटन डेलीभरी पाइप ३ "	र. मि.	२००.००	२००.००	२००.००	२१०.००
१.६	सिचाई प्रयोजनको कटन डेलीभरी पाइप ४ "	र. मि.	२९०.००	२९०.००	२९०.००	३०५.००
१.७	सिचाई प्रयोजनको कटन डेलीभरी पाइप ५ "	र. मि.	३९५.००	३९५.००	३९५.००	४१०.००
२	एच.डि.पि.वाटर स्टोरेज टैंक (एन.एस-३५३)	र. मि.	१४.००	१४.००	१४.००	१५.००
३	वाटरपम्पहरु					
	डिजेल पम्पहरु					
	४.५ हर्ष पावर	गोटा	४९,६१३.००	४९,६१३.००	४९,६१३.००	४९,६१३.००
	चाइनिज ४ हर्ष पावर	गोटा	२५,९०९.००	२५,९०९.००	२५,९०९.००	२५,९०९.००
	चाइनिज ५ हर्ष पावर	गोटा	३१,४२१.००	३१,४२१.००	३१,४२१.००	३१,४२१.००
	R-170 डिजल पम्प सेट चाइनिज ५ एच.पि.	गोटा	२३,०००.००	२३,०००.००	२३,०००.००	२३,०००.००
	५ हर्ष पावर इन्डियन डिजल पम्प	गोटा	४२,०००.००	४२,०००.००	४२,०००.००	४२,०००.००
	५ हर्ष पावर केरोसिन पम्प	गोटा	१४,५००.००	१४,५००.००	१४,५००.००	१४,५००.००
	क.चाइनिज वाटर पम्प					
	०.५० हर्ष पावर	गोटा	४,४१०.००	४,४१०.००	४,४१०.००	४,४१०.००
	ख.इन्डियन वाटर पम्प आइ.एस.ओ ९००१-२००८ प्राप्त					
	०.५ हर्ष पावर	गोटा	९,३७१.००	९,३७१.००	९,३७१.००	९,३७१.००
	१ हर्ष पावर	गोटा	१६,५३८.००	१६,५३८.००	१६,५३८.००	१६,५३८.००
	१.५ हर्ष पावर	गोटा	२०,९४८.००	२०,९४८.००	२०,९४८.००	२०,९४८.००
	ग.इन्डियन समरसिबल पम्प (स्टेन्डर्ड कम्पनि) आई.एस.ओ.९००१-२००८ प्राप्त (three phase)					
	५ हर्ष पावर	गोटा	६८,३५५.००	६८,३५५.००	६८,३५५.००	६८,३५५.००
	७.५ हर्ष पावर	गोटा	१२६,७८८.००	१२६,७८८.००	१२६,७८८.००	१२६,७८८.००
	१० हर्ष पावर	गोटा	१७६,४००.००	१७६,४००.००	१७६,४००.००	१७६,४००.००
	१२.५ हर्ष पावर	गोटा	१८१,९१३.००	१८१,९१३.००	१८१,९१३.००	१८१,९१३.००
	१५ हर्ष पावर	गोटा	१९४,०४०.००	१९४,०४०.००	१९४,०४०.००	१९४,०४०.००
	२० हर्ष पावर	गोटा	२१५,०००.००	२१५,०००.००	२१५,०००.००	२१५,०००.००
	२५ हर्ष पावर	गोटा	२४३,०००.००	२४३,०००.००	२४३,०००.००	२४३,०००.००
	४० हर्ष पावर	गोटा	३००,०००.००	३००,०००.००	३००,०००.००	३००,०००.००
	घ. प्यानल बोर्ड एल एन टि. बा सो सरह					
	५-७.५ हर्ष पावर		३७,९७५.००	३७,९७५.००	३७,९७५.००	३७,९७५.००
	१०-१५ हर्ष पावर	गोटा	५५,०००.००	५५,०००.००	५५,०००.००	५५,०००.००
	२० हर्ष पावर	गोटा	७०,०००.००	७०,०००.००	७०,०००.००	७०,०००.००
	२५-४० हर्ष पावर	गोटा	८५,०००.००	८५,०००.००	८५,०००.००	८५,०००.००
४	जि.आई. पाईप लाईट क्लास (एन.एस.-१९९)					
	१५ मि.मि. ब्यास	मीटर	१६९.००	१७७.००	१७७.००	१७७.००
	२० मि.मि. ब्यास	मीटर	२३१.००	२४२.००	२४२.००	२४२.००
	२५ मि.मि. ब्यास	मीटर	३२३.००	३३९.००	३३९.००	३३९.००
	३२ मि.मि. ब्यास	मीटर	४१६.००	४३६.००	४३६.००	४३६.००
	४० मि.मि. ब्यास	मीटर	५१७.००	५४२.००	५४२.००	५४२.००
	५० मि.मि. ब्यास	मीटर	६५३.००	६८५.००	६८५.००	६८५.००
	६५ मि.मि. ब्यास	मीटर	९०३.००	९४८.००	९४८.००	९४८.००
	८० मि.मि. ब्यास	मीटर	१,०६५.००	१,११८.००	१,११८.००	१,११८.००
	१०० मि.मि. ब्यास	मीटर	१,५३१.००	१,६०७.००	१,६०७.००	१,६०७.००
	१२५ मि.मि. ब्यास	मीटर	२,३३७.००	२,४५३.००	२,४५३.००	२,४५३.००

22

महोदय जिल्ला अधिकारी



सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
	१५० मि.मि. ब्यास	मीटर	२,७७४.००	२,९१२.००	२,९१२.००	२,९१२.००
५	जि.आइ.पाइप मिडियम क्लास एन.एस-१९९			-	-	-
	१५ मि.मि. ब्यास	मीटर	२०२.००	२१२.००	२१२.००	२१२.००
	२० मि.मि. ब्यास	मीटर	२५८.००	२७०.००	२७०.००	२७०.००
	२५ मि.मि. ब्यास	मीटर	३९४.००	४१३.००	४१३.००	४१३.००
	३२ मि.मि. ब्यास	मीटर	५१३.००	५३८.००	५३८.००	५३८.००
	४० मि.मि. ब्यास	मीटर	५५२.००	५७९.००	५७९.००	५७९.००
	५० मि.मि. ब्यास	मीटर	८०९.००	८४९.००	८४९.००	८४९.००
	६५ मि.मि. ब्यास	मीटर	१,०३५.००	१,०८६.००	१,०८६.००	१,०८६.००
	८० मि.मि. ब्यास	मीटर	१,२८८.००	१,३५२.००	१,३५२.००	१,३५२.००
	१०० मि.मि. ब्यास	मीटर	१,९२९.००	२,०२५.००	२,०२५.००	२,०२५.००
	१२५ मि.मि. ब्यास	मीटर	२,५२३.००	२,६४९.००	२,६४९.००	२,६४९.००
	१५० मि.मि. ब्यास	मीटर	३,०५१.००	३,२०३.००	३,२०३.००	३,२०३.००
	२०० मि.मि. ब्यास	मीटर	४,६६९.००	४,९०२.००	४,९०२.००	४,९०२.००
६	जि.आइ. पाईप हेभी एन.एस-१९९					
	१५ मि.मि. ब्यास	मीटर	२४२.००	२५४.००	२५४.००	२५४.००
	२० मि.मि. ब्यास	मीटर	३०३.००	३१८.००	३१८.००	३१८.००
	२५ मि.मि. ब्यास	मीटर	४६१.००	४८४.००	४८४.००	४८४.००
	३२ मि.मि. ब्यास	मीटर	५३७.००	५६३.००	५६३.००	५६३.००
	४० मि.मि. ब्यास	मीटर	६८१.००	७१५.००	७१५.००	७१५.००
	५० मि.मि. ब्यास	मीटर	१,००१.००	१,०५१.००	१,०५१.००	१,०५१.००
	६५ मि.मि. ब्यास	मीटर	१,१३९.००	१,१९५.००	१,१९५.००	१,१९५.००
	८० मि.मि. ब्यास	मीटर	१,४७६.००	१,५४९.००	१,५४९.००	१,५४९.००
	१०० मि.मि. ब्यास	मीटर	२,२३४.००	२,३४५.००	२,३४५.००	२,३४५.००
	१२५ मि.मि. ब्यास	मीटर	२,८७६.००	३,०१९.००	३,०१९.००	३,०१९.००
	१५० मि.मि. ब्यास	मीटर	३,२५३.००	३,४१५.००	३,४१५.००	३,४१५.००
	२५० मि.मि. ब्यास माइल्ल्ड स्टील पाइप ६-७ एम.एम.	मीटर	४,४७५.००	४,४७५.००	४,४७५.००	४,४७५.००
	२०० मि.मि. ब्यास माइल्ल्ड स्टील पाइप ६-७ मि. मि साईज	मीटर	४,६५४.००	४,६५४.००	४,६५४.००	४,६५४.००
	१५० मि.मि. ब्यास माइल्ल्ड स्टील पाइप	मीटर	४,२४७.००	४,२४७.००	४,२४७.००	४,२४७.००
	२०० मि.मि. ब्यास स्लाटड जाल पाइप साइज-६-७ मि.मी.		५,५००.००	५,५००.००	५,५००.००	५,५००.००
	१५० मि.मि. ब्यास स्लाटड जाल पाइप साइज-६-७ मि.मी.		४,५००.००	४,५००.००	४,५००.००	४,५००.००
	२०० मि.मि. ब्यास स्लोटेड जाल पाईप साइज-६-७ मि.मी.	मीटर	५,५००.००	५,५००.००	५,५००.००	५,५००.००
	१५० मि.मि. ब्यास स्लोटेड जाल पाईप साइज-६-७ मि.मी.	मीटर	४,५००.००	४,५००.००	४,५००.००	४,५००.००
	14 mm thick surface plate of suitable hole and MS/GI band and its installation 8-10" Housing pipe	गोटा	२५,०००.००	२५,०००.००	२५,०००.००	२५,०००.००
७	२०० मि.मि. ब्यास एस एस जोनसोन वा सो सरह साइज-६-७ मि.मी.	मीटर	१६,०००.००	१६,०००.००	१६,०००.००	१६,०००.००
८	१५० मि.मि. ब्यास एस एस जोनसोन वा सो सरह साइज-६-७ मि.मी.	मीटर	१२,५००.००	१२,५००.००	१२,५००.००	१२,५००.००
९	जि.आई.एल्बो (एन.एस.-३८३)			-	-	-
	१५ मि.मि. ब्यास	गोटा	४५.००	४५.००	४५.००	४५.००
	२० मि.मि. ब्यास	गोटा	७२.००	७२.००	७२.००	७२.००
	२५ मि.मि. ब्यास	गोटा	११४.००	११४.००	११४.००	११४.००
	३२ मि.मि. ब्यास	गोटा	१७७.००	१७७.००	१७७.००	१७७.००
	४० मि.मि. ब्यास	गोटा	२४५.००	२४५.००	२४५.००	२४५.००
	५० मि.मि. ब्यास	गोटा	३७९.००	३७९.००	३७९.००	३७९.००
	६५ मि.मि. ब्यास	गोटा	७१९.००	७१९.००	७१९.००	७१९.००
	८० मि.मि. ब्यास	गोटा	९७५.००	९७५.००	९७५.००	९७५.००
	१०० मि.मि. ब्यास	गोटा	१,७६५.००	१,७६५.००	१,७६५.००	१,७६५.००
	१५० मि.मि. ब्यास	गोटा	१,८९०.००	१,८९०.००	१,८९०.००	१,८९०.००
	२०० मि.मि. ब्यास	गोटा	२,६२५.००	२,६२५.००	२,६२५.००	२,६२५.००
१०	जि.आई.रेडुसर एल्बो (एन.एस.-३८३)			-	-	-
	२० मि.मि. ब्यास	गोटा	७५.००	७५.००	७५.००	७५.००
	२५ मि.मि. ब्यास	गोटा	११७.००	११७.००	११७.००	११७.००
	३२ मि.मि. ब्यास	गोटा	१८४.००	१८४.००	१८४.००	१८४.००
	४० मि.मि. ब्यास	गोटा	२५५.००	२५५.००	२५५.००	२५५.००
	५० मि.मि. ब्यास	गोटा	३९४.००	३९४.००	३९४.००	३९४.००

(Signature)

(Signature) 23

(Signature)

(Signature) धर्मराज जोशी
जिल्ला अधिकारी



२० मि.मि. व्यास	गोटा	१	१०३.००	१०३.००	१०३.००	१०३.००
						धर्मराज जोशी जिल्हा अधिकारी
		24				



DI Puddlecolor 1meter Long									
				25					



2

सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	१५० मि.मि. ब्यास	गोटा	१८,०००.००	१८,०००.००	१८,०००.००	१८,०००.००
	२०० मि.मि. ब्यास	गोटा	२०,०००.००	२०,०००.००	२०,०००.००	२०,०००.००
	२५० मि.मि. ब्यास	गोटा	२५,०००.००	२५,०००.००	२५,०००.००	२५,०००.००
२५	DI Tail Piece			-	-	-
	१५० मि.मि. ब्यास	गोटा	४,३००.००	४,३००.००	४,३००.००	४,३००.००
	२०० मि.मि. ब्यास	गोटा	६,०००.००	६,०००.००	६,०००.००	६,०००.००
	२५० मि.मि. ब्यास	गोटा	८,३००.००	८,३००.००	८,३००.००	८,३००.००
२६	DI Bend (Double Flanged)	गोटा		-	-	-
	१०० मि.मि. ब्यास	गोटा	११,५००.००	११,५००.००	११,५००.००	११,५००.००
	१२५ मि.मि. ब्यास	गोटा	१२,५००.००	१२,५००.००	१२,५००.००	१२,५००.००
	१५० मि.मि. ब्यास	गोटा	१३,५००.००	१३,५००.००	१३,५००.००	१३,५००.००
	२०० मि.मि. ब्यास	गोटा	१६,०००.००	१६,०००.००	१६,०००.००	१६,०००.००
	२५० मि.मि. ब्यास	गोटा	१८,०५०.००	१८,०५०.००	१८,०५०.००	१८,०५०.००
२७	DI Unequal Tee			-	-	-
	125x125x100 मि.मि. ब्यास	गोटा	१७,५००.००	१७,५००.००	१७,५००.००	१७,५००.००
	125x125x80 मि.मि. ब्यास	गोटा	१७,५००.००	१७,५००.००	१७,५००.००	१७,५००.००
	150x150x125 मि.मि. ब्यास	गोटा	२१,५००.००	२१,५००.००	२१,५००.००	२१,५००.००
	150x150x100 मि.मि. ब्यास	गोटा	२२,५००.००	२२,५००.००	२२,५००.००	२२,५००.००
	150x150x80 मि.मि. ब्यास	गोटा	२३,५००.००	२३,५००.००	२३,५००.००	२३,५००.००
	200x200x150 मि.मि. ब्यास	गोटा	३७,५००.००	३७,५००.००	३७,५००.००	३७,५००.००
	200x200x125 मि.मि. ब्यास	गोटा	४०,०००.००	४०,०००.००	४०,०००.००	४०,०००.००
	200x200x100 मि.मि. ब्यास	गोटा	४२,५००.००	४२,५००.००	४२,५००.००	४२,५००.००
	250x250x200 मि.मि. ब्यास	गोटा	५७,५००.००	५७,५००.००	५७,५००.००	५७,५००.००
	250x250x150 मि.मि. ब्यास	गोटा	६०,०००.००	६०,०००.००	६०,०००.००	६०,०००.००
	250x250x125 मि.मि. ब्यास	गोटा	६५,०००.००	६५,०००.००	६५,०००.००	६५,०००.००
	250x250x100 मि.मि. ब्यास	गोटा	७०,०००.००	७०,०००.००	७०,०००.००	७०,०००.००
२८	एम.एस.फ्लेन्ज एडेप्टर ग्यास्केट समेत			-	-	-
	६३ मि.मि. ब्यास	सेट	१,७५०.००	१,७५०.००	१,७५०.००	१,७५०.००
	७५ मि.मि. ब्यास	सेट	२,१००.००	२,१००.००	२,१००.००	२,१००.००
	९० मि.मि. ब्यास	सेट	२,५६०.००	२,५६०.००	२,५६०.००	२,५६०.००
	११० मि.मि. ब्यास	सेट	३,९८०.००	३,९८०.००	३,९८०.००	३,९८०.००
	१२५ मि.मि. ब्यास	सेट	४,३९०.००	४,३९०.००	४,३९०.००	४,३९०.००
	१४० मि.मि. ब्यास	सेट	४,६८०.००	४,६८०.००	४,६८०.००	४,६८०.००
	१६० मि.मि. ब्यास	सेट	४,८२०.००	४,८२०.००	४,८२०.००	४,८२०.००
	१८० मि.मि. ब्यास	सेट	५,४३०.००	५,४३०.००	५,४३०.००	५,४३०.००
	२०० मि.मि. ब्यास	सेट	५,९६०.००	५,९६०.००	५,९६०.००	५,९६०.००
	२५० मि.मि. ब्यास	सेट	६,२८७.००	६,२८७.००	६,२८७.००	६,२८७.००
	२८० मि.मि. ब्यास	सेट	८,९७९.००	८,९७९.००	८,९७९.००	८,९७९.००
२९	रबर ग्यास्केट			-	-	-
	२२५ मि.मि. ब्यास		५६३.००	५६३.००	५६३.००	५६३.००
	२०० मि.मि. ब्यास		४२३.००	४२३.००	४२३.००	४२३.००
	१५० मि.मि. ब्यास		३५२.००	३५२.००	३५२.००	३५२.००
	१२५ मि.मि. ब्यास		२८२.००	२८२.००	२८२.००	२८२.००
	१०० मि.मि. ब्यास		२१२.००	२१२.००	२१२.००	२१२.००
	८० मि.मि. ब्यास		१४०.००	१४०.००	१४०.००	१४०.००
३०	सि.आई. फ्लेन्ज टेल पिस			-	-	-
	८० मि.मि. ब्यास		२,२०५.००	२,२०५.००	२,२०५.००	२,२०५.००
	१०० मि.मि. ब्यास		३,३६०.००	३,३६०.००	३,३६०.००	३,३६०.००
	१५० मि.मि. ब्यास	गोटा	५,१६३.००	५,१६३.००	५,१६३.००	५,१६३.००
	२०० मि.मि. ब्यास	गोटा	८,१६३.००	८,१६३.००	८,१६३.००	८,१६३.००
३१	फ्लेन्ज ग्यास्केट			-	-	-
	१५० मि.मि. ब्यास	गोटा	७,५५२.००	७,५५२.००	७,५५२.००	७,५५२.००
	२०० मि.मि. ब्यास	गोटा	७,७००.००	७,७००.००	७,७००.००	७,७००.००
३२	सि.आई. फ्लेन्ज बेलमाउथ			-	-	-
	१२५ मि.मि. ब्यास	गोटा	८,९८३.००	८,९८३.००	८,९८३.००	८,९८३.००
	१५० मि.मि. ब्यास	गोटा	३,५१७.००	३,५१७.००	३,५१७.००	३,५१७.००

(सहचर)

(सहचर)

(सहचर)

(सहचर)

(सहचर)

(सहचर)

(सहचर)

(सहचर)

धर्मराज जोशी
जिल्ला अधिकारी

सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	२०० मि.मि. ब्यास	गोटा	५,२१९.००	५,२१९.००	५,२१९.००	५,२१९.००
३३	मेकानिकल कपलिङ रबर रिङ समेत			-	-	-
	१०० मि.मि. ब्यास		८,४००.००	८,४००.००	८,४००.००	८,४००.००
	१५० मि.मि. ब्यास	गोटा	११,४९३.००	११,४९३.००	११,४९३.००	११,४९३.००
	२०० मि.मि. ब्यास	गोटा	१३,७६२.००	१३,७६२.००	१३,७६२.००	१३,७६२.००
३४	गनमेटल गेट भल्व लोकल			-	-	-
	१५ मि.मि. ब्यास	गोटा	५९५.००	५९५.००	५९५.००	५९५.००
	२० मि.मि. ब्यास	गोटा	८७६.००	८७६.००	८७६.००	८७६.००
	२५ मि.मि. ब्यास	गोटा	१,२७२.००	१,२७२.००	१,२७२.००	१,२७२.००
	३२ मि.मि. ब्यास	गोटा	२,४०८.००	२,४०८.००	२,४०८.००	२,४०८.००
	४० मि.मि. ब्यास	गोटा	३,६१५.००	३,६१५.००	३,६१५.००	३,६१५.००
	५० मि.मि. ब्यास	गोटा	४,५१६.००	४,५१६.००	४,५१६.००	४,५१६.००
३५	गनमेटल गेट भल्व (नेपाल गुणस्तर १४९-२०४४)			-	-	-
	१५ मि.मि. ब्यास	गोटा	९६२.००	९६२.००	९६२.००	९६२.००
	२० मि.मि. ब्यास	गोटा	१,३४७.००	१,३४७.००	१,३४७.००	१,३४७.००
	२५ मि.मि. ब्यास	गोटा	२,११८.००	२,११८.००	२,११८.००	२,११८.००
	३२ मि.मि. ब्यास	गोटा	२,९५२.००	२,९५२.००	२,९५२.००	२,९५२.००
	४० मि.मि. ब्यास	गोटा	३,८५०.००	३,८५०.००	३,८५०.००	३,८५०.००
	५० मि.मि. ब्यास	गोटा	६,४१६.००	६,४१६.००	६,४१६.००	६,४१६.००
	६५ मि.मि. ब्यास	गोटा	१२,८३४.००	१२,८३४.००	१२,८३४.००	१२,८३४.००
	८० मि.मि. ब्यास	गोटा	१९,२५१.००	१९,२५१.००	१९,२५१.००	१९,२५१.००
	१०० मि.मि. ब्यास	गोटा	३६,५७९.००	३६,५७९.००	३६,५७९.००	३६,५७९.००
३६	गनमेटल ग्लोब भल्व क्लास			-	-	-
	१५ मि.मि. ब्यास	गोटा	८९८.००	८९८.००	८९८.००	८९८.००
	२० मि.मि. ब्यास	गोटा	९११.००	९११.००	९११.००	९११.००
	२५ मि.मि. ब्यास	गोटा	१,९८८.००	१,९८८.००	१,९८८.००	१,९८८.००
	३२ मि.मि. ब्यास	गोटा	३,८५०.००	३,८५०.००	३,८५०.००	३,८५०.००
	४० मि.मि. ब्यास	गोटा	५,१३४.००	५,१३४.००	५,१३४.००	५,१३४.००
	५० मि.मि. ब्यास	गोटा	७,०५९.००	७,०५९.००	७,०५९.००	७,०५९.००
	६५ मि.मि. ब्यास	गोटा	१४,११७.००	१४,११७.००	१४,११७.००	१४,११७.००
	८० मि.मि. ब्यास	गोटा	१९,८९४.००	१९,८९४.००	१९,८९४.००	१९,८९४.००
	१०० मि.मि. ब्यास	गोटा	३४,६५४.००	३४,६५४.००	३४,६५४.००	३४,६५४.००
३७	गनमेटल चेक भल्व (vertical) (एन.एस. ३८२)			-	-	-
	१५ मि.मि. ब्यास	गोटा	५०१.००	५०१.००	५०१.००	५०१.००
	२० मि.मि. ब्यास		७०६.००	७०६.००	७०६.००	७०६.००
	२५ मि.मि. ब्यास		९७६.००	९७६.००	९७६.००	९७६.००
	३२ मि.मि. ब्यास	गोटा	१,२१९.००	१,२१९.००	१,२१९.००	१,२१९.००
	४० मि.मि. ब्यास	गोटा	१,६०४.००	१,६०४.००	१,६०४.००	१,६०४.००
	५० मि.मि. ब्यास	गोटा	२,५६६.००	२,५६६.००	२,५६६.००	२,५६६.००
३८	गनमेटल चेक भल्व Horizontal (एन.एस. ३८२)			-	-	-
	१५ मि.मि. ब्यास	गोटा	६४२.००	६४२.००	६४२.००	६४२.००
	२० मि.मि. ब्यास	गोटा	१,०२६.००	१,०२६.००	१,०२६.००	१,०२६.००
	२५ मि.मि. ब्यास	गोटा	२,१८२.००	२,१८२.००	२,१८२.००	२,१८२.००
	३२ मि.मि. ब्यास	गोटा	३,८५०.००	३,८५०.००	३,८५०.००	३,८५०.००
	४० मि.मि. ब्यास	गोटा	५,७७७.००	५,७७७.००	५,७७७.००	५,७७७.००
	५० मि.मि. ब्यास	गोटा	८,४०६.००	८,४०६.००	८,४०६.००	८,४०६.००
	६५ मि.मि. ब्यास	गोटा	१४,११७.००	१४,११७.००	१४,११७.००	१४,११७.००
३९	फ्लोट भल्व साधारण			-	-	-
	१५ मि.मि. ब्यास	गोटा	१,०२६.००	१,०२६.००	१,०२६.००	१,०२६.००
	२० मि.मि. ब्यास	गोटा	१,४१२.००	१,४१२.००	१,४१२.००	१,४१२.००
	२५ मि.मि. ब्यास	गोटा	२,३१०.००	२,३१०.००	२,३१०.००	२,३१०.००
	३२ मि.मि. ब्यास	गोटा	२,९५२.००	२,९५२.००	२,९५२.००	२,९५२.००
	४० मि.मि. ब्यास	गोटा	३,८५०.००	३,८५०.००	३,८५०.००	३,८५०.००
४०	गनमेटल फेरुल			-	-	-
	१५ मि.मि. ब्यास	गोटा	१,५४३.००	१,५४३.००	१,५४३.००	१,५४३.००
	२० मि.मि. ब्यास	गोटा	२,९५२.००	२,९५२.००	२,९५२.००	२,९५२.००

(Signature)

(Signature)

27

(Signature) धर्मराज जोशी
जिल्ला अधिकारी



2

सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेको स्वीकृत दररेट (रुपैयामा)			
			आ.व. २०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	२५ मि.मि. ब्यास	गोटा	५,५८३.००	५,५८३.००	५,५८३.००	५,५८३.००
४१	जि.आई.ईण्डक्याप			-	-	-
	१५ मि.मि. ब्यास	गोटा	२५.००	२५.००	२५.००	२५.००
	२० मि.मि. ब्यास	गोटा	४०.००	४०.००	४०.००	४०.००
	२५ मि.मि. ब्यास	गोटा	५६.००	५६.००	५६.००	५६.००
	३२ मि.मि. ब्यास	गोटा	९७.००	९७.००	९७.००	९७.००
	४० मि.मि. ब्यास	गोटा	११३.००	११३.००	११३.००	११३.००
	५० मि.मि. ब्यास	गोटा	१४३.००	१४३.००	१४३.००	१४३.००
	६५ मि.मि. ब्यास	गोटा	२६७.००	२६७.००	२६७.००	२६७.००
	८० मि.मि. ब्यास	गोटा	३६२.००	३६२.००	३६२.००	३६२.००
	१०० मि.मि. ब्यास		५५२.००	५५२.००	५५२.००	५५२.००
४२	जि.आई.प्लग (Plug)			-	-	-
	१५ मि.मि. ब्यास	गोटा	१३.००	१३.००	१३.००	१३.००
	२० मि.मि. ब्यास	गोटा	२४.००	२४.००	२४.००	२४.००
	२५ मि.मि. ब्यास	गोटा	३८.००	३८.००	३८.००	३८.००
	३२ मि.मि. ब्यास	गोटा	६३.००	६३.००	६३.००	६३.००
	४० मि.मि. ब्यास	गोटा	७८.००	७८.००	७८.००	७८.००
	५० मि.मि. ब्यास	गोटा	१२१.००	१२१.००	१२१.००	१२१.००
	६५ मि.मि. ब्यास	गोटा	१७१.००	१७१.००	१७१.००	१७१.००
	८० मि.मि. ब्यास	गोटा	२४१.००	२४१.००	२४१.००	२४१.००
	१०० मि.मि. ब्यास		४१४.००	४१४.००	४१४.००	४१४.००
४३	जि.आई.निप्पल-१५० मि.मि. लामो			-	-	-
	१५ मि.मि. ब्यास	गोटा	४९.००	४९.००	४९.००	४९.००
	२० मि.मि. ब्यास	गोटा	७९.००	७९.००	७९.००	७९.००
	२५ मि.मि. ब्यास	गोटा	१०५.००	१०५.००	१०५.००	१०५.००
	३२ मि.मि. ब्यास	गोटा	१५१.००	१५१.००	१५१.००	१५१.००
	४० मि.मि. ब्यास	गोटा	२३६.००	२३६.००	२३६.००	२३६.००
	५० मि.मि. ब्यास	गोटा	३१२.००	३१२.००	३१२.००	३१२.००
	६५ मि.मि. ब्यास	गोटा	४७०.००	४७०.००	४७०.००	४७०.००
	८० मि.मि. ब्यास	गोटा	६८४.००	६८४.००	६८४.००	६८४.००
	१०० मि.मि. ब्यास	गोटा	९०९.००	९०९.००	९०९.००	९०९.००
	१५० मि.मि. ब्यास		१,०१५.००	१,०१५.००	१,०१५.००	१,०१५.००
४४	जि.आई. हेजगोनल निप्पल			-	-	-
	१५ मि.मि. ब्यास	गोटा	३५.००	३५.००	३५.००	३५.००
	२० मि.मि. ब्यास	गोटा	५९.००	५९.००	५९.००	५९.००
	२५ मि.मि. ब्यास	गोटा	८२.००	८२.००	८२.००	८२.००
	३२ मि.मि. ब्यास	गोटा	१३०.००	१३०.००	१३०.००	१३०.००
	४० मि.मि. ब्यास	गोटा	१६०.००	१६०.००	१६०.००	१६०.००
	५० मि.मि. ब्यास	गोटा	२४९.००	२४९.००	२४९.००	२४९.००
४५	जि.आई. ट्याङ्क निप्पल			-	-	-
	१५ मि.मि. ब्यास	गोटा	५९.००	५९.००	५९.००	५९.००
	२० मि.मि. ब्यास	गोटा	१३०.००	१३०.००	१३०.००	१३०.००
	२५ मि.मि. ब्यास	गोटा	१५३.००	१५३.००	१५३.००	१५३.००
	३२ मि.मि. ब्यास	गोटा	४४२.००	४४२.००	४४२.००	४४२.००
	४० मि.मि. ब्यास	गोटा	३९७.००	३९७.००	३९७.००	३९७.००
४६	जि.आई. अनईक्वेल टि			-	-	-
	१५X२० मि.मि. ब्यास	गोटा	१२६.००	१२६.००	१२६.००	१२६.००
	१५X२५ मि.मि. ब्यास	गोटा	१६८.००	१६८.००	१६८.००	१६८.००
	१५X३२ मि.मि. ब्यास	गोटा	२४९.००	२४९.००	२४९.००	२४९.००
	१५X४० मि.मि. ब्यास	गोटा	३३२.००	३३२.००	३३२.००	३३२.००
	१५X५० मि.मि. ब्यास	गोटा	५२६.००	५२६.००	५२६.००	५२६.००
	१५X६५ मि.मि. ब्यास	गोटा	९३५.००	९३५.००	९३५.००	९३५.००
	१५X८० मि.मि. ब्यास	गोटा	१,४५७.००	१,४५७.००	१,४५७.००	१,४५७.००
	१५X१०० मि.मि. ब्यास	गोटा	१,७९८.००	१,७९८.००	१,७९८.००	१,७९८.००
४७	सी.आई. अनईक्वेल टि (डी.एफ.)			-	-	-
	२००X२००X१५० मि.मि. ब्यास	गोटा	२२,६१५.००	२२,६१५.००	२२,६१५.००	२२,६१५.००

2021-22

28

धर्मराज जोशी
जिल्ला अधिकारी



भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)

(Signature)

सि.नं.	सामग्रीको नाम	प्रति इकाई	आ.व. २०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	२००X२००X१२५ मि.मि. ब्यास	गोटा	२२,६१५.००	२२,६१५.००	२२,६१५.००	२२,६१५.००
	२००X२००X१०० मि.मि. ब्यास	गोटा	२२,६१५.००	२२,६१५.००	२२,६१५.००	२२,६१५.००
	१५०X१५०X१०० मि.मि. ब्यास	गोटा	१३,४४५.००	१३,४४५.००	१३,४४५.००	१३,४४५.००
	१५०X१५०X८० मि.मि. ब्यास	गोटा	१३,४४५.००	१३,४४५.००	१३,४४५.००	१३,४४५.००
	१२५X१२५X१०० मि.मि. ब्यास	गोटा	११,००१.००	११,००१.००	११,००१.००	११,००१.००
	१२५X१२५X८० मि.मि. ब्यास	गोटा	११,००१.००	११,००१.००	११,००१.००	११,००१.००
	१००X१००X८० मि.मि. ब्यास	गोटा	६,३३४.००	६,३३४.००	६,३३४.००	६,३३४.००
४८	क्लिचिङ्ग पाउडर	के.जी.	२१०.००	२१०.००	२१०.००	२१०.००
४९	लिङ सिसा	के.जी.	३५०.००	३५०.००	३५०.००	३५०.००
५०	ब्रास टुटी ४०० ग्राम	गोटा	६७०.००	६७०.००	६७०.००	६७०.००
५१	जेसन टुटी	गोटा	५१०.००	५१०.००	५१०.००	५१०.००
५२	ब्रास टुटी लोकल	गोटा	३००.००	३००.००	३००.००	३००.००
५३	जि.एम.एयर भल्भ			-	-	-
	२० मि.मि.	गोटा	५,२९१.००	५,२९१.००	५,२९१.००	५,२९१.००
	२५ मि.मि.	गोटा	५,५७०.००	५,५७०.००	५,५७०.००	५,५७०.००
५४	PVC Saddle Clamp			-	-	-
	225x15mm	गोटा	३,०००.००	३,०००.००	३,०००.००	३,०००.००
	200x15mm	गोटा	२,८५०.००	२,८५०.००	२,८५०.००	२,८५०.००
	180x15mm	गोटा	२,७५०.००	२,७५०.००	२,७५०.००	२,७५०.००
	160x15mm	गोटा	२,६५५.००	२,६५५.००	२,६५५.००	२,६५५.००
	140x15mm	गोटा	८५७.००	८५७.००	८५७.००	८५७.००
	125x15mm	गोटा	७४३.००	७४३.००	७४३.००	७४३.००
	110x15mm	गोटा	६८६.००	६८६.००	६८६.००	६८६.००
	90x15mm	गोटा	६००.००	६००.००	६००.००	६००.००
	75x15mm	गोटा	५३१.००	५३१.००	५३१.००	५३१.००
	63x15mm	गोटा	४९७.००	४९७.००	४९७.००	४९७.००
	50x15mm	गोटा	४५७.००	४५७.००	४५७.००	४५७.००
	40x15mm	गोटा	४५१.००	४५१.००	४५१.००	४५१.००
	32x15mm	गोटा	३०८.००	३०८.००	३०८.००	३०८.००
५५	फलट भल्भ बि.पि.टी.टाइप			-	-	-
	१५ मि.मि.	गोटा	२,९५२.००	२,९५२.००	२,९५२.००	२,९५२.००
	२० मि.मि.	गोटा	३,७२३.००	३,७२३.००	३,७२३.००	३,७२३.००
	२५ मि.मि.	गोटा	४,८७७.००	४,८७७.००	४,८७७.००	४,८७७.००
	३२ मि.मि.	गोटा	१०,२६९.००	१०,२६९.००	१०,२६९.००	१०,२६९.००
	४० मि.मि.	गोटा	१४,११७.००	१४,११७.००	१४,११७.००	१४,११७.००
	५० मि.मि.	गोटा	२१,८१९.००	२१,८१९.००	२१,८१९.००	२१,८१९.००
५६	सि.पि. एङ्गल कक् प्रिती २००१			-	-	-
	१५ मि.मि.	गोटा	८४७.००	८४७.००	८४७.००	८४७.००
	२० मि.मि.	गोटा	९३५.००	९३५.००	९३५.००	९३५.००
५७	सि.पि. पिलर कक् प्रिती २००२			-	-	-
	१५ मि.मि.	गोटा	८४७.००	८४७.००	८४७.००	८४७.००
	२० मि.मि.	गोटा	१,०३८.००	१,०३८.००	१,०३८.००	१,०३८.००
५८	सि.पि. सर्ट बडी प्रिती			-	-	-
	१५ मि.मि.	गोटा	८४७.००	८४७.००	८४७.००	८४७.००
	२० मि.मि.	गोटा	९३५.००	९३५.००	९३५.००	९३५.००
५९	सि.पि. लङ्ग बडी प्रिती			-	-	-
	१५ मि.मि.	गोटा	१,०३८.००	१,०३८.००	१,०३८.००	१,०३८.००
	२० मि.मि.	गोटा	१,१२४.००	१,१२४.००	१,१२४.००	१,१२४.००
४८	सि.पि. बेसिन मिक्चर प्रिती			-	-	-
	१५ मि.मि.	गोटा	३,८५०.००	३,८५०.००	३,८५०.००	३,८५०.००
	२० मि.मि.	गोटा	४,२३६.००	४,२३६.००	४,२३६.००	४,२३६.००
४९	सि.पि. वाल मिक्चर प्रिती			-	-	-
	१५ मि.मि.	गोटा	३,८५०.००	३,८५०.००	३,८५०.००	३,८५०.००
	२० मि.मि.	गोटा	४,२३६.००	४,२३६.००	४,२३६.००	४,२३६.००
५०	सि.पि. स्टप् कक् प्रिती			-	-	-

(Signature)

(Signature)

29

(Signature)

(Signature)

धर्मरत्न जोशी
जिल्ला अधिकारी



भारत सरकार
गृह मन्त्रालय
जिला प्रशासन कार्य
सूचक

भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)

20

सि.नं.	सामग्रीको नाम	प्रति इकाई	आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	१५ मि.मि.	गोटा	७७०.००	७७०.००	७७०.००	७७०.००
	२० मि.मि.	गोटा	७७०.००	७७०.००	७७०.००	७७०.००
५१	सि.पि. कन्सील कक् प्रिती			-	-	-
	१५ मि.मि.	गोटा	१,१७३.००	१,१७३.००	१,१७३.००	१,१७३.००
	२० मि.मि.	गोटा	१,२८२.००	१,२८२.००	१,२८२.००	१,२८२.००
५२	सि.पि. सिङ्ग कक् प्रिती			-	-	-
	१५ मि.मि.	गोटा	१,९२४.००	१,९२४.००	१,९२४.००	१,९२४.००
	२० मि.मि.	गोटा	२,१८२.००	२,१८२.००	२,१८२.००	२,१८२.००
५३	सि.पि. निपल प्रिती			-	-	-
	१५ मि.मि.छोटो	गोटा	१४०.००	१४०.००	१४०.००	१४०.००
	१५ मि.मि.लामो	गोटा	२१२.००	२१२.००	२१२.००	२१२.००
५४	पोलिथिन फिटिङ्ग			-	-	-
	११० मि.मि.एल्वो		९६.००	९६.००	९६.००	९६.००
	७५ मि.मि.एल्वो		८२.००	८२.००	८२.००	८२.००
	११० मि.मि.टी		१४७.००	१४७.००	१४७.००	१४७.००
	७५ मि.मि.टी		१३५.००	१३५.००	१३५.००	१३५.००
	११० मि.मि.कबेल		११४.००	११४.००	११४.००	११४.००
	७५ मि.मि.कबेल		८२.००	८२.००	८२.००	८२.००
५५	पि.मि.सी.फिटिङ्ग			-	-	-
	११० मि.मि.कबेल		१७४.००	१७४.००	१७४.००	१७४.००
	७५ मि.मि.कबेल		१२१.००	१२१.००	१२१.००	१२१.००
५६	जि.आई. चेक नट			-	-	-
	१५ मि.मि. ब्यास		२७.००	२७.००	२७.००	२७.००
	२० मि.मि. ब्यास		४४.००	४४.००	४४.००	४४.००
	२५ मि.मि. ब्यास		५९.००	५९.००	५९.००	५९.००
	३२ मि.मि. ब्यास		६८.००	६८.००	६८.००	६८.००
	४० मि.मि. ब्यास		१२१.००	१२१.००	१२१.००	१२१.००
	५० मि.मि. ब्यास		१५३.००	१५३.००	१५३.००	१५३.००
५७	जि.आई. कस			-	-	-
	१५ मि.मि. ब्यास		८२.००	८२.००	८२.००	८२.००
	२० मि.मि. ब्यास		१२१.००	१२१.००	१२१.००	१२१.००
	२५ मि.मि. ब्यास		१८४.००	१८४.००	१८४.००	१८४.००
	३२ मि.मि. ब्यास		३४०.००	३४०.००	३४०.००	३४०.००
	४० मि.मि. ब्यास		४९६.००	४९६.००	४९६.००	४९६.००
	५० मि.मि. ब्यास		६२८.००	६२८.००	६२८.००	६२८.००
५८	हिटिङ्ग प्लेट ४" ब्यासको	गोटा	७१२.००	७१२.००	७१२.००	७१२.००
५९	हिटिङ्ग प्लेट ६" ब्यासको	गोटा	१,६७८.००	१,६७८.००	१,६७८.००	१,६७८.००
६०	हिटिङ्ग प्लेट १०" ब्यासको	गोटा	५,५९६.००	५,५९६.००	५,५९६.००	५,५९६.००
६१	हिटिङ्ग प्लेट १२" ब्यासको	गोटा	५,०३६.००	५,०३६.००	५,०३६.००	५,०३६.००
६२	धर्मोक्कम केम चक जर्मनी अथाव सो सरह	गोटा	४,७२०.००	४,७२०.००	४,७२०.००	४,७२०.००
६३	टेफलन कभर ६"X६"	पिस	४८८.००	४८८.००	४८८.००	४८८.००
६४	टेफलन कभर	मीटर	२,७९६.००	२,७९६.००	२,७९६.००	२,७९६.००
६५	पाईप रिञ्च			-	-	-
	१२ इन्च	गोटा	५५८.००	५५८.००	५५८.००	५५८.००
	१४ इन्च	गोटा	८०५.००	८०५.००	८०५.००	८०५.००
	१८ इन्च	गोटा	९७८.००	९७८.००	९७८.००	९७८.००
	२४ इन्च	गोटा	१,६७८.००	१,६७८.००	१,६७८.००	१,६७८.००
	३६ इन्च	गोटा	३,२१७.००	३,२१७.००	३,२१७.००	३,२१७.००
	४८ इन्च	गोटा	१०,०७२.००	१०,०७२.००	१०,०७२.००	१०,०७२.००
६६	चेन पाइप रेञ्च ८ इन्च		१०,०७२.००	१०,०७२.००	१०,०७२.००	१०,०७२.००
६७	पाइप कटर २ इन्च सम्म	गोटा	१०,०७२.००	१०,०७२.००	१०,०७२.००	१०,०७२.००
६८	पाइप भाइस			-	-	-
	२ इन्च	गोटा	२,६५८.००	२,६५८.००	२,६५८.००	२,६५८.००
	३ इन्च	गोटा	३,२१७.००	३,२१७.००	३,२१७.००	३,२१७.००
६९	डाई सेट			-	-	-
	१/२ इन्च देखि १ इन्च सम्म (डाई टीथ समेत)	सेट	४,४७५.००	४,४७५.००	४,४७५.००	४,४७५.००

130

धर्मोक्कम जोशी
जिला अधिकारी



सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	१ १/४ इन्च देखि २ इन्च सम्म (डाई टीथ समेत)	सेट	९,५१२.००	९,५१२.००	९,५१२.००	९,५१२.००
७०	स्पेयर डाई टीथ			-	-	-
	१/२ इन्च	सेट	३,०३४.००	३,०३४.००	३,०३४.००	३,०३४.००
	३/४ इन्च	सेट	१,७२९.००	१,७२९.००	१,७२९.००	१,७२९.००
	१ इन्च	सेट	१,७२९.००	१,७२९.००	१,७२९.००	१,७२९.००
	१ १/४ इन्च देखि २ इन्च सम्म	सेट	४,१७९.००	४,१७९.००	४,१७९.००	४,१७९.००
७१	मेकानिकल ज्याक टाटा अथवा सा सरह कम्पनीको हेभी	गोटा	५१,३३८.००	५१,३३८.००	५१,३३८.००	५१,३३८.००
७२	५ टन क्षमताको चेन पुली (जे.के. अथवा एस.एम.आई.ई. क्यू अथवा सो सरह)	गोटा	४०,१०८.००	४०,१०८.००	४०,१०८.००	४०,१०८.००
७३	काठ काट्ने आरी	गोटा	७१९.००	७१९.००	७१९.००	७१९.००
७४	सि.आई.डि.एफ नन् रिटर्न सुलिस भल्व			-	-	-
	३ इन्च ब्यास	गोटा	१०,२६९.००	१०,२६९.००	१०,२६९.००	१०,२६९.००
	४ इन्च ब्यास	गोटा	१४,२५०.००	१४,२५०.००	१४,२५०.००	१४,२५०.००
	५ इन्च ब्यास	गोटा	१६,६८५.००	१६,६८५.००	१६,६८५.००	१६,६८५.००
	६ इन्च ब्यास	गोटा	२१,८१९.००	२१,८१९.००	२१,८१९.००	२१,८१९.००
७५	सि.आई.डि.एफ ९० डिग्री वेण्ड			-	-	-
	३०० मि.मि. ब्यास	गोटा	२२,५६०.००	२२,५६०.००	२२,५६०.००	२२,५६०.००
	२५० मि.मि. ब्यास	गोटा	२१,५६०.००	२१,५६०.००	२१,५६०.००	२१,५६०.००
	१५० मि.मि. ब्यास	गोटा	१६,०४५.००	१६,०४५.००	१६,०४५.००	१६,०४५.००
	१२५ मि.मि. ब्यास	गोटा	१२,८३४.००	१२,८३४.००	१२,८३४.००	१२,८३४.००
	१०० मि.मि. ब्यास	गोटा	११,५५१.००	११,५५१.००	११,५५१.००	११,५५१.००
	८० मि.मि. ब्यास	गोटा	१०,२६९.००	१०,२६९.००	१०,२६९.००	१०,२६९.००
७६	सि.आई.डि.एफ फलो मिटर्स			-	-	-
	२५० मि.मि. ब्यास	गोटा	८५,६४०.००	८५,६४०.००	८५,६४०.००	८५,६४०.००
	२०० मि.मि. ब्यास	गोटा	७९,८२०.००	७९,८२०.००	७९,८२०.००	७९,८२०.००
	१५० मि.मि. ब्यास	गोटा	७७,०१०.००	७७,०१०.००	७७,०१०.००	७७,०१०.००
	१२५ मि.मि. ब्यास	गोटा	५१,३३८.००	५१,३३८.००	५१,३३८.००	५१,३३८.००
	१०० मि.मि. ब्यास	गोटा	३२,५६०.००	३२,५६०.००	३२,५६०.००	३२,५६०.००
	८० मि.मि. ब्यास	गोटा	२५,६७०.००	२५,६७०.००	२५,६७०.००	२५,६७०.००
७७	सि.आई.डि.एफ इकवेल टी			-	-	-
	२५० मि.मि. ब्यास	गोटा	२५,७८०.००	२५,७८०.००	२५,७८०.००	२५,७८०.००
	२०० मि.मि. ब्यास	गोटा	२३,१०३.००	२३,१०३.००	२३,१०३.००	२३,१०३.००
	१५० मि.मि. ब्यास	गोटा	१४,११७.००	१४,११७.००	१४,११७.००	१४,११७.००
	१२५ मि.मि. ब्यास	गोटा	११,५५१.००	११,५५१.००	११,५५१.००	११,५५१.००
	१०० मि.मि. ब्यास	गोटा	७,७००.००	७,७००.००	७,७००.००	७,७००.००
	८० मि.मि. ब्यास	गोटा	५,१३४.००	५,१३४.००	५,१३४.००	५,१३४.००
७८	सि.आई.डि.एफ कनेक्टीभ टपर			-	-	-
	२००X१५० मि.मि. ब्यास	गोटा	११,५५१.००	११,५५१.००	११,५५१.००	११,५५१.००
	१५०X१२५ मि.मि. ब्यास	गोटा	१०,२६९.००	१०,२६९.००	१०,२६९.००	१०,२६९.००
	१५०X१०० मि.मि. ब्यास	गोटा	९,६२७.००	९,६२७.००	९,६२७.००	९,६२७.००
	१२५X१०० मि.मि. ब्यास	गोटा	७,७००.००	७,७००.००	७,७००.००	७,७००.००
	१२५X८० मि.मि. ब्यास	गोटा	७,०५९.००	७,०५९.००	७,०५९.००	७,०५९.००
	१००X८० मि.मि. ब्यास	गोटा	५,६४६.००	५,६४६.००	५,६४६.००	५,६४६.००
७९	आई.एस.ओ.डी.एम.एस.फ्लेन्ज सेट ग्यास्केट सहित			-	-	-
	२५० मि.मि. ब्यास	गोटा	६,५८०.००	६,५८०.००	६,५८०.००	६,५८०.००
	२२५ मि.मि. ब्यास	गोटा	६,१६०.००	६,१६०.००	६,१६०.००	६,१६०.००
	२०० मि.मि. ब्यास	गोटा	४,४९२.००	४,४९२.००	४,४९२.००	४,४९२.००
	१५० मि.मि. ब्यास	गोटा	३,५९३.००	३,५९३.००	३,५९३.००	३,५९३.००
	१२५ मि.मि. ब्यास	गोटा	२,८२३.००	२,८२३.००	२,८२३.००	२,८२३.००
	१०० मि.मि. ब्यास	गोटा	१,९२४.००	१,९२४.००	१,९२४.००	१,९२४.००
	८० मि.मि. ब्यास	गोटा	१,२८२.००	१,२८२.००	१,२८२.००	१,२८२.००
८०	सि.पि.भि.सि. पाईप एण्ड फिटिङ			-	-	-
	सि.पि.भि.सि. पाईप (SDR - ११)			-	-	-
	१५ मि.मि. ब्यास	र.मीटर	१४८.००	१४८.००	१४८.००	१४८.००
	२० मि.मि. ब्यास	र.मीटर	२२६.००	२२६.००	२२६.००	२२६.००
	२५ मि.मि. ब्यास	र.मीटर	३३७.००	३३७.००	३३७.००	३३७.००

धर्मरत्न जोशी
 जिल्ला अधिकारी

सि.नं.	सामग्रीको नाम	प्रति इकाई	आ.व. २०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	३२ मि.मि. ब्यास	र.मीटर	४९८.००	४९८.००	४९८.००	४९८.००
	४० मि.मि. ब्यास	र.मीटर	६९९.००	६९९.००	६९९.००	६९९.००
	५० मि.मि. ब्यास	र.मीटर	९,९३९.००	९,९३९.००	९,९३९.००	९,९३९.००
सि.पि.भि.सि. पाईप (SDR १३.५)				-	-	-
	१५ मि.मि. ब्यास	र.मीटर	१२८.००	१२८.००	१२८.००	१२८.००
	२० मि.मि. ब्यास	र.मीटर	२९०.००	२९०.००	२९०.००	२९०.००
	२५ मि.मि. ब्यास	र.मीटर	२९०.००	२९०.००	२९०.००	२९०.००
	३२ मि.मि. ब्यास	र.मीटर	४९५.००	४९५.००	४९५.००	४९५.००
	४० मि.मि. ब्यास	र.मीटर	५९५.००	५९५.००	५९५.००	५९५.००
	५० मि.मि. ब्यास	र.मीटर	९६६.००	९६६.००	९६६.००	९६६.००
सि.पि.भि.सि. एल्बो				-	-	-
	१५ मि.मि. ब्यास	गोटा	३९.००	३९.००	३९.००	३९.००
	२० मि.मि. ब्यास	गोटा	४२.००	४२.००	४२.००	४२.००
	२५ मि.मि. ब्यास	गोटा	८७.००	८७.००	८७.००	८७.००
	३२ मि.मि. ब्यास	गोटा	१५८.००	१५८.००	१५८.००	१५८.००
	४० मि.मि. ब्यास	गोटा	३०५.००	३०५.००	३०५.००	३०५.००
	५० मि.मि. ब्यास	गोटा	६३९.००	६३९.००	६३९.००	६३९.००
सि.पि.भि.सि. ईक्वाइल टि				-	-	-
	१५ मि.मि. ब्यास	गोटा	४२.००	४२.००	४२.००	४२.००
	२० मि.मि. ब्यास	गोटा	६९.००	६९.००	६९.००	६९.००
	२५ मि.मि. ब्यास	गोटा	१०८.००	१०८.००	१०८.००	१०८.००
	३२ मि.मि. ब्यास	गोटा	२०३.००	२०३.००	२०३.००	२०३.००
	४० मि.मि. ब्यास	गोटा	३७९.००	३७९.००	३७९.००	३७९.००
	५० मि.मि. ब्यास	गोटा	७९२.००	७९२.००	७९२.००	७९२.००
सि.पि.भि.सि. Coupling				-	-	-
	१५ मि.मि. ब्यास	गोटा	२४.००	२४.००	२४.००	२४.००
	२० मि.मि. ब्यास	गोटा	३४.००	३४.००	३४.००	३४.००
	२५ मि.मि. ब्यास	गोटा	५६.००	५६.००	५६.००	५६.००
	३२ मि.मि. ब्यास	गोटा	९९.००	९९.००	९९.००	९९.००
	४० मि.मि. ब्यास	गोटा	१८९.००	१८९.००	१८९.००	१८९.००
	५० मि.मि. ब्यास	गोटा	३८९.००	३८९.००	३८९.००	३८९.००
सि.पि.भि.सि. Transition Coupling				-	-	-
	२५ मि.मि. ब्यास	गोटा	१९६.००	१९६.००	१९६.००	१९६.००
सि.पि.भि.सि. Reducer Bushing				-	-	-
	२० X १५ मि.मि. ब्यास	गोटा	२३.००	२३.००	२३.००	२३.००
	२५ X १५ मि.मि. ब्यास	गोटा	५९.००	५९.००	५९.००	५९.००
	२५ X २० मि.मि. ब्यास	गोटा	३७.००	३७.००	३७.००	३७.००
	३२ X १५ मि.मि. ब्यास	गोटा	९४.००	९४.००	९४.००	९४.००
	३२ X २० मि.मि. ब्यास	गोटा	७९.००	७९.००	७९.००	७९.००
	३२ X २५ मि.मि. ब्यास	गोटा	६०.००	६०.००	६०.००	६०.००
	४० X १५ मि.मि. ब्यास	गोटा	१५९.००	१५९.००	१५९.००	१५९.००
	४० X २० मि.मि. ब्यास	गोटा	१९३.००	१९३.००	१९३.००	१९३.००
	४० X २५ मि.मि. ब्यास	गोटा	१९९.००	१९९.००	१९९.००	१९९.००
	४० X ३२ मि.मि. ब्यास	गोटा	७८.००	७८.००	७८.००	७८.००
	५० X १५ मि.मि. ब्यास	गोटा	२४०.००	२४०.००	२४०.००	२४०.००
	५० X २० मि.मि. ब्यास	गोटा	२९९.००	२९९.००	२९९.००	२९९.००
	५० X २५ मि.मि. ब्यास	गोटा	२२२.००	२२२.००	२२२.००	२२२.००
	५० X ३२ मि.मि. ब्यास	गोटा	२३७.००	२३७.००	२३७.००	२३७.००
	५० X ४० मि.मि. ब्यास	गोटा	१९७.००	१९७.००	१९७.००	१९७.००
	१५ X १५ मि.मि. ब्यास	गोटा	४५.००	४५.००	४५.००	४५.००
	२० X २० मि.मि. ब्यास	गोटा	६४.००	६४.००	६४.००	६४.००
	२५ X २५ मि.मि. ब्यास	गोटा	२९५.००	२९५.००	२९५.००	२९५.००
	३२ X ३२ मि.मि. ब्यास	गोटा	३०९.००	३०९.००	३०९.००	३०९.००
	४० X ४० मि.मि. ब्यास	गोटा	४९२.००	४९२.००	४९२.००	४९२.००
	५० X ५० मि.मि. ब्यास	गोटा	८०७.००	८०७.००	८०७.००	८०७.००

(Signature)

सि.नं.	सामग्रीको नाम	प्रति इकाई	आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	सि.पि.भि.सि. Reducer coupling			-	-	-
	२० X १५ मि.मि. ब्यास	गोटा	४४.००	४४.००	४४.००	४४.००
	२५ X १५ मि.मि. ब्यास	गोटा	६४.००	६४.००	६४.००	६४.००
	२५ X २० मि.मि. ब्यास	गोटा	६७.००	६७.००	६७.००	६७.००
	३२ X १५ मि.मि. ब्यास	गोटा	१४९.००	१४९.००	१४९.००	१४९.००
	३२ X २० मि.मि. ब्यास	गोटा	१३८.००	१३८.००	१३८.००	१३८.००
	३२ X २५ मि.मि. ब्यास	गोटा	१५१.००	१५१.००	१५१.००	१५१.००
	४० X १५ मि.मि. ब्यास	गोटा	२१७.००	२१७.००	२१७.००	२१७.००
	४० X २० मि.मि. ब्यास	गोटा	२४०.००	२४०.००	२४०.००	२४०.००
	४० X २५ मि.मि. ब्यास	गोटा	२१९.००	२१९.००	२१९.००	२१९.००
	४० X ३२ मि.मि. ब्यास	गोटा	२११.००	२११.००	२११.००	२११.००
	५० X १५ मि.मि. ब्यास	गोटा	४३६.००	४३६.००	४३६.००	४३६.००
	५० X २० मि.मि. ब्यास	गोटा	५१०.००	५१०.००	५१०.००	५१०.००
	५० X २५ मि.मि. ब्यास	गोटा	३७१.००	३७१.००	३७१.००	३७१.००
	५० X ३२ मि.मि. ब्यास	गोटा	४०६.००	४०६.००	४०६.००	४०६.००
	५० X ४० मि.मि. ब्यास	गोटा	५०७.००	५०७.००	५०७.००	५०७.००
	सि.पि.भि.सि. unequal T			-	-	-
	२० X २० X १५ मि.मि. ब्यास	गोटा	९५.००	९५.००	९५.००	९५.००
	२५ X २५ X १५ मि.मि. ब्यास	गोटा	१५१.००	१५१.००	१५१.००	१५१.००
	२५ X २५ X २० मि.मि. ब्यास	गोटा	१५८.००	१५८.००	१५८.००	१५८.००
	३२ X ३२ X १५ मि.मि. ब्यास	गोटा	२७३.००	२७३.००	२७३.००	२७३.००
	३२ X ३२ X २० मि.मि. ब्यास	गोटा	३२१.००	३२१.००	३२१.००	३२१.००
	३२ X ३२ X २५ मि.मि. ब्यास	गोटा	२६५.००	२६५.००	२६५.००	२६५.००
	४० X ४० X १५ मि.मि. ब्यास	गोटा	४४२.००	४४२.००	४४२.००	४४२.००
	४० X ४० X २० मि.मि. ब्यास	गोटा	४३८.००	४३८.००	४३८.००	४३८.००
	४० X ४० X २५ मि.मि. ब्यास	गोटा	४३४.००	४३४.००	४३४.००	४३४.००
	४० X ४० X ३२ मि.मि. ब्यास	गोटा	४२४.००	४२४.००	४२४.००	४२४.००
	५० X ५० X १५ मि.मि. ब्यास	गोटा	८१२.००	८१२.००	८१२.००	८१२.००
	५० X ५० X २० मि.मि. ब्यास	गोटा	८४३.००	८४३.००	८४३.००	८४३.००
	५० X ५० X २५ मि.मि. ब्यास	गोटा	८१५.००	८१५.००	८१५.००	८१५.००
	५० X ५० X ३२ मि.मि. ब्यास	गोटा	८९६.००	८९६.००	८९६.००	८९६.००
	५० X ५० X ४० मि.मि. ब्यास	गोटा	८३१.००	८३१.००	८३१.००	८३१.००
	सि.पि.भि.सि. Reducer Elbow			-	-	-
	२० X १५ मि.मि. ब्यास	गोटा	१३१.००	१३१.००	१३१.००	१३१.००
	२५ X १५ मि.मि. ब्यास	गोटा	३१०.००	३१०.००	३१०.००	३१०.००
	२५ X २० मि.मि. ब्यास	गोटा	२८१.००	२८१.००	२८१.००	२८१.००
	सि.पि.भि.सि. Elbow 45°			-	-	-
	१५ मि.मि. ब्यास	गोटा	३५.००	३५.००	३५.००	३५.००
	२० मि.मि. ब्यास	गोटा	६३.००	६३.००	६३.००	६३.००
	२५ मि.मि. ब्यास	गोटा	१०८.००	१०८.००	१०८.००	१०८.००
	३२ मि.मि. ब्यास	गोटा	२०३.००	२०३.००	२०३.००	२०३.००
	४० मि.मि. ब्यास	गोटा	३१५.००	३१५.००	३१५.००	३१५.००
	५० मि.मि. ब्यास	गोटा	६५६.००	६५६.००	६५६.००	६५६.००
	सि.पि.भि.सि. Male Adapter			-	-	-
	१५ मि.मि. ब्यास	गोटा	२९.००	२९.००	२९.००	२९.००
	२० मि.मि. ब्यास	गोटा	४८.००	४८.००	४८.००	४८.००
	२५ मि.मि. ब्यास	गोटा	७५.००	७५.००	७५.००	७५.००
	३२ मि.मि. ब्यास	गोटा	१११.००	१११.००	१११.००	१११.००
	४० मि.मि. ब्यास	गोटा	१६३.००	१६३.००	१६३.००	१६३.००
	५० मि.मि. ब्यास	गोटा	३१८.००	३१८.००	३१८.००	३१८.००
	सि.पि.भि.सि. female Adapter			-	-	-
	१५ मि.मि. ब्यास	गोटा	३९.००	३९.००	३९.००	३९.००
	२० मि.मि. ब्यास	गोटा	६७.००	६७.००	६७.००	६७.००
	२५ मि.मि. ब्यास	गोटा	९५.००	९५.००	९५.००	९५.००
	३२ मि.मि. ब्यास	गोटा	२१९.००	२१९.००	२१९.००	२१९.००

(Signature)

(Signature)

(Signature)

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी



सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	४० मि.मि. ब्यास	गोटा	२८९.००	२८९.००	२८९.००	२८९.००
	५० मि.मि. ब्यास	गोटा	४५४.००	४५४.००	४५४.००	४५४.००
	सि.पि.भि.सि. Tank Adapter			-	-	-
	१५ मि.मि. ब्यास	गोटा	१२१.००	१२१.००	१२१.००	१२१.००
	२० मि.मि. ब्यास	गोटा	१३२.००	१३२.००	१३२.००	१३२.००
	२५ मि.मि. ब्यास	गोटा	१९९.००	१९९.००	१९९.००	१९९.००
	३२ मि.मि. ब्यास	गोटा	३१३.००	३१३.००	३१३.००	३१३.००
	४० मि.मि. ब्यास	गोटा	४५७.००	४५७.००	४५७.००	४५७.००
	५० मि.मि. ब्यास	गोटा	७२२.००	७२२.००	७२२.००	७२२.००
	सि.पि.भि.सि. Union			-	-	-
	१५ मि.मि. ब्यास	गोटा	११७.००	११७.००	११७.००	११७.००
	२० मि.मि. ब्यास	गोटा	२१९.००	२१९.००	२१९.००	२१९.००
	२५ मि.मि. ब्यास	गोटा	३११.००	३११.००	३११.००	३११.००
	३२ मि.मि. ब्यास	गोटा	३६७.००	३६७.००	३६७.००	३६७.००
	४० मि.मि. ब्यास	गोटा	६०७.००	६०७.००	६०७.००	६०७.००
	५० मि.मि. ब्यास	गोटा	१,०९४.००	१,०९४.००	१,०९४.००	१,०९४.००
	सि.पि.भि.सि. Cross T			-	-	-
	१५ मि.मि. ब्यास	गोटा	६०.००	६०.००	६०.००	६०.००
	२० मि.मि. ब्यास	गोटा	१२९.००	१२९.००	१२९.००	१२९.००
	सि.पि.भि.सि. End Cap			-	-	-
	१५ मि.मि. ब्यास	गोटा	१८.००	१८.००	१८.००	१८.००
	२० मि.मि. ब्यास	गोटा	२९.००	२९.००	२९.००	२९.००
	२५ मि.मि. ब्यास	गोटा	४७.००	४७.००	४७.००	४७.००
	३२ मि.मि. ब्यास	गोटा	८६.००	८६.००	८६.००	८६.००
	४० मि.मि. ब्यास	गोटा	१२७.००	१२७.००	१२७.००	१२७.००
	५० मि.मि. ब्यास	गोटा	२६९.००	२६९.००	२६९.००	२६९.००
	सि.पि.भि.सि. Brass Coupling			-	-	-
	२० X १५ मि.मि. ब्यास	गोटा	२७३.००	२७३.००	२७३.००	२७३.००
	२५ X १५ मि.मि. ब्यास	गोटा	३६७.००	३६७.००	३६७.००	३६७.००
	सि.पि.भि.सि. Brass FPT TEE			-	-	-
	१५ X १५ X १५ मि.मि. ब्यास	गोटा	१५८.००	१५८.००	१५८.००	१५८.००
	२० X २० X १५ मि.मि. ब्यास	गोटा	१६२.००	१६२.००	१६२.००	१६२.००
	२० X २० X २० मि.मि. ब्यास	गोटा	२४३.००	२४३.००	२४३.००	२४३.००
	२५ X २५ X १५ मि.मि. ब्यास	गोटा	२७९.००	२७९.००	२७९.००	२७९.००
	३२ X ३२ X ३२ मि.मि. ब्यास	गोटा	६४३.००	६४३.००	६४३.००	६४३.००
	३२ X ३२ X १५ मि.मि. ब्यास	गोटा	३५१.००	३५१.००	३५१.००	३५१.००
	सि.पि.भि.सि. Brass FPT 90° Elbow			-	-	-
	१५ X १५ मि.मि. ब्यास	गोटा	१२२.००	१२२.००	१२२.००	१२२.००
	२० X १५ मि.मि. ब्यास	गोटा	१३४.००	१३४.००	१३४.००	१३४.००
	२० X २० मि.मि. ब्यास	गोटा	१८४.००	१८४.००	१८४.००	१८४.००
	२५ X १५ मि.मि. ब्यास	गोटा	२४५.००	२४५.००	२४५.००	२४५.००
	२५ X २५ मि.मि. ब्यास	गोटा	७३९.००	७३९.००	७३९.००	७३९.००
	३२ X ३२ मि.मि. ब्यास	गोटा	९६२.००	९६२.००	९६२.००	९६२.००
	सि.पि.भि.सि. Brass Male Adapter			-	-	-
	१५ मि.मि. ब्यास	गोटा	२९२.००	२९२.००	२९२.००	२९२.००
	२० मि.मि. ब्यास	गोटा	३८२.००	३८२.००	३८२.००	३८२.००
	२५ मि.मि. ब्यास	गोटा	५९८.००	५९८.००	५९८.००	५९८.००
	३२ मि.मि. ब्यास	गोटा	१,२२९.००	१,२२९.००	१,२२९.००	१,२२९.००
	४० मि.मि. ब्यास	गोटा	१,५२६.००	१,५२६.००	१,५२६.००	१,५२६.००
	५० मि.मि. ब्यास	गोटा	२,९३०.००	२,९३०.००	२,९३०.००	२,९३०.००
	सि.पि.भि.सि. Brass female Adapter			-	-	-
	१५ मि.मि. ब्यास	गोटा	२८३.००	२८३.००	२८३.००	२८३.००
	२० मि.मि. ब्यास	गोटा	३८४.००	३८४.००	३८४.००	३८४.००
	२५ मि.मि. ब्यास	गोटा	५९२.००	५९२.००	५९२.००	५९२.००
	३२ मि.मि. ब्यास	गोटा	१,२४८.००	१,२४८.००	१,२४८.००	१,२४८.००
	४० मि.मि. ब्यास	गोटा	१,३९६.००	१,३९६.००	१,३९६.००	१,३९६.००



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
सुर्खेत

भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)

सि.नं.	सामग्रीको नाम	प्रति इकाई	आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	५० मि.मि. ब्यास	गोटा	२,६८०.००	२,६८०.००	२,६८०.००	२,६८०.००
	सि.पि.मि.सि. Concealed Valve (Wheel Type)			-	-	-
	१५ मि.मि. ब्यास	गोटा	७०५.००	७०५.००	७०५.००	७०५.००
	२० मि.मि. ब्यास	गोटा	९०३.००	९०३.००	९०३.००	९०३.००
८१	पोलिप्रोपिलिन रेण्डम कोपोलिमर फिटिङ (Polypropylene Random Co- polymer fittings) PP-R			-	-	-
	क.एल्बो ९० डिग्री			-	-	-
	२० मि.मि. बाहिरि ब्यास	धान	१५.००	१५.००	१५.००	१५.००
	२५ मि.मि. बाहिरि ब्यास	धान	२७.००	२७.००	२७.००	२७.००
	३२ मि.मि. बाहिरि ब्यास	धान	४९.००	४९.००	४९.००	४९.००
	४० मि.मि. बाहिरि ब्यास	धान	१०२.००	१०२.००	१०२.००	१०२.००
	५० मि.मि. बाहिरि ब्यास	धान	१७३.००	१७३.००	१७३.००	१७३.००
	६३ मि.मि. बाहिरि ब्यास	धान	३३३.००	३३३.००	३३३.००	३३३.००
	७५ मि.मि. बाहिरि ब्यास	धान	५९०.००	५९०.००	५९०.००	५९०.००
	९० मि.मि. बाहिरि ब्यास	धान	९७९.००	९७९.००	९७९.००	९७९.००
	११० मि.मि. बाहिरि ब्यास	धान	१,७५८.००	१,७५८.००	१,७५८.००	१,७५८.००
	ख.सकेट			-	-	-
	२० मि.मि. बाहिरि ब्यास	धान	१२.००	१२.००	१२.००	१२.००
	२५ मि.मि. बाहिरि ब्यास	धान	१८.००	१८.००	१८.००	१८.००
	३२ मि.मि. बाहिरि ब्यास	धान	३०.००	३०.००	३०.००	३०.००
	४० मि.मि. बाहिरि ब्यास	धान	५६.००	५६.००	५६.००	५६.००
	५० मि.मि. बाहिरि ब्यास	धान	८८.००	८८.००	८८.००	८८.००
	६३ मि.मि. बाहिरि ब्यास	धान	१६६.००	१६६.००	१६६.००	१६६.००
	७५ मि.मि. बाहिरि ब्यास	धान	२८४.००	२८४.००	२८४.००	२८४.००
	९० मि.मि. बाहिरि ब्यास	धान	४८३.००	४८३.००	४८३.००	४८३.००
	११० मि.मि. बाहिरि ब्यास	धान	८५१.००	८५१.००	८५१.००	८५१.००
	ग.ईक्वेल् टि			-	-	-
	२० मि.मि. बाहिरि ब्यास	धान	१९.००	१९.००	१९.००	१९.००
	२५ मि.मि. बाहिरि ब्यास	धान	३४.००	३४.००	३४.००	३४.००
	३२ मि.मि. बाहिरि ब्यास	धान	५९.००	५९.००	५९.००	५९.००
	४० मि.मि. बाहिरि ब्यास	धान	११८.००	११८.००	११८.००	११८.००
	५० मि.मि. बाहिरि ब्यास	धान	१९७.००	१९७.००	१९७.००	१९७.००
	६३ मि.मि. बाहिरि ब्यास	धान	३६८.००	३६८.००	३६८.००	३६८.००
	७५ मि.मि. बाहिरि ब्यास	धान	७०२.००	७०२.००	७०२.००	७०२.००
	९० मि.मि. बाहिरि ब्यास	धान	१,१५५.००	१,१५५.००	१,१५५.००	१,१५५.००
	११० मि.मि. बाहिरि ब्यास	धान	१,९९९.००	१,९९९.००	१,९९९.००	१,९९९.००
	घ.क्रस टि			-	-	-
	२० मि.मि. बाहिरि ब्यास	धान	३४.००	३४.००	३४.००	३४.००
	२५ मि.मि. बाहिरि ब्यास	धान	४८.००	४८.००	४८.००	४८.००
	३२ मि.मि. बाहिरि ब्यास	धान	८८.००	८८.००	८८.००	८८.००
	४० मि.मि. बाहिरि ब्यास	धान	१६८.००	१६८.००	१६८.००	१६८.००
	५० मि.मि. बाहिरि ब्यास	धान	३१८.००	३१८.००	३१८.००	३१८.००
	६३ मि.मि. बाहिरि ब्यास	धान	४६३.००	४६३.००	४६३.००	४६३.००
	च.४५ डिग्री एलबो			-	-	-
	२० मि.मि. बाहिरि ब्यास	धान	१८.००	१८.००	१८.००	१८.००
	२५ मि.मि. बाहिरि ब्यास	धान	३१.००	३१.००	३१.००	३१.००
	३२ मि.मि. बाहिरि ब्यास	धान	४६.००	४६.००	४६.००	४६.००
	४० मि.मि. बाहिरि ब्यास	धान	९२.००	९२.००	९२.००	९२.००
	५० मि.मि. बाहिरि ब्यास	धान	१६२.००	१६२.००	१६२.००	१६२.००
	६३ मि.मि. बाहिरि ब्यास	धान	२६३.००	२६३.००	२६३.००	२६३.००
	७५ मि.मि. बाहिरि ब्यास	धान	५९७.००	५९७.००	५९७.००	५९७.००
	९० मि.मि. बाहिरि ब्यास	धान	९४९.००	९४९.००	९४९.००	९४९.००
	११० मि.मि. बाहिरि ब्यास	धान	१,६५६.००	१,६५६.००	१,६५६.००	१,६५६.००
	छ.प्लेन यूनियन			-	-	-
	२० मि.मि. बाहिरि ब्यास	धान	६९.००	६९.००	६९.००	६९.००
	२५ मि.मि. बाहिरि ब्यास	धान	१२३.००	१२३.००	१२३.००	१२३.००
	३२ मि.मि. बाहिरि ब्यास	धान	१९९.००	१९९.००	१९९.००	१९९.००

धर्मराज जोशी
जिल्ला अधिकारी



(Signature)

सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. २०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	४० मि.मि. बाहिरि व्यास	धान	३४२.००	३४२.००	३४२.००	३४२.००
	५० मि.मि. बाहिरि व्यास	धान	५६५.००	५६५.००	५६५.००	५६५.००
	६३ मि.मि. बाहिरि व्यास	धान	७३९.००	७३९.००	७३९.००	७३९.००
	ज.स्टप भल्लम			-	-	-
	२० मि.मि. बाहिरि व्यास	धान	३५४.००	३५४.००	३५४.००	३५४.००
	२५ मि.मि. बाहिरि व्यास	धान	४७१.००	४७१.००	४७१.००	४७१.००
	३२ मि.मि. बाहिरि व्यास	धान	५६७.००	५६७.००	५६७.००	५६७.००
	४० मि.मि. बाहिरि व्यास	धान	८४६.००	८४६.००	८४६.००	८४६.००
	५० मि.मि. बाहिरि व्यास	धान	१,२६९.००	१,२६९.००	१,२६९.००	१,२६९.००
	६३ मि.मि. बाहिरि व्यास	धान	१,८१९.००	१,८१९.००	१,८१९.००	१,८१९.००
	फ.फलेन्ज (plastic)			-	-	-
	४० मि.मि. बाहिरि व्यास	धान	२८६.००	२८६.००	२८६.००	२८६.००
	५० मि.मि. बाहिरि व्यास	धान	४७८.००	४७८.००	४७८.००	४७८.००
	६३ मि.मि. बाहिरि व्यास	धान	६१५.००	६१५.००	६१५.००	६१५.००
	७५ मि.मि. बाहिरि व्यास	धान	१,२७०.००	१,२७०.००	१,२७०.००	१,२७०.००
	९० मि.मि. बाहिरि व्यास	धान	१,६५७.००	१,६५७.००	१,६५७.००	१,६५७.००
	११० मि.मि. बाहिरि व्यास	धान	२,२४२.००	२,२४२.००	२,२४२.००	२,२४२.००
	न.रेड्यूसर सकेट			-	-	-
	२०x२५ मि.मि. बाहिरि व्यास	धान	२२.००	२२.००	२२.००	२२.००
	३२x२० मि.मि. बाहिरि व्यास	धान	२८.००	२८.००	२८.००	२८.००
	३२x२५ मि.मि. बाहिरि व्यास	धान	३१.००	३१.००	३१.००	३१.००
	४०x२० मि.मि. बाहिरि व्यास	धान	४४.००	४४.००	४४.००	४४.००
	४०x२५ मि.मि. बाहिरि व्यास	धान	४९.००	४९.००	४९.००	४९.००
	४०x३२ मि.मि. बाहिरि व्यास	धान	६०.००	६०.००	६०.००	६०.००
	५०x२० मि.मि. बाहिरि व्यास	धान	७८.००	७८.००	७८.००	७८.००
	५०x२५ मि.मि. बाहिरि व्यास	धान	८७.००	८७.००	८७.००	८७.००
	५०x३२ मि.मि. बाहिरि व्यास	धान	९१.००	९१.००	९१.००	९१.००
	५०x४० मि.मि. बाहिरि व्यास	धान	१०८.००	१०८.००	१०८.००	१०८.००
	३६x२५ मि.मि. बाहिरि व्यास	धान	१६०.००	१६०.००	१६०.००	१६०.००
	६३x३२ मि.मि. बाहिरि व्यास	धान	१६५.००	१६५.००	१६५.००	१६५.००
	६३x४० मि.मि. बाहिरि व्यास	धान	१६६.००	१६६.००	१६६.००	१६६.००
	६३x५० मि.मि. बाहिरि व्यास	धान	१७१.००	१७१.००	१७१.००	१७१.००
	ट.रेड्यूसर टि			-	-	-
	२५x२०x२५ मि.मि. बाहिरि व्यास	धान	३७.००	३७.००	३७.००	३७.००
	३२x२०x३२ मि.मि. बाहिरि व्यास	धान	५८.००	५८.००	५८.००	५८.००
	३२x२५x३२ मि.मि. बाहिरि व्यास	धान	६६.००	६६.००	६६.००	६६.००
	४०x२०x४० मि.मि. बाहिरि व्यास	धान	९२.००	९२.००	९२.००	९२.००
	४०x२५x४० मि.मि. बाहिरि व्यास	धान	९९.००	९९.००	९९.००	९९.००
	४०x३२x४० मि.मि. बाहिरि व्यास	धान	१०६.००	१०६.००	१०६.००	१०६.००
	५०x२५x५० मि.मि. बाहिरि व्यास	धान	२११.००	२११.००	२११.००	२११.००
	५०x३२x५० मि.मि. बाहिरि व्यास	धान	२१५.००	२१५.००	२१५.००	२१५.००
	५०x४०x५० मि.मि. बाहिरि व्यास	धान	२२७.००	२२७.००	२२७.००	२२७.००
	६३x२५x६३ मि.मि. बाहिरि व्यास	धान	२७३.००	२७३.००	२७३.००	२७३.००
	६३x३२x६३ मि.मि. बाहिरि व्यास	धान	२७६.००	२७६.००	२७६.००	२७६.००
	६३x४०x६३ मि.मि. बाहिरि व्यास	धान	२७८.००	२७८.००	२७८.००	२७८.००
	६३x५०x६३ मि.मि. बाहिरि व्यास	धान	३०४.००	३०४.००	३०४.००	३०४.००
	ठ.यु.केल्याम्प			-	-	-
	२० मि.मि.	धान	९.००	९.००	९.००	९.००
	२५ मि.मि.	धान	१२.००	१२.००	१२.००	१२.००
	३२ मि.मि.	धान	२३.००	२३.००	२३.००	२३.००
	४० मि.मि.	धान	२७.००	२७.००	२७.००	२७.००
	५० मि.मि.	धान	४३.००	४३.००	४३.००	४३.००
	६३ मि.मि.	धान	५६.००	५६.००	५६.००	५६.००
	ड.इन्ड क्याप			-	-	-
	२० मि.मि.	धान	१९.००	१९.००	१९.००	१९.००
	२५ मि.मि.	धान	२७.००	२७.००	२७.००	२७.००

(Signatures)

36

धर्मसुर्ज जोशी
जिल्ला अधिकारी


सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	३२ मि.मि.	धान	४४.००	४४.००	४४.००	४४.००
	४० मि.मि.	धान	७२.००	७२.००	७२.००	७२.००
	५० मि.मि.	धान	१२२.००	१२२.००	१२२.००	१२२.००
	६३ मि.मि.	धान	२३७.००	२३७.००	२३७.००	२३७.००
	७५ मि.मि.	धान	३५०.००	३५०.००	३५०.००	३५०.००
	९० मि.मि.	धान	३८२.००	३८२.००	३८२.००	३८२.००
	११० मि.मि.	धान	७८४.००	७८४.००	७८४.००	७८४.००
	ड.मेल युनियन		-	-	-	-
	२० मि.मि. बाहिरि व्यास	धान	३६१.००	३६१.००	३६१.००	३६१.००
	२५ मि.मि. बाहिरि व्यास	धान	५२०.००	५२०.००	५२०.००	५२०.००
	३२ मि.मि.	धान	७६३.००	७६३.००	७६३.००	७६३.००
	४० मि.मि.	धान	१,४७३.००	१,४७३.००	१,४७३.००	१,४७३.००
	५० मि.मि.	धान	२,०२२.००	२,०२२.००	२,०२२.००	२,०२२.००
	६३ मि.मि.	धान	५,१५६.००	५,१५६.००	५,१५६.००	५,१५६.००
	ण.फेमेल युनियन		-	-	-	-
	२० मि.मि.	धान	३५०.००	३५०.००	३५०.००	३५०.००
	२५ मि.मि.	धान	५१२.००	५१२.००	५१२.००	५१२.००
	३२ मि.मि.	धान	७३२.००	७३२.००	७३२.००	७३२.००
	४० मि.मि.	धान	१,१२३.००	१,१२३.००	१,१२३.००	१,१२३.००
	५० मि.मि.	धान	१,८८७.००	१,८८७.००	१,८८७.००	१,८८७.००
	६३ मि.मि.	धान	३,५०९.००	३,५०९.००	३,५०९.००	३,५०९.००
	त.रेडुशर एलबो		-	-	-	-
	२०*२५ मि.मि.	धान	२८.००	२८.००	२८.००	२८.००
	३२*२० मि.मि.	धान	४४.००	४४.००	४४.००	४४.००
	३२*२५ मि.मि.	धान	५६.००	५६.००	५६.००	५६.००
	४०*२० मि.मि.	धान	४०.००	४०.००	४०.००	४०.००
	४०*२५ मि.मि.	धान	४८.००	४८.००	४८.००	४८.००
	४०*३२ मि.मि.	धान	१४०.००	१४०.००	१४०.००	१४०.००
	थ.प्लास्टीक बल भल्भ		-	-	-	-
	२० मि.मि.	धान	१३५.००	१३५.००	१३५.००	१३५.००
	२५ मि.मि.	धान	१९३.००	१९३.००	१९३.००	१९३.००
	३२ मि.मि.	धान	३०६.००	३०६.००	३०६.००	३०६.००
	४० मि.मि.	धान	६७४.००	६७४.००	६७४.००	६७४.००
	५० मि.मि.	धान	९००.००	९००.००	९००.००	९००.००
	६३ मि.मि.	धान	८५६.००	८५६.००	८५६.००	८५६.००
	७५ मि.मि.	धान	१,८१४.००	१,८१४.००	१,८१४.००	१,८१४.००
	९० मि.मि.	धान	३,५९८.००	३,५९८.००	३,५९८.००	३,५९८.००
	११० मि.मि.	धान	४,९२१.००	४,९२१.००	४,९२१.००	४,९२१.००
	द.हट वाटर बल भल्भ		-	-	-	-
	२० मि.मि.	धान	४९०.००	४९०.००	४९०.००	४९०.००
	२५ मि.मि.	धान	५७८.००	५७८.००	५७८.००	५७८.००
	३२ मि.मि.	धान	७१७.००	७१७.००	७१७.००	७१७.००
	४० मि.मि.	धान	९९०.००	९९०.००	९९०.००	९९०.००
	५० मि.मि.	धान	१,३९२.००	१,३९२.००	१,३९२.००	१,३९२.००
	६३ मि.मि.	धान	-	-	-	-
	घ.मेटल बडी बल भल्भ		-	-	-	-
	२० मि.मि.	धान	९१२.००	९१२.००	९१२.००	९१२.००
	२५ मि.मि.	धान	१,२५६.००	१,२५६.००	१,२५६.००	१,२५६.००
	३२ मि.मि.	धान	१,८२७.००	१,८२७.००	१,८२७.००	१,८२७.००
	४० मि.मि.	धान	३,२६३.००	३,२६३.००	३,२६३.००	३,२६३.००
	५० मि.मि.	धान	४,०८२.००	४,०८२.००	४,०८२.००	४,०८२.००
	६३ मि.मि.	धान	५,२२५.००	५,२२५.००	५,२२५.००	५,२२५.००
	न.मेटल बडी बल भल्भ फेमेल		-	-	-	-
	२० मि.मि.	धान	९१२.००	९१२.००	९१२.००	९१२.००
	२५ मि.मि.	धान	१,२५६.००	१,२५६.००	१,२५६.००	१,२५६.००
	३२ मि.मि.	धान	१,८२७.००	१,८२७.००	१,८२७.००	१,८२७.००



 जिल्ला प्रशासक


सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
	४०मि.मि.	धान	३,२६३.००	३,२६३.००	३,२६३.००	३,२६३.००
	५० मि.मि.	धान	४,०८२.००	४,०८२.००	४,०८२.००	४,०८२.००
	६३ मि.मि.	धान	५,२२५.००	५,२२५.००	५,२२५.००	५,२२५.००
प. कश ओभर			-	-	-	-
	२० मि.मि.	धान	१८१.००	१८१.००	१८१.००	१८१.००
	२५ मि.मि.	धान	२६०.००	२६०.००	२६०.००	२६०.००
	३२ मि.मि.	धान	३७५.००	३७५.००	३७५.००	३७५.००
फ. पल्ग			-	-	-	-
	२० मि.मि.	धान	१७.००	१७.००	१७.००	१७.००
	२५ मि.मि.	धान	२६.००	२६.००	२६.००	२६.००
	३२ मि.मि.	धान	३३.००	३३.००	३३.००	३३.००
ब. प्लास्टिक फलैन्ज			-	-	-	-
	४०मि.मि.	धान	३३८.००	३३८.००	३३८.००	३३८.००
	५० मि.मि.	धान	५६२.००	५६२.००	५६२.००	५६२.००
	६३ मि.मि.	धान	७२३.००	७२३.००	७२३.००	७२३.००
	७५ मि.मि.	धान	१,४९४.००	१,४९४.००	१,४९४.००	१,४९४.००
	९० मि.मि.	धान	१,९४९.००	१,९४९.००	१,९४९.००	१,९४९.००
	११० मि.मि.	धान	२,६३८.००	२,६३८.००	२,६३८.००	२,६३८.००
भ.फिमेल एल्बो			-	-	-	-
	२० मि.मि.*१/२"	धान	१५८.००	१५८.००	१५८.००	१५८.००
	२५ मि.मि.*१/२"	धान	२२३.००	२२३.००	२२३.००	२२३.००
	२५ मि.मि.*३/४"	धान	२०४.००	२०४.००	२०४.००	२०४.००
	३२ मि.मि.*३/४"	धान	३१२.००	३१२.००	३१२.००	३१२.००
	३२ मि.मि.*१"	धान	४२४.००	४२४.००	४२४.००	४२४.००
	४० मि.मि.*५/४"	धान	८५७.००	८५७.००	८५७.००	८५७.००
	५० मि.मि.*३/२"	धान	९२२.००	९२२.००	९२२.००	९२२.००
	६३ मि.मि.*२"	धान	१,१६३.००	१,१६३.००	१,१६३.००	१,१६३.००
म.मेल सिटेड एल्बो डिस्क सहित			-	-	-	-
	२० मि.मि.*१/२"	धान	२०१.००	२०१.००	२०१.००	२०१.००
	२५ मि.मि.*१/२"	धान	२३२.००	२३२.००	२३२.००	२३२.००
	२५ मि.मि.*३/४"	धान	२५७.००	२५७.००	२५७.००	२५७.००
य.फिमेल सिटेड एल्बो डिस्क सहित			-	-	-	-
	२० मि.मि.*१/२"	धान	२१८.००	२१८.००	२१८.००	२१८.००
	२५ मि.मि.*१/२"	धान	२७३.००	२७३.००	२७३.००	२७३.००
	२५ मि.मि.*३/४"	धान	२११.००	२११.००	२११.००	२११.००
र.मेल टी			-	-	-	-
	२० मि.मि.*१/२" * २०मि.मि.	धान	३८०.००	३८०.००	३८०.००	३८०.००
	२० मि.मि.*३/४" * २०मि.मि.	धान	३६५.००	३६५.००	३६५.००	३६५.००
	२५ मि.मि.*१/२" * २५मि.मि.	धान	३७१.००	३७१.००	३७१.००	३७१.००
	२५ मि.मि.*३/४" * २५मि.मि.	धान	४६०.००	४६०.००	४६०.००	४६०.००
	३२ मि.मि.*१/२" * ३२मि.मि.	धान	५२१.००	५२१.००	५२१.००	५२१.००
	३२ मि.मि.*३/४" * ३२मि.मि.	धान	५३२.००	५३२.००	५३२.००	५३२.००
	३२ मि.मि.*१" * ३२मि.मि.	धान	१,०४५.००	१,०४५.००	१,०४५.००	१,०४५.००
	४० मि.मि.*१/२" * ४०मि.मि.	धान	१,६९४.००	१,६९४.००	१,६९४.००	१,६९४.००
	५० मि.मि.*१/२" * ५०मि.मि.	धान	२,४४०.००	२,४४०.००	२,४४०.००	२,४४०.००
	६३मि.मि.*१" * ६३मि.मि.	धान	३,१०६.००	३,१०६.००	३,१०६.००	३,१०६.००
	६३ मि.मि.*२" * ६३मि.मि.	धान	३,१२४.००	३,१२४.००	३,१२४.००	३,१२४.००
ल.फिमेल टी			-	-	-	-
	२० मि.मि.*१/२" * २०मि.मि.	धान	२७९.००	२७९.००	२७९.००	२७९.००
	२० मि.मि.*३/४" * २०मि.मि.	धान	२८१.००	२८१.००	२८१.००	२८१.००
	२५ मि.मि.*१/२" * २५मि.मि.	धान	३२०.००	३२०.००	३२०.००	३२०.००
	२५ मि.मि.*३/४" * २५मि.मि.	धान	४१७.००	४१७.००	४१७.००	४१७.००
	३२ मि.मि.*१/२" * ३२मि.मि.	धान	४३१.००	४३१.००	४३१.००	४३१.००
	३२ मि.मि.*३/४" * ३२मि.मि.	धान	४७५.००	४७५.००	४७५.००	४७५.००
	३२ मि.मि.*१" * ३२मि.मि.	धान	८३३.००	८३३.००	८३३.००	८३३.००



 जिल्ला प्रशासक



 जिल्ला प्रशासक



 जिल्ला प्रशासक


 जिल्ला प्रशासक


 जिल्ला प्रशासक


 जिल्ला प्रशासक


 जिल्ला प्रशासक


 जिल्ला प्रशासक

सि.नं.	सामग्रीको नाम	प्रति इकाई	आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	४० मि.मि. * 1/2" * ४० मि.मि.	थान	१,५१२.००	१,५१२.००	१,५१२.००	१,५१२.००
	४० मि.मि. * 3/4" * ४० मि.मि.	थान	१,४८५.००	१,४८५.००	१,४८५.००	१,४८५.००
	५० मि.मि. * 1/2" * ५० मि.मि.	थान	२,१०४.००	२,१०४.००	२,१०४.००	२,१०४.००
	६३ मि.मि. * 1" * ६३ मि.मि.	थान	२,८२८.००	२,८२८.००	२,८२८.००	२,८२८.००
	६३ मि.मि. * 2" * ६३ मि.मि.	थान	२,७६८.००	२,७६८.००	२,७६८.००	२,७६८.००
	व.मेल युनियन					
	२० मि.मि. * 1/2	थान	३४६.००	३४६.००	३४६.००	३४६.००
	२५ मि.मि. * 3/4"	थान	५०६.००	५०६.००	५०६.००	५०६.००
	श.मेल कप्लीङ्गी					
	२० मि.मि. * 1/2	थान	१८०.००	१८०.००	१८०.००	१८०.००
	२१ मि.मि. * 3/4	थान	२३४.००	२३४.००	२३४.००	२३४.००
	२५ मि.मि. * 1/2	थान	१८५.००	१८५.००	१८५.००	१८५.००
	२५ मि.मि. * 3/4	थान	२३४.००	२३४.००	२३४.००	२३४.००
	३२ मि.मि. * 1/2	थान	२२६.००	२२६.००	२२६.००	२२६.००
	३२ मि.मि. * 3/4	थान	२७३.००	२७३.००	२७३.००	२७३.००
	३२ मि.मि. * 1"	थान	५४७.००	५४७.००	५४७.००	५४७.००
	४० मि.मि. * 1" * 1/4"	थान	७८६.००	७८६.००	७८६.००	७८६.००
	५० मि.मि. * 1" * 1/2"	थान	१,१८५.००	१,१८५.००	१,१८५.००	१,१८५.००
	६३ मि.मि. * 2"	थान	१,७१७.००	१,७१७.००	१,७१७.००	१,७१७.००
	७५ मि.मि. * 2.5"	थान	३,७५३.००	३,७५३.००	३,७५३.००	३,७५३.००
	प.फिमेल कप्लीङ्गी					
	२० मि.मि. * 1/2	थान	१४७.००	१४७.००	१४७.००	१४७.००
	२० मि.मि. * 3/4	थान	१७४.००	१७४.००	१७४.००	१७४.००
	२५ मि.मि. * 1/2	थान	१४७.००	१४७.००	१४७.००	१४७.००
	२५ मि.मि. * 3/4	थान	१८२.००	१८२.००	१८२.००	१८२.००
	३२ मि.मि. * 1/2	थान	१७४.००	१७४.००	१७४.००	१७४.००
	३२ मि.मि. * 3/4	थान	१८५.००	१८५.००	१८५.००	१८५.००
	३२ मि.मि. * 1"	थान	२९८.००	२९८.००	२९८.००	२९८.००
	४० मि.मि. * 1" * 1/4"	थान	६८६.००	६८६.००	६८६.००	६८६.००
	५० मि.मि. * 1" * 1/2"	थान	८९९.००	८९९.००	८९९.००	८९९.००
	६३ मि.मि. * 2"	थान	१,३१८.००	१,३१८.००	१,३१८.००	१,३१८.००
	७५ मि.मि. * 2.5"	थान	२,५४३.००	२,५४३.००	२,५४३.००	२,५४३.००
	स.बल भल्ल सिंगल					
	२० मि.मि. * 1/2	थान	८०६.००	८०६.००	८०६.००	८०६.००
	२५ मि.मि. * 3/4	थान	१,०८४.००	१,०८४.००	१,०८४.००	१,०८४.००
	३२ मि.मि. * 1"	थान	१,५८४.००	१,५८४.००	१,५८४.००	१,५८४.००
	ह.बल भल्ल डबल					
	२० मि.मि. * 1/2	थान	८१६.००	८१६.००	८१६.००	८१६.००
	२५ मि.मि. * 3/4	थान	१,१०३.००	१,१०३.००	१,१०३.००	१,१०३.००
	३२ मि.मि. * 1"	थान	१,५९७.००	१,५९७.००	१,५९७.००	१,५९७.००
	क्ष.कन्सील भल्ल लकजरी					
	२० मि.मि.	थान	९३९.००	९३९.००	९३९.००	९३९.००
	त्र.कन्सील भल्ल					
	२० मि.मि.	थान	८९५.००	८९५.००	८९५.००	८९५.००
८२	PPR पाइप - १० एम पि ए					
	२० मि.मि.	र मि.	६८.००	६८.००	६८.००	६८.००
	२५ मि.मि.	र मि.	१०३.००	१०३.००	१०३.००	१०३.००
	३२ मि.मि.	र मि.	१६६.००	१६६.००	१६६.००	१६६.००
	४० मि.मि.	र मि.	२६२.००	२६२.००	२६२.००	२६२.००
	५० मि.मि.	र मि.	४०६.००	४०६.००	४०६.००	४०६.००
	६३ मि.मि.	र मि.	६४०.००	६४०.००	६४०.००	६४०.००
	७५ मि.मि.	र मि.	८९५.००	८९५.००	८९५.००	८९५.००
	९० मि.मि.		१,२८८.००	१,२८८.००	१,२८८.००	१,२८८.००
	११० मि.मि.	र मि.	१,९११.००	१,९११.००	१,९११.००	१,९११.००
८३	PPR पाइप - १६ एम पि ए					

सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व.२०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
	२० मि.मि.	र मि.	९३.००	९३.००	९३.००	९३.००
	२५ मि.मि.	र मि.	१४५.००	१४५.००	१४५.००	१४५.००
	३२ मि.मि.	र मि.	२३५.००	२३५.००	२३५.००	२३५.००
	४० मि.मि.	र मि.	३६६.००	३६६.००	३६६.००	३६६.००
	५० मि.मि.	र मि.	५६९.००	५६९.००	५६९.००	५६९.००
	६३ मि.मि.	र मि.	८९५.००	८९५.००	८९५.००	८९५.००
	७५ मि.मि.	र मि.	१,२७५.००	१,२७५.००	१,२७५.००	१,२७५.००
	९० मि.मि.	र मि.	१,८२२.००	१,८२२.००	१,८२२.००	१,८२२.००
	११० मि.मि.	र मि.	२,७३९.००	२,७३९.००	२,७३९.००	२,७३९.००
८४	PPR पाइप - २० एम पि ए			-	-	-
	२० मि.मि.	र मि.	१०८.००	१०८.००	१०८.००	१०८.००
	२५ मि.मि.	र मि.	१६९.००	१६९.००	१६९.००	१६९.००
	३२ मि.मि.	र मि.	२७६.००	२७६.००	२७६.००	२७६.००
	४० मि.मि.	र मि.	४२७.००	४२७.००	४२७.००	४२७.००
	५० मि.मि.	र मि.	६६०.००	६६०.००	६६०.००	६६०.००
	६३ मि.मि.	र मि.	१,०४७.००	१,०४७.००	१,०४७.००	१,०४७.००
	७५ मि.मि.	र मि.	१,४८५.००	१,४८५.००	१,४८५.००	१,४८५.००
	९० मि.मि.	र मि.	२,१३३.००	२,१३३.००	२,१३३.००	२,१३३.००
	११० मि.मि.	र मि.	३,१८०.००	३,१८०.००	३,१८०.००	३,१८०.००
८५	UPVC पाईप 2.5 Kg / sq.cm			-	-	-
	९० मि.मि. ब्यास	र मि.	१९९.००	१९९.००	१९९.००	१९९.००
	११० मि.मि. ब्यास	र मि.	२९६.००	२९६.००	२९६.००	२९६.००
	१२५ मि.मि. ब्यास	र मि.	३७५.००	३७५.००	३७५.००	३७५.००
	१४० मि.मि. ब्यास	र मि.	४६६.००	४६६.००	४६६.००	४६६.००
	१६० मि.मि. ब्यास	र मि.	६१०.००	६१०.००	६१०.००	६१०.००
	१८० मि.मि. ब्यास	र मि.	७८१.००	७८१.००	७८१.००	७८१.००
	२०० मि.मि. ब्यास	र मि.	९५२.००	९५२.००	९५२.००	९५२.००
८६	UPVC पाईप 4 Kg / sq.cm			-	-	-
	६३ मि.मि. ब्यास	र मि.	१५८.००	१५८.००	१५८.००	१५८.००
	७५ मि.मि. ब्यास	र मि.	२२३.००	२२३.००	२२३.००	२२३.००
	९० मि.मि. ब्यास	र मि.	३१०.००	३१०.००	३१०.००	३१०.००
	११० मि.मि. ब्यास	र मि.	४४९.००	४४९.००	४४९.००	४४९.००
	१२५ मि.मि. ब्यास	र मि.	५९१.००	५९१.००	५९१.००	५९१.००
	१४० मि.मि. ब्यास	र मि.	७४८.००	७४८.००	७४८.००	७४८.००
	१६० मि.मि. ब्यास	र मि.	९६९.००	९६९.००	९६९.००	९६९.००
	१८० मि.मि. ब्यास	र मि.	१,२४७.००	१,२४७.००	१,२४७.००	१,२४७.००
	२०० मि.मि. ब्यास	र मि.	१,५१२.००	१,५१२.००	१,५१२.००	१,५१२.००
८७	UPVC पाईप 6 Kg / sq.cm			-	-	-
	४० मि.मि. ब्यास	र मि.	९२.००	९२.००	९२.००	९२.००
	५० मि.मि. ब्यास	र मि.	१३८.००	१३८.००	१३८.००	१३८.००
	६३ मि.मि. ब्यास	र मि.	२२४.००	२२४.००	२२४.००	२२४.००
	७५ मि.मि. ब्यास	र मि.	३१३.००	३१३.००	३१३.००	३१३.००
	९० मि.मि. ब्यास	र मि.	४५४.००	४५४.००	४५४.००	४५४.००
	११० मि.मि. ब्यास	र मि.	६५८.००	६५८.००	६५८.००	६५८.००
	१२५ मि.मि. ब्यास	र मि.	८७५.००	८७५.००	८७५.००	८७५.००
	१४० मि.मि. ब्यास	र मि.	१,०८८.००	१,०८८.००	१,०८८.००	१,०८८.००
	१६० मि.मि. ब्यास	र मि.	१,३९४.००	१,३९४.००	१,३९४.००	१,३९४.००
	१८० मि.मि. ब्यास	र मि.	१,७७९.००	१,७७९.००	१,७७९.००	१,७७९.००
	२०० मि.मि. ब्यास	र मि.	२,१७९.००	२,१७९.००	२,१७९.००	२,१७९.००
८८	UPVC पाईप 10 Kg / sq.cm			-	-	-
	२० मि.मि. ब्यास	र मि.	३६.००	३६.००	३६.००	३६.००
	२५ मि.मि. ब्यास	र मि.	५५.००	५५.००	५५.००	५५.००
	३२ मि.मि. ब्यास	र मि.	९१.००	९१.००	९१.००	९१.००
	४० मि.मि. ब्यास	र मि.	१३८.००	१३८.००	१३८.००	१३८.००
	५० मि.मि. ब्यास	र मि.	२२०.००	२२०.००	२२०.००	२२०.००



भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)

सि.नं.	सामग्रीको नाम		आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
	६३ मि.मि. ब्यास र मि.		३४९.००	३४९.००	३४९.००	३४९.००
	७५ मि.मि. ब्यास र मि.		४९९.००	४९९.००	४९९.००	४९९.००
	९० मि.मि. ब्यास र मि.		७११.००	७११.००	७११.००	७११.००
	११० मि.मि. ब्यास र मि.		१,०५४.००	१,०५४.००	१,०५४.००	१,०५४.००
	१२५ मि.मि. ब्यास र मि.		१,३४९.००	१,३४९.००	१,३४९.००	१,३४९.००
	१४० मि.मि. ब्यास र मि.		१,७०४.००	१,७०४.००	१,७०४.००	१,७०४.००
	१६० मि.मि. ब्यास र मि.		२,१९२.००	२,१९२.००	२,१९२.००	२,१९२.००
	१८० मि.मि. ब्यास र मि.		२,७९६.००	२,७९६.००	२,७९६.००	२,७९६.००
	२०० मि.मि. ब्यास र मि.		३,४५५.००	३,४५५.००	३,४५५.००	३,४५५.००
८९	UPVC पाईप Fittings Type A		-	-	-	-
	५० मि.मि. ब्यास ३ मि. लामो र मि.		१२९.००	१२९.००	१२९.००	१२९.००
	७५ मि.मि. ब्यास ६ मि. लामो र मि.		२०३.००	२०३.००	२०३.००	२०३.००
	९० मि.मि. ब्यास ३ मि. लामो र मि.		३५७.००	३५७.००	३५७.००	३५७.००
	११० मि.मि. ब्यास ६ मि. लामो र मि.		४४९.००	४४९.००	४४९.००	४४९.००
	७५ मि.मि. ब्यास single socket with ring ३ मि. लामो र मि.		२२१.००	२२१.००	२२१.००	२२१.००
	७५ मि.मि. ब्यास double socketi with ring ३ मि. लामो र मि.		२४१.००	२४१.००	२४१.००	२४१.००
	११० मि.मि. ब्यास single socket with ring ३ मि. लामो र मि.		४७०.००	४७०.००	४७०.००	४७०.००
	११० मि.मि. ब्यास double socketi with ring ३ मि. लामो र मि.		४९४.००	४९४.००	४९४.००	४९४.००
	१६० मि.मि. ब्यास single socket with ring ३ मि. लामो र मि.		८८६.००	८८६.००	८८६.००	८८६.००
	१६० मि.मि. ब्यास double socketi with ring ३ मि. लामो र मि.		१,०४१.००	१,०४१.००	१,०४१.००	१,०४१.००
	UPVC पाईप Fittings Type B		-	-	-	-
	५० मि.मि. ब्यास ३ मि. लामो र मि.		२७६.००	२७६.००	२७६.००	२७६.००
	७५ मि.मि. ब्यास ६ मि. लामो र मि.		४२२.००	४२२.००	४२२.००	४२२.००
	९० मि.मि. ब्यास ३ मि. लामो र मि.		४८०.००	४८०.००	४८०.००	४८०.००
	११० मि.मि. ब्यास ६ मि. लामो र मि.		६२६.००	६२६.००	६२६.००	६२६.००
	७५ मि.मि. ब्यास single socket with ring ३ मि. लामो र मि.		४४१.००	४४१.००	४४१.००	४४१.००
	७५ मि.मि. ब्यास double socketi with ring ३ मि. लामो र मि.		४६२.००	४६२.००	४६२.००	४६२.००
	११० मि.मि. ब्यास single socket with ring ३ मि. लामो र मि.		६४८.००	६४८.००	६४८.००	६४८.००
	११० मि.मि. ब्यास double socketi with ring ३ मि. लामो र मि.		६७४.००	६७४.००	६७४.००	६७४.००
	१६० मि.मि. ब्यास single socket with ring ३ मि. लामो र मि.		१,१६३.००	१,१६३.००	१,१६३.००	१,१६३.००
	१६० मि.मि. ब्यास double socketi with ring ३ मि. लामो र मि.		१,२०४.००	१,२०४.००	१,२०४.००	१,२०४.००
	सरसफाई सम्बन्धि		-	-	-	-
१	३५X ९० से.मि. गोलकार आर.सि.सि. शौचालय तथा ईनारको रिङ्ग	गोटा	९९४.००	९९४.००	९९४.००	९९४.००
२	९० से.मि. गोलकार आर.सि.सि. शौचालय निर्माण गर्ने ढकनि	गोटा	९९४.००	९९४.००	९९४.००	९९४.००
३	मेनहोल कभर ६०० मि.मि. ब्यासको (फलामको)	सेट	१,७४१.००	१,७४१.००	१,७४१.००	१,७४१.००
४	एन.एस.१०४ अनुसारको सि.आई.मेनहोल कभर २० इन्च ब्यासका हेभी	सेट	५,३१९.००	५,३१९.००	५,३१९.००	५,३१९.००
५	एन.एस.१०४ अनुसारको सि.आई.मेनहोल कभर २२ इन्च ब्यासको फ्रेम समेत - १२८ के.जी./सेट) हेभी	सेट	१०,६३९.००	१०,६३९.००	१०,६३९.००	१०,६३९.००
६	एन.एस.१०४ अनुसारको सि.आई.मेनहोल कभर २२ इन्च ब्यासको फ्रेम समेत - १०० के.जी./सेट) हेभी	सेट	९,३०९.००	९,३०९.००	९,३०९.००	९,३०९.००
७	३००X३०० मि.मि. सि.आई. मेनहोल कभर (एन.एस.१०४)	सेट	१,०६३.००	१,०६३.००	१,०६३.००	१,०६३.००

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

धर्मराज जोशी
जिल्ला अधिकारी



सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. २०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
८	३५०X३५० मि.मि. सि.आई. मेनहोल कभर (एन.एस.१०४)	सेट	२,१२८.००	२,१२८.००	२,१२८.००	२,१२८.००
९	सि.आई. मेनहोल कभर कमसियल टाइप	केजी	१७७.००	१७७.००	१७७.००	१७७.००
१०	नट बोल्ट	केजी	२१०.००	२१०.००	२१०.००	२१०.००
११	ब्रड टेप	पिस	३१.००	३१.००	३१.००	३१.००
१२	Water cooler usha company 150/150 lit/hr	गोटा	१५७,५००.००	१५७,५००.००	१५७,५००.००	१५७,५००.००
१३	Water UV filter for 150/150 lit/hr	गोटा	८४,०००.००	८४,०००.००	८४,०००.००	८४,०००.००
१४	Water cooler usha company 40/80 lit/hr	गोटा	१२८,१००.००	१२८,१००.००	१२८,१००.००	१२८,१००.००
१५	Water UV filter for 40/80 lit/hr	गोटा	४९,३५०.००	४९,३५०.००	४९,३५०.००	४९,३५०.००
१६	HDPE Double Wall Corrugated (DWC) Pipes/ SN8		-	-	-	-
	100mm dia	मि	६१९.००	६१९.००	६१९.००	६५०.००
	150mm dia	मि	१,२१६.००	१,२१६.००	१,२१६.००	१,२८०.००
	200 mm dia	मि	१,८१३.००	१,८१३.००	१,८१३.००	१,९२०.००
	250 mm dia	मि	२,३०५.००	२,३०५.००	२,३०५.००	२,४४०.००
	300 mm dia	मि	३,७६६.००	३,७६६.००	३,७६६.००	३,९९०.००
	400mm dia	मि	४,८५८.००	४,८५८.००	४,८५८.००	५,१४०.००
	500 mm dia	मि	६,३७४.००	६,३७४.००	६,३७४.००	६,७५०.००
	600mm dia	मि	९,८९०.००	९,८९०.००	९,८९०.००	१०,४८०.००
	800mm dia	मि	१४,५८४.००	१४,५८४.००	१४,५८४.००	१५,४४०.००
	1000mm dia	मि	२२,७४९.००	२२,७४९.००	२२,७४९.००	२४,१००.००
१७	१५० मि मि व्यास MS Pipe उ मिमि बाग्लो	मि	३,५००.००	३,५००.००	३,५००.००	३,५००.००
१८	१५० मि मि व्यास एस एस जंसन पाइप उ मिमि बाग्लो	मि	१२,५००.००	१२,५००.००	१२,५००.००	१२,५००.००
१९	१५० मि मि व्यास एस एस जंसन स्क्रिन पाइप उ मिमि बाग्लो	मि	१२,५००.००	१२,५००.००	१२,५००.००	१२,५००.००
२०	२० * २२ मि मि पाना रिन्च	वटा	६४०.००	६४०.००	६४०.००	६४०.००
२१	२४ * २६ मि मि पाना रिन्च	वटा	८२४.००	८२४.००	८२४.००	८२४.००
२२	१०० मि मि रबर वासर	वटा	२३१.००	२३१.००	२३१.००	२३१.००
२३	१२५ मि मि रबर वासर	वटा	३०७.००	३०७.००	३०७.००	३०७.००
२४	१५० मि मि रबर वासर	वटा	३८३.००	३८३.००	३८३.००	३८३.००
२५	२०० मि मि रबर वासर	वटा	४६१.००	४६१.००	४६१.००	४६१.००
२६	३ मि मि रबर वासर	मि	१,८६४.००	१,८६४.००	१,८६४.००	१,८६४.००
२७	७५ मि मि एम एस फेलेन्ज	वटा	१,४४७.००	१,४४७.००	१,४४७.००	१,४४७.००
२८	९० मि मि एम एस फेलेन्ज	वटा	१,८८७.००	१,८८७.००	१,८८७.००	१,८८७.००
२९	११० मि मि एम एस फेलेन्ज	वटा	२,२६२.००	२,२६२.००	२,२६२.००	२,२६२.००
३०	१८० मि मि एम एस फेलेन्ज	वटा	४,८६३.००	४,८६३.००	४,८६३.००	४,८६३.००
३१	२०० मि मि एम एस फेलेन्ज	वटा	५,६८८.००	५,६८८.००	५,६८८.००	५,६८८.००
३२	२२५ मि मि एम एस फेलेन्ज	वटा	६,३९७.००	६,३९७.००	६,३९७.००	६,३९७.००
३३	एच डी १५ पाइप वट फयुजन इलाक्टकल ६३ दाख १६० मि मि जोड्ने मेसिन	सेट	१३९,०५६.००	१३९,०५६.००	१३९,०५६.००	१३९,०५६.००
३४	एच डी १५ पाइप वट फयुजन इलाक्टकल ९० दाख २५० मि मि जोड्ने मेसिन	सेट	२९८,२५६.००	२९८,२५६.००	२९८,२५६.००	२९८,२५६.००
३५	पेटोल जेनेटर ५ के मि ए	वटा	१७७,३९७.००	१७७,३९७.००	१७७,३९७.००	१७७,३९७.००
३६	डिजेल जेनेटर ५ के मि ए	वटा	२२३,४०७.००	२२३,४०७.००	२२३,४०७.००	२२३,४०७.००
३७	3 core 6 sq mm size flat insulator cupper submersible wire	मि	६८७.००	६८७.००	६८७.००	६८७.००
३८	3 core 10 sq mm size flat insulator cupper submersible wire	मि	८९२.००	८९२.००	८९२.००	८९२.००
३९	Pressure gauge mwc per 15 kg sq cm heavy class stop cock necessary series	गोटा	२५,६७०.००	२५,६७०.००	२५,६७०.००	२५,६७०.००
४०	टोचन तार ३मिमि(१२ मिमि व्यास)	मि	२८०.१३	२८०.१३	२८०.१३	२८०.१३

[Handwritten signatures and marks]

42

[Handwritten signatures and marks]
धर्मराज जोशी
जिल्ला अधिकारी



सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
४१	Water Meter			-	-	-
	water meter (heavy) 1/2"	Pc	२,०४७.००	२,०४७.००	२,०४७.००	२,०४७.००
	water meter (medium) 1/2"	Pc	१,३३९.००	१,३३९.००	१,३३९.००	१,३३९.००
४२	PVC Saddle Clamp			-	-	-
	140 x 15mm dia	Pc	८५७.००	८५७.००	८५७.००	८५७.००
	125 x 15mm dia	Pc	७४३.००	७४३.००	७४३.००	७४३.००
	110 x 15mm dia	Pc	६८६.००	६८६.००	६८६.००	६८६.००
	90 x 15mm dia	Pc	६००.००	६००.००	६००.००	६००.००
	75 x 15mm dia	Pc	५३९.००	५३९.००	५३९.००	५३९.००
	63 x 15mm dia	Pc	४९७.००	४९७.००	४९७.००	४९७.००
	50 x 15mm dia	Pc	४५७.००	४५७.००	४५७.००	४५७.००
	40 x 15mm dia	Pc	४५९.००	४५९.००	४५९.००	४५९.००
	32 x 15mm dia	Pc	३०८.००	३०८.००	३०८.००	३०८.००
४३	HDP Adapter			-	-	-
	100 mm	Pc	१७१.००	१७१.००	१७१.००	१७१.००
	140 mm	Pc	२५१.००	२५१.००	२५१.००	२५१.००
	150 mm	Pc	२८५.००	२८५.००	२८५.००	२८५.००
४४	DI Pipe with double flanged 3.0m long conforming to IS-K9			-	-	-
	a) 250mm Dia (10" Dia)	Rm	८,५२५.००	८,५२५.००	८,५२५.००	८,५२५.००
	b) 200mm Dia (8" Dia)	Rm	७,३५८.००	७,३५८.००	७,३५८.००	७,३५८.००
	c) 150mm Dia (6" Dia)	Rm	६,६९५.००	६,६९५.००	६,६९५.००	६,६९५.००
	d) 125mm Dia (5" Dia)	Rm	५,६६४.००	५,६६४.००	५,६६४.००	५,६६४.००
४५	C.I Flanged bell mouth, conforming to (IS-1539)			-	-	-
	300mm Dia (12" Dia)	Nos	१०,२९०.००	१०,२९०.००	१०,२९०.००	१०,२९०.००
	250mm Dia (10" Dia)	Nos	७,३५०.००	७,३५०.००	७,३५०.००	७,३५०.००
	200mm Dia (8" Dia)	Nos	५,२९९.००	५,२९९.००	५,२९९.००	५,२९९.००
	150mm Dia (6" Dia)	Nos	३,५१७.००	३,५१७.००	३,५१७.००	३,५१७.००
	125mm Dia (5" Dia)	Nos	२,६८३.००	२,६८३.००	२,६८३.००	२,६८३.००
४६	CI Double Flanged of 90 Degree duckfoot bends with rubber ring (Conforming to IS-1538)			-	-	-
	300mm Dia (12" Dia)	Nos	३१,५००.००	३१,५००.००	३१,५००.००	३१,५००.००
	250mm Dia (10" Dia)	Nos	२४,१५०.००	२४,१५०.००	२४,१५०.००	२४,१५०.००
	200mm Dia (8" Dia)	Nos	२८,२३७.००	२८,२३७.००	२८,२३७.००	२८,२३७.००
	150mm Dia (6" Dia)	Nos	२३,१०३.००	२३,१०३.००	२३,१०३.००	२३,१०३.००
	125mm Dia (5" Dia)	Nos	१९,२५१.००	१९,२५१.००	१९,२५१.००	१९,२५१.००
४७	C.I Double Flanged Sluice Valve (Conforming to IS-1486) With hand wheel, cap, GM Seat, rings and stainless steel spindle			-	-	-
	300mm Dia (12" Dia)	Nos	६३,०००.००	६३,०००.००	६३,०००.००	६३,०००.००
	250mm Dia (10" Dia)	Nos	५४,६००.००	५४,६००.००	५४,६००.००	५४,६००.००
	200mm Dia (8" Dia)	Nos	५१,३७९.००	५१,३७९.००	५१,३७९.००	५१,३७९.००
	150mm Dia (6" Dia)	Nos	३६,६९९.००	३६,६९९.००	३६,६९९.००	३६,६९९.००
	125mm Dia (5" Dia)	Nos	३०,५८०.००	३०,५८०.००	३०,५८०.००	३०,५८०.००
	100mm Dia (4" Dia)	Nos	२०,१२९.००	२०,१२९.००	२०,१२९.००	२०,१२९.००
	80mm Dia (3" Dia)	Nos	१५,०९४.००	१५,०९४.००	१५,०९४.००	१५,०९४.००
४८	MS ISOD Flangrd with nut bolts and Rubber gasket			-	-	-
	300mm Dia (12" Dia)	Nos	८,९२५.००	८,९२५.००	८,९२५.००	८,९२५.००
	250mm Dia (10" Dia)	Nos	७,३५०.००	७,३५०.००	७,३५०.००	७,३५०.००
	200mm Dia (8" Dia)	Nos	७,७००.००	७,७००.००	७,७००.००	७,७००.००
	150mm Dia (6" Dia)	Nos	७,५५२.००	७,५५२.००	७,५५२.००	७,५५२.००

[Handwritten signature]

[Handwritten signature]


[Handwritten mark]



[Handwritten mark]



धर्मरत्न जोशी
जिल्ला अधिकारी

2

सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	125mm Dia (5" Dia)	Nos	४,७२५.००	४,७२५.००	४,७२५.००	४,७२५.००
४९	CI Mechanical coupling with rubbr Ring gasket			-	-	-
	300mm Dia (12" Dia)	Nos	२५,२००.००	२५,२००.००	२५,२००.००	२५,२००.००
	250mm Dia (10" Dia)	Nos	१९,४२५.००	१९,४२५.००	१९,४२५.००	१९,४२५.००
	200mm Dia (8" Dia)	Nos	१३,७६२.००	१३,७६२.००	१३,७६२.००	१३,७६२.००
	150mm Dia (6" Dia)	Nos	११,४९३.००	११,४९३.००	११,४९३.००	११,४९३.००
	125mm Dia (5" Dia)	Nos	६,७२०.००	६,७२०.००	६,७२०.००	६,७२०.००
	600mm Dia MS Manhole Cover	Nos	१,६५९.००	१,६५९.००	१,६५९.००	१,६५९.००
५०	Water Meter			-	-	-
	300mm (12") Dia	Nos	१६२,७५०.००	१६२,७५०.००	१६२,७५०.००	१६२,७५०.००
	250mm Dia (10" Dia)	Nos	१०३,९५०.००	१०३,९५०.००	१०३,९५०.००	१०३,९५०.००
	200mm Dia (8" Dia)	Nos	८१,९००.००	८१,९००.००	८१,९००.००	८१,९००.००
	150mm Dia (6" Dia)	Nos	६८,२५०.००	६८,२५०.००	६८,२५०.००	६८,२५०.००
	125mm Dia (5" Dia)	Nos	६३,०००.००	६३,०००.००	६३,०००.००	६३,०००.००
५१	CI Pipe with flanged set for OHT Tank conforming to NS-199 or IS-1239			-	-	-
	300mm Dia (12" Dia)	Rm	२२,०५०.००	२२,०५०.००	२२,०५०.००	२२,०५०.००
	250mm Dia (10" Dia)	Rm	१७,३२५.००	१७,३२५.००	१७,३२५.००	१७,३२५.००
	200mm Dia (8" Dia)	Rm	१२,६००.००	१२,६००.००	१२,६००.००	१२,६००.००
	150mm Dia (6" Dia)	Rm	८,९२५.००	८,९२५.००	८,९२५.००	८,९२५.००
	125mm Dia (5" Dia)	Rm	७,०३५.००	७,०३५.००	७,०३५.००	७,०३५.००
५२	CI Flanged Tail piece			-	-	-
	250mm Dia (10" Dia)	Nos	९,८७०.००	९,८७०.००	९,८७०.००	९,८७०.००
	200mm Dia (8" Dia)	Nos	८,१६३.००	८,१६३.००	८,१६३.००	८,१६३.००
	150mm Dia (6" Dia)	Nos	६,९३०.००	६,९३०.००	६,९३०.००	६,९३०.००
	100mm Dia (4" Dia)	Nos	३,३६०.००	३,३६०.००	३,३६०.००	३,३६०.००
५३	डिजल जेनेटर			-	-	-
	२.५ के.भि	सेट	७०,०००.००	७०,०००.००	७०,०००.००	७०,०००.००
	५ के.भि	सेट	११०,०००.००	११०,०००.००	११०,०००.००	११०,०००.००
	७.५ के.भि	सेट	१४५,०००.००	१४५,०००.००	१४५,०००.००	१४५,०००.००
	१० के.भि	सेट	४४०,०००.००	४४०,०००.००	४४०,०००.००	४४०,०००.००
	२५ के.भि	सेट	७२५,०००.००	७२५,०००.००	७२५,०००.००	७२५,०००.००
	५० के.भि	सेट	९५०,०००.००	९५०,०००.००	९५०,०००.००	९५०,०००.००
	८० के.भि	सेट	१,३८८,०००.००	१,३८८,०००.००	१,३८८,०००.००	१,३८८,०००.००
	१०० के.भि	सेट	१,५९८,०००.००	१,५९८,०००.००	१,५९८,०००.००	१,५९८,०००.००
५४	समर्सिबल फल्ट केवल			-	-	-
	६ बर्ग मि.मि	मि	६८७.००	६८७.००	६८७.००	६८७.००
	१० बर्ग मि.मि	मि	८९२.००	८९२.००	८९२.००	८९२.००
	१६ बर्ग मि.मि	मि	१,३००.००	१,३००.००	१,३००.००	१,३००.००
	२० बर्ग मि.मि	मि	१,६००.००	१,६००.००	१,६००.००	१,६००.००
५५	पावर केवल			-	-	-
	25 sq mm Aluminium	मि	३५०.००	३५०.००	३५०.००	३५०.००
	25 sq mm copper	मि	१,५००.००	१,५००.००	१,५००.००	१,५००.००
	50 sq mm Aluminium	मि	५५०.००	५५०.००	५५०.००	५५०.००
	50 sq mm copper	मि	२,२००.००	२,२००.००	२,२००.००	२,२००.००
	95 sq mm Aluminium	मि	८९२.००	८९२.००	८९२.००	८९२.००
	95 sq mm copper	मि	५,४००.००	५,४००.००	५,४००.००	५,४००.००
	वाटर लेवल इन्डिकेटर	सेट	४००.००	४००.००	४००.००	४००.००






 धर्मराज जोशी
 जिल्ला अधिकारी



सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
५६	HDPE Reducer			-	-	-
	300*250 mm	गोटा	१,०९२.००	१,०९२.००	१,०९२.००	१,०९२.००
	250*225mm	गोटा	८७६.००	८७६.००	८७६.००	८७६.००
	225*200 mm	गोटा	७८३.००	७८३.००	७८३.००	७८३.००
	200*180 mm	गोटा	६९०.००	६९०.००	६९०.००	६९०.००
	180*160mm	गोटा	४६४.००	४६४.००	४६४.००	४६४.००
	160*140mm	गोटा	३६१.००	३६१.००	३६१.००	३६१.००
	140*125mm	गोटा	३१२.००	३१२.००	३१२.००	३१२.००
	125*110mm	गोटा	२१०.००	२१०.००	२१०.००	२१०.००
	110*90mm	गोटा	१९०.००	१९०.००	१९०.००	१९०.००
	90*75mm	गोटा	१५५.००	१५५.००	१५५.००	१५५.००
	75*63mm	गोटा	१००.००	१००.००	१००.००	१००.००
	63*50mm	गोटा	८५.००	८५.००	८५.००	८५.००
५७	HDPE Bend			-	-	-
	250mm	गोटा	१,७३०.००	१,७३०.००	१,७३०.००	१,७३०.००
	225mm	गोटा	१,५९७.००	१,५९७.००	१,५९७.००	१,५९७.००
	200mm	गोटा	१,०९२.००	१,०९२.००	१,०९२.००	१,०९२.००
	180mm	गोटा	१,०२०.००	१,०२०.००	१,०२०.००	१,०२०.००
	160mm	गोटा	७२१.००	७२१.००	७२१.००	७२१.००
	140mm	गोटा	५६७.००	५६७.००	५६७.००	५६७.००
	125mm	गोटा	३९७.००	३९७.००	३९७.००	३९७.००
	110mm	गोटा	३१०.००	३१०.००	३१०.००	३१०.००
	90mm	गोटा	२८५.००	२८५.००	२८५.००	२८५.००
	75mm	गोटा	२४५.००	२४५.००	२४५.००	२४५.००
५८	GI Water Tank (17 Gauge)			-	-	-
	100gls	गोटा	८,०७५.००	८,०७५.००	८,०७५.००	८,०७५.००
	200gls	गोटा	१२,६८५.००	१२,६८५.००	१२,६८५.००	१२,६८५.००
	300gls	गोटा	१५,९५५.००	१५,९५५.००	१५,९५५.००	१५,९५५.००
	400gls	गोटा	२२,३६५.००	२२,३६५.००	२२,३६५.००	२२,३६५.००
	Roof Top PVC Water Tank			-	-	-
	200 lit -5000 lit capacity	लिटर	१२.००	१२.००	१२.००	१२.००
	5000 lit -10,000 lit capacity	लिटर	१४.००	१४.००	१४.००	१४.००
५९	Stainless steel water tank with accessories			-	-	-
	Capacity 500 Lit	गोटा	१३,६५०.००	१३,६५०.००	१३,६५०.००	१३,६५०.००
	Capacity 1000 Lit	गोटा	२७,३००.००	२७,३००.००	२७,३००.००	२७,३००.००
	Capacity 1500 Lit	गोटा	२८,५४०.००	२८,५४०.००	२८,५४०.००	२८,५४०.००
	Capacity 2000 Lit	गोटा	३४,५१०.००	३४,५१०.००	३४,५१०.००	३४,५१०.००
	Capacity 3000 Lit	गोटा	५१,७७०.००	५१,७७०.००	५१,७७०.००	५१,७७०.००
	Capacity 4000 Lit	गोटा	६९,०३०.००	६९,०३०.००	६९,०३०.००	६९,०३०.००
	Capacity 5000 Lit	गोटा	९०,७१०.००	९०,७१०.००	९०,७१०.००	९०,७१०.००
६०	Plastic Water Tank			-	-	-
	LLDPE Plastic Tank- Extra Heavy -Black(100 litres)	लिटर	१३.५०	१३.५०	१३.५०	१३.५०
	LLDPE Plastic Tank- NS Certified -Black(200 litres)	लिटर	१३.५०	१३.५०	१३.५०	१३.५०
	LLDPE Plastic Tank- NS Certified -Black(300 litres)	लिटर	१२.५०	१२.५०	१२.५०	१२.५०
	LLDPE Plastic Tank- NS Certified -Black(500 litres)	लिटर	१२.५०	१२.५०	१२.५०	१२.५०


 धर्मराज जोशी
 प्रमुख जिल्ला अधिकारी

सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
	LLDPE Plastic Tank- NS Certefied -Black(750 litres)	लिटर	१२.५०	१२.५०	१२.५०	१२.५०
	LLDPE Plastic Tank- NS Certefied -Black(1000 litres)	लिटर	११.५०	११.५०	११.५०	११.५०
	LLDPE Plastic Tank- Extra Heavy -Black(1500 litres)	लिटर	११.५०	११.५०	११.५०	११.५०
	LLDPE Plastic Tank- Extra Heavy -Black(2000 litres)	लिटर	११.५०	११.५०	११.५०	११.५०
	LLDPE Plastic Tank- Extra Heavy -Black(3000 litres)	लिटर	११.५०	११.५०	११.५०	११.५०
	LLDPE Plastic Tank- Extra Heavy -Black(4000 litres)	लिटर	११.५०	११.५०	११.५०	११.५०
	LLDPE Plastic Tank- Extra Heavy -Black(5000 litres)	लिटर	१२.५०	१२.५०	१२.५०	१२.५०
	LLDPE Plastic Tank- Extra Heavy -Black(7500 litres)	लिटर	१२.५०	१२.५०	१२.५०	१२.५०
	LLDPE Plastic Tank- Extra Heavy -Black(10000 litres)	लिटर	१२.५०	१२.५०	१२.५०	१२.५०
६१	Supply, installation, testing & commissioning of Vertical Aerator with diameter 1400 mm and height 2500 mm both end fitted with machine made dish ends, fabricated from MSEP, shell plate thickness 8 mm (min.), machine made dish end plate thickness of minimum 10 mm, packed with Metallic Pall Ring.	सेट	१,१६५,०००.००	१,१६५,०००.००	१,१६५,०००.००	१,१६५,०००.००
६२	Supply, installation, testing & commissioning of Vertical Pressure Filter with diameter 2.800 mm & height 3,000 mm both end fitted with machine made dish ends, fabricated from MSEP, Shell plate thickness 8 mm (min.), machine made dish end plate thickness of 10 mm (min.), packed with graded river gravel.	सेट	१,७४०,०००.००	१,७४०,०००.००	१,७४०,०००.००	१,७४०,०००.००
६३	Supply, installation, testing & commissioning of Reciprocating Air Compressor 7.5 Hp. of air capacity 39 m3/h. for minimum working pressure 12 kg/cm2 fitted on Tank mount with suitable 3 phase 400-440 volt, 50Mz.,	सेट	३६०,०००.००	३६०,०००.००	३६०,०००.००	३६०,०००.००
६४	Supply, installation, testing & commissioning of Bleaching Solution Dosing Electronic/Electro Mechanical Metering Pump (220v, 50MHz AC) of capacity 10 lph having minimum working pressure 9 kg/cm2 with chemical solution FRP tank of capacity 200 liters.	सेट	१९५,०००.००	१९५,०००.००	१९५,०००.००	१९५,०००.००
६५	Supply, installation, commissioning of Electric Control Panel for operation of one 7.5 HP air compressor (DOL type starter) including over load protection, amp meters, volt meters, compressor on-off selection switches, one main MCCB, and one Dosing pump with electrical cable all complete set.	सेट	१५०,०००.००	१५०,०००.००	१५०,०००.००	१५०,०००.००
६६	Supply, installation, testing & commissioning of 200 mm pipe size, MS for inlet and outlet, maximum length of 60 m with all the flanges, nut and bolts, gaskets, bends, tee, as required by field conditions, for complete set (a set consists of:- one set of close tower aerator, one set of air compressor, one set of chemical dosers and one pressure sand filters) for complete operation of the treatment plant.	सेट	४००,०००.००	४००,०००.००	४००,०००.००	४००,०००.००
६७	Compressor Oil	Litres	६५०.००	६५०.००	६५०.००	६५०.००
६८	NRVs for Air Compressors	Set	१०,३००.००	१०,३००.००	१०,३००.००	१०,३००.००
६९	200 mm size spare Butterfly Valves	nos	३२,०००.००	३२,०००.००	३२,०००.००	३२,०००.००
७०	Adjustable Spanner					
	10"	गोटा	२५५.००	२५५.००	२५५.००	२५५.००
	12"	गोटा	४८२.००	४८२.००	४८२.००	४८२.००
	15"	गोटा	१,३८८.००	१,३८८.००	१,३८८.००	१,३८८.००
	18"	गोटा	१,६४३.००	१,६४३.००	१,६४३.००	१,६४३.००
७१	Blow Trench					
	1/2 pint	गोटा	१,३३४.००	१,३३४.००	१,३३४.००	१,३३४.००
	1 pint	गोटा	१,७६७.००	१,७६७.००	१,७६७.००	१,७६७.००
७२	Boulding Trowel	गोटा	६९.००	६९.००	६९.००	६९.००
७३	Chain Pipe Wrench					
	50mm	गोटा	१,६४३.००	१,६४३.००	१,६४३.००	१,६४३.००

[Handwritten signatures]

४६

[Handwritten mark]

[Handwritten mark]

[Handwritten mark]

धर्मराज जोशी
मुख्य जिल्ला अधिकारी

सि.नं.	सामग्रीको नाम	प्रति इकाई	आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	75mm	गोटा	१,९५५.००	१,९५५.००	१,९५५.००	१,९५५.००
	100mm	गोटा	२,२९५.००	२,२९५.००	२,२९५.००	२,२९५.००
	150mm	गोटा	३,२२९.००	३,२२९.००	३,२२९.००	३,२२९.००
	200mm	गोटा	५,४९५.००	५,४९५.००	५,४९५.००	५,४९५.००
७४	Chain Pulley in Ton					
	3 Ton	गोटा	२५,०००.००	२५,०००.००	२५,०००.००	२५,०००.००
	5 Ton	गोटा	४०,१०८.००	४०,१०८.००	४०,१०८.००	४०,१०८.००
७६	stone Chisel 1"×12"	गोटा	३६९.००	३६९.००	३६९.००	३६९.००
७७	Die Teeth Oil with cane 250ml Size	गोटा	२८३.००	२८३.००	२८३.००	२८३.००
७८	Hacksaw Blade					
	Single	गोटा	४.००	४.००	४.००	४.००
	Double	गोटा	९.००	९.००	९.००	९.००
७९	HacksawFrame 6mm	गोटा	१९३.००	१९३.००	१९३.००	१९३.००
८०	Handle Die Set					
	25mm	गोटा	४,३११.००	४,३११.००	४,३११.००	४,३११.००
	50mm	गोटा	९,१६३.००	९,१६३.००	९,१६३.००	९,१६३.००
	60-75mm	गोटा	९,६३१.००	९,६३१.००	९,६३१.००	९,६३१.००
८१	Heating Plate					
	80mm	गोटा	४५०.००	४५०.००	४५०.००	४५०.००
	100mm	गोटा	६८६.००	६८६.००	६८६.००	६८६.००
	125mm	गोटा	१,४१६.००	१,४१६.००	१,४१६.००	१,४१६.००
	150mm	गोटा	१,६१७.००	१,६१७.००	१,६१७.००	१,६१७.००
	200mm	गोटा	२,७३१.००	२,७३१.००	२,७३१.००	२,७३१.००
	250mm	गोटा	४,८९०.००	४,८९०.००	४,८९०.००	४,८९०.००
	300mm	गोटा	५,०३६.००	५,०३६.००	५,०३६.००	५,०३६.००
८२	Iron Brush 12"	गोटा	७४.००	७४.००	७४.००	७४.००
८३	Iron Pan Medium	गोटा	२६१.००	२६१.००	२६१.००	२६१.००
८४	Pick Axe 1.7Kg	गोटा	४३१.००	४३१.००	४३१.००	४३१.००
८५	Pipe Cutter					
	15-50mm	गोटा	२,०३९.००	२,०३९.००	२,०३९.००	२,०३९.००
	65-80mm	गोटा	३,१७२.००	३,१७२.००	३,१७२.००	३,१७२.००
	100mm	गोटा	५,०९९.००	५,०९९.००	५,०९९.००	५,०९९.००
	125mm	गोटा	५,६६५.००	५,६६५.००	५,६६५.००	५,६६५.००
	150mm	गोटा	१०,०८४.००	१०,०८४.००	१०,०८४.००	१०,०८४.००
८६	Pipe vice					
	2"	गोटा	२,५६०.००	२,५६०.००	२,५६०.००	२,५६०.००
	3"	गोटा	३,०९९.००	३,०९९.००	३,०९९.००	३,०९९.००
	4"	गोटा	५,४६७.००	५,४६७.००	५,४६७.००	५,४६७.००
	5"	गोटा	१०,१४०.००	१०,१४०.००	१०,१४०.००	१०,१४०.००
८७	Pipe Wrench					
	10"	गोटा	३१७.००	३१७.००	३१७.००	३१७.००
	12"	गोटा	५३७.००	५३७.००	५३७.००	५३७.००
	14"	गोटा	७७५.००	७७५.००	७७५.००	७७५.००
	18"	गोटा	९४२.००	९४२.००	९४२.००	९४२.००
	24"	गोटा	१,६१७.००	१,६१७.००	१,६१७.००	१,६१७.००
	36"	गोटा	३,०९९.००	३,०९९.००	३,०९९.००	३,०९९.००
	48"	गोटा	९,७०३.००	९,७०३.००	९,७०३.००	९,७०३.००
८८	Plumb Bob Line	गोटा	९१.००	९१.००	९१.००	९१.००
८९	Ratchet Die Set					
	1/2"-1"	गोटा	४,३०५.००	४,३०५.००	४,३०५.००	४,३०५.००
	1 1/4"-2"	गोटा	८,०४४.००	८,०४४.००	८,०४४.००	८,०४४.००
	2 1/2"-3"	गोटा	१७,५६२.००	१७,५६२.००	१७,५६२.००	१७,५६२.००
९०	Round File 10"	गोटा	१८५.००	१८५.००	१८५.००	१८५.००
९१	Screw Driver 12"	गोटा	२०४.००	२०४.००	२०४.००	२०४.००
९२	Shovel 1.5kg	गोटा	३६९.००	३६९.००	३६९.००	३६९.००
९३	Slide Wrench					
	10"	गोटा	३६३.००	३६३.००	३६३.००	३६३.००
	12"	गोटा	४८७.००	४८७.००	४८७.००	४८७.००
	15"	गोटा	१,४२२.००	१,४२२.००	१,४२२.००	१,४२२.००
९४	Spare Die Teeth					
	15mm	गोटा	२,९२३.००	२,९२३.००	२,९२३.००	२,९२३.००
	20mm	गोटा	१,६६६.००	१,६६६.००	१,६६६.००	१,६६६.००

सुर्खेत


सुर्खेत

सुर्खेत

सुर्खेत

सुर्खेत

सि.नं.	सामग्रीको नाम	प्रति इकाई	आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
	25mm	गोटा	१,६६६.००	१,६६६.००	१,६६६.००	१,६६६.००
	32mm	गोटा	४,०२५.००	४,०२५.००	४,०२५.००	४,०२५.००
	40mm	गोटा	४,०२५.००	४,०२५.००	४,०२५.००	४,०२५.००
	50mm	गोटा	४,०२५.००	४,०२५.००	४,०२५.००	४,०२५.००
	65mm	गोटा	१,८६९.००	१,८६९.००	१,८६९.००	१,८६९.००
	80mm	गोटा	२,०६९.००	२,०६९.००	२,०६९.००	२,०६९.००
९५	Telfon Cover			-	-	-
	5"×5"	गोटा	३१२.००	३१२.००	३१२.००	३१२.००
	6"×6"	गोटा	४७०.००	४७०.००	४७०.००	४७०.००
	7"×7"	गोटा	५२५.००	५२५.००	५२५.००	५२५.००
९६	Telfon clotch	मिटर	३,४२८.००	३,४२८.००	३,४२८.००	३,४२८.००
९७	Telfon Tape 10mm	रोल	१८.००	१८.००	१८.००	१८.००
९८	Thermocrome cryone	गोटा	४,३३१.००	४,३३१.००	४,३३१.००	४,३३१.००
९९	Tool Box (14"×8"×22")	गोटा	२,१०२.००	२,१०२.००	२,१०२.००	२,१०२.००
१००	Bulldog Grip	गोटा	३००.००	३००.००	३००.००	३००.००
१०१	Nut Bolt	गोटा	२४०.००	२४०.००	२४०.००	२४०.००
१००	Measuring Tape			-	-	-
	50m(fibre tape)	गोटा	१,५००.००	१,५००.००	१,५००.००	१,५००.००
	30m(fibre tape)	गोटा	१,४९१.००	१,४९१.००	१,४९१.००	१,४९१.००
	5m(Steel)	गोटा	४००.००	४००.००	४००.००	४००.००
	3m(Steel)	गोटा	३११.००	३११.००	३११.००	३११.००
१०१	सि आई. मेनहोल कवर फ्रेम सहित			-	-	-
१	square Frame Medium Duty			-	-	-
	i) 10"×10"- (4kg)	सेट	६,६२६.००	६,६२६.००	६,६२६.००	६,६२६.००
	ii) 12"×12"- (5kg)	सेट	७७४.००	७७४.००	७७४.००	७७४.००
	iii) 14"×14"- (7kg)	सेट	१,१५६.००	१,१५६.००	१,१५६.००	१,१५६.००
	iv) 16"×16"- (10kg)	सेट	१,५४९.००	१,५४९.००	१,५४९.००	१,५४९.००
	v) 18"×18"- (14kg)	सेट	२,४०८.००	२,४०८.००	२,४०८.००	२,४०८.००
	vi) 20"×20"- (20kg)	सेट	२,७९६.००	२,७९६.००	२,७९६.००	२,७९६.००
	vii) 22"×22"- (20kg)	सेट	३,१०८.००	३,१०८.००	३,१०८.००	३,१०८.००
२	square Frame Heavy Duty			-	-	-
	i) 14"×14"- (7kg)	सेट	२,३५५.००	२,३५५.००	२,३५५.००	२,३५५.००
	i) 20"×20"- (20kg)	सेट	३,८४०.००	३,८४०.००	३,८४०.००	३,८४०.००
	i) 22"×22"- (20kg)	सेट	५,२५१.००	५,२५१.००	५,२५१.००	५,२५१.००


 धर्मराज जोशी
 प्रमुख जिल्ला अधिकारी

स्यानेटरी सामग्रीहरू को दर रेट

सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
1	P or S trap.	No	640.00	640.00	640.00	640.00
2	White glazed footrest	No	454.00	454.00	454.00	454.00
3	32 mm pvc bottle trap set	No	516.00	516.00	516.00	516.00
4	Waste coupling C.P. 32mm for basin	No	460.00	460.00	460.00	460.00
5	Waste coupling C.P. 32mm for urinal	No	747.00	747.00	747.00	747.00
6	1.5cm (1/2") dia.CP Sink cock	No	1421.00	1421.00	1421.00	1421.00
7	10.0 ltr.white glazed porcelain clay cistern complete accessories	Set	3863.00	3863.00	3863.00	3863.00
8	10.0 ltr.PVC single flushing cistern complete accessories	Set	2141.00	2141.00	2141.00	2141.00
9	32mmx60cm long CP flush pipe	No	553.00	553.00	553.00	553.00
10	1.5x45 cm(1/2" x18") PVC pipe connector	No	155.00	155.00	155.00	155.00
11	Bracket	No	146.00	146.00	146.00	146.00
12	580 mm Porcelain clay white glaze Orissa Pan	No	3659.00	3659.00	3659.00	3659.00
13	580 mm Porcelain clay white glazed indian Pan	No	1138.00	1138.00	1138.00	1138.00
14	530 mm Porcelain clay white glaze Orissa Pan	No	2740.00	2740.00	2740.00	2740.00
15	Porcelain clay white glaze Indian Pattern Comode regular	Set	1722.00	1722.00	1722.00	1722.00
16	Porcelain clay white glazed EWC floor mounted Comode without cistern	Set	9396.00	9396.00	9396.00	9396.00
17	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	Set	19669.00	19669.00	19669.00	19669.00
18	6/3 ltr.porcelain clay low level dual flushing cistern complete accessories,Constellation type	Set	3219.00	3219.00	3219.00	3219.00
19	Bakelite toilet seat cover set	Set	299.00	299.00	299.00	299.00
20	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	Set	31346.00	31346.00	31346.00	31346.00
21	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	Set	22134.00	22134.00	22134.00	22134.00
22	50x40cm Porcelain clay white glaze Wash basin regular	Set	1188.00	1188.00	1188.00	1188.00
23	50x40cm Porcelain clay white glaze Wash basin	Set	1607.00	1607.00	1607.00	1607.00
24	63x50cm Porcelain clay Oval white glaze Wash basin (Duravit, Grohe, American Standard, Thai or equivalent) complete.	Set	14955.00	14955.00	14955.00	14955.00
25	75x50cm Porcelain clay Oval white glaze Wash basin (Hindustan, Parryware, Classica, cera or equivalent) with complete set.	Set	6765.00	6765.00	6765.00	6765.00
26	Porcelain clay white glaze Wash basin for disable with grab bar all complete	Set	22307.00	22307.00	22307.00	22307.00
27	15 mm CP basin mixer single lever	Set	4224.00	4224.00	4224.00	4224.00
28	Porcelain clay white glaze Semi Pedestal	Set	1812.00	1812.00	1812.00	1812.00
29	50x40cm Porcelain clay white glaze Wash basin (Hindustan, Parryware, Classica, cera or equivalent) regular	No	1607.00	1607.00	1607.00	1607.00
30	sensor valve for urinal	No	11562.00	11562.00	11562.00	11562.00
31	Porcelain clay white glaze Pedestal for wash basin		1495.00	1495.00	1495.00	1495.00
32	40x40cm Porcelain clay white glaze Corner Wash basin	No	1303.00	1303.00	1303.00	1303.00
33	45x30x15 Cm (18"x12"x6") White glaze sink with C I bracket (small size)	Set	1794.00	1794.00	1794.00	1794.00
34	53x43x18 (21"x17"x7") White glaze sink with C I bracket (large size)	Set	2412.00	2412.00	2412.00	2412.00
35	60x45x25Cm (24"x18"x10") White glaze kitchen sink with bracket	Set	4085.00	4085.00	4085.00	4085.00
36	Small Flat back White glazed urinal with bracket, (Hindustan, Parryware, Somany,cera or equivalent)		2040.00	2040.00	2040.00	2040.00
37	Small Flat back First color glazed urinal with bracket, Constellation type, cascade type.		0.00	0.00	0.00	0.00
38	46.5x35.5x26.5 cm White glaze flat back Urinal (Hindware, Parryware, Somany,cera or equivalent)	Set	2040.00	2040.00	2040.00	2040.00
39	61x41x38 cm Large Flat back White glazed urinal with bracket (Hindware, Parryware, Classica, cera or equivalent.)	Set	4531.00	4531.00	4531.00	4531.00
40	Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	Set	108875.00	108875.00	108875.00	108875.00

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी



सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
41	1½" Ø C.P. bottle trap including 1½" Ø PVC. waste coupling.		2010.00	2010.00	2010.00	2010.00
42			0.00	0.00	0.00	0.00
43	17"X14"X13 White glaze Angle back Urinal (Hindustan)	No	1757.00	1757.00	1757.00	1757.00
44	23"X14" White glaze squatting plate urinal (Hindustan or equivalent)	No	1315.00	1315.00	1315.00	1315.00
45	68X30 cm White glaze Division plate urinal Partation	No	1834.00	1834.00	1834.00	1834.00
46	Solar water heater 300 litres complete with 3 nos. of solar panel size 1000x2000mm, thermostat, stands, pipe connections, testing and operation.	Set	53602.00	53602.00	53602.00	53602.00
47	500ltrs net capacity stainless steel water tank with Inlet, outlet, over flow, cleanout hole etc.(304 grade steel)	No	13689.00	13689.00	13689.00	13689.00
48	1000ltrs net capacity stainless steel water tank with Inlet, outlet, over flow, cleanout hole etc.(304 grade steel)	No	20170.00	20170.00	20170.00	20170.00
49	1500ltrs net capacity stainless steel water tank with Inlet, outlet, over flow, cleanout hole etc.(304 grade steel)	No	30983.00	30983.00	30983.00	30983.00
50	2000ltrs net capacity stainless steel water tank with Inlet, outlet, over flow, cleanout hole etc.(304 grade steel)	No	37464.00	37464.00	37464.00	37464.00
51	5000Ltr. PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	57536.00	57536.00	57536.00	57536.00
52	1000Ltr. PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	11181.00	11181.00	11181.00	11181.00
53	500 ltr PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	5590.00	5590.00	5590.00	5590.00
54	2000 Ltr.PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	22363.00	22363.00	22363.00	22363.00
55	1 HP Chinese pump	No	3549.00	3549.00	3549.00	3549.00
56	1 HP Chinese submersible pump	No	10030.00	10030.00	10030.00	10030.00
57	1.0 H P Electric motor pump (Submersible) Italian or equivalent	No	28322.00	28322.00	28322.00	28322.00
58	1.5 H P Electric motor pump (Vertical Submersible) Sarvo/Bimal or equivalent	No	35750.00	35750.00	35750.00	35750.00
59	0.5 H P Electric motor pump mono block type with base plate nuts, bolts etc.set	No	6793.00	6793.00	6793.00	6793.00
60	1.0 H P Electric motor pump mono block type with base plate nuts,bolts,etc.set	No	10275.00	10275.00	10275.00	10275.00
61	1 H P Electric motor pump (super suction) with base plate nuts, bolts etc.set	No	15478.00	15478.00	15478.00	15478.00
62	2 H P Electricmotor pump with base plate nuts, bolts etc.set	No	24520.00	24520.00	24520.00	24520.00
63	3 H P Electricmotor pump with base plate nuts, bolts etc.set	No	25888.00	25888.00	25888.00	25888.00
64	5 H P Electricmotor pump with base plate nuts, bolts etc.set	No	31108.00	31108.00	31108.00	31108.00
65	Motor Starter Switch	No	3688.00	3688.00	3688.00	3688.00
66	Pressure Senser Switch (Italian)	No	3989.00	3989.00	3989.00	3989.00
67	White glaze toilet paper holder	No	1256.00	1256.00	1256.00	1256.00
68	C.P. toilet paper holder	No	1008.00	1008.00	1008.00	1008.00
69	Stainless steel liquid soap container European pattern	No	6580.00	6580.00	6580.00	6580.00
70	White glazed Porcelain clay soap dish	No	717.00	717.00	717.00	717.00
71	Stainless steel towel rod 1.5x45cm (½"x 18.")	No	1346.00	1346.00	1346.00	1346.00
72	C.P Soap dish	No	553.00	553.00	553.00	553.00
73	C.P Soap dish (polyurethane)	No	1131.00	1131.00	1131.00	1131.00
74	C P Towel rod ¾"x24" size	No	615.00	615.00	615.00	615.00
75	C P Towel rod 1½"x 18" size	No	553.00	553.00	553.00	553.00
76	C P Towel rod 18" size Heavy	No	1713.00	1713.00	1713.00	1713.00
77	C P Towel rod 24" size Heavy	No	1805.00	1805.00	1805.00	1805.00
78	Glass Shelf with CP Guard rail	No	738.00	738.00	738.00	738.00
79	C.P. Glass Shelf 22" size		2453.00	2453.00	2453.00	2453.00
80	Porcelaine clay basin shelf	No	3965.00	3965.00	3965.00	3965.00
81	Bevelled edge looking mirror	No	651.00	651.00	651.00	651.00
82	Looking Mirror Modi guard 450x600mm (18"x 24")	No	1583.00	1583.00	1583.00	1583.00
83	73 mm OD 3"Ms Seamless Pipes SCH 40 5.16mm thickness	No	2057.00	2057.00	2057.00	2057.00
84	101.6 mm OD 4" Ms Seamless Pipes SCH 40	No	3479.00	3479.00	3479.00	3479.00
85	7.5cm dia shower rose revolving type	No	983.00	983.00	983.00	983.00
86	Stainless Steel Shower rose with sliding bar complete set.	No	3230.00	3230.00	3230.00	3230.00

धर्मराज जोशी

 प्रमुख जिल्ला अधिकारी



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
धनकुटा

भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)

सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
87	Stainless Steel Telephonic Shower	No	1346.00	1346.00	1346.00	1346.00
88	15 mm C.P. Shower head with arm and flange	No	1187.00	1187.00	1187.00	1187.00
89	C.P Flush valve	No	5866.00	5866.00	5866.00	5866.00
90	Sensor Flush valve for urinal	No	11562.00	11562.00	11562.00	11562.00
91	Basin cock sensor (Battery operating)		15652.00	15652.00	15652.00	15652.00
92	Sensor mixer for basin (Battery operating)	No	22234.00	22234.00	22234.00	22234.00
93	15mm C.P. Bib Cock	No	1477.00	1477.00	1477.00	1477.00
94	15mm C.P. Swan Neck Pillar Cock	No	1444.00	1444.00	1444.00	1444.00
95	CP Piller Cock with aerator	No	1371.00	1371.00	1371.00	1371.00
96	15mm C.P.Concealed Stop Cock	No	1961.00	1961.00	1961.00	1961.00
97	15mm C.P. Sink Cock	No	1421.00	1421.00	1421.00	1421.00
98	15mm C.P.Angle valve	No	1006.00	1006.00	1006.00	1006.00
99	15mm C.P.Sink Mixture	No	4854.00	4854.00	4854.00	4854.00
100	15mm C.P.Basin Mixture	No	5037.00	5037.00	5037.00	5037.00
101	15mm C.P.Wall Mixture	No	5900.00	5900.00	5900.00	5900.00
102	15mm dia Stainless Steel Bib Cock	No	4803.00	4803.00	4803.00	4803.00
103	15 mm dia Stainless Steel Pillar Cock	No	4803.00	4803.00	4803.00	4803.00
104	15mm dia Stainless Steel Sink Cock	No	6041.00	6041.00	6041.00	6041.00
105	15mm S.S.Concealed mixture	No	7007.00	7007.00	7007.00	7007.00
106	15mm Stainles steel angle valve	No	897.00	897.00	897.00	897.00
107	15mm SS two way angle valve	No	1256.00	1256.00	1256.00	1256.00
108	Stainless steel wall mixture single control complete set.	set	4539.00	4539.00	4539.00	4539.00
109	Stainless steel Sink mixture single control complete set.		9127.00	9127.00	9127.00	9127.00
110	Stainless steel Basin mixture single control complete set.		7537.00	7537.00	7537.00	7537.00
111	15mm C.P.Urinal Auto closing Valve with built in control cock	No	2924.00	2924.00	2924.00	2924.00
112	15mm C.P. Auto Closing Bib Cock with Aerator	No	2835.00	2835.00	2835.00	2835.00
113	15mm C.P. Auto Closing Pillar Cock with Aerator		2743.00	2743.00	2743.00	2743.00
114	Water spray (Health faucet) with 1.2 m. long flexible pipe.	Set	1244.00	1244.00	1244.00	1244.00
115	15mm flush cock push type	No	1229.00	1229.00	1229.00	1229.00
116	15mm Urinal C.P. Spreader	No	1020.00	1020.00	1020.00	1020.00
117	C.P. Grab bar European pattern 300mm long bend type Grohe, Essel or equivalent	set	5818.00	5818.00	5818.00	5818.00
118	C.P. Grab bar European pattern 600-900mm long bend type Grohe, Essel or equivalent	set	6580.00	6580.00	6580.00	6580.00
119	GM 15mm gate valve	No	1044.00	1044.00	1044.00	1044.00
120	GM 20 mm gate valve	No	1300.00	1300.00	1300.00	1300.00
121	GM 25mm gate valve	No	2095.00	2095.00	2095.00	2095.00
122	GM 32 mm gate valve	No	2988.00	2988.00	2988.00	2988.00
123	GM 40mm gate valve	No	3763.00	3763.00	3763.00	3763.00
124	GM 50 mm gate valve	No	5991.00	5991.00	5991.00	5991.00
125	GM 65 mm gate valve	No	12387.00	12387.00	12387.00	12387.00
126	GM 80 mm gate valve	No	15402.00	15402.00	15402.00	15402.00
127	GM 100 mm gate valve	No	25227.00	25227.00	25227.00	25227.00
128	15 mm G M check valve	No	969.00	969.00	969.00	969.00
129	20 mm G M check valve	No	1302.00	1302.00	1302.00	1302.00
130	25 mm G M check valve	No	1926.00	1926.00	1926.00	1926.00
131	32 mm G M check valve	No	2847.00	2847.00	2847.00	2847.00
132	40 mm G M check valve	No	3294.00	3294.00	3294.00	3294.00
133	50 mm G M check valve	No	5463.00	5463.00	5463.00	5463.00
134	65 mm G M check valve	No	11100.00	11100.00	11100.00	11100.00
135	80 mm G M check valve	No	14826.00	14826.00	14826.00	14826.00
136	100mm GM CHECK VALVE	No	20953.00	20953.00	20953.00	20953.00
137	G.M. 15mm float valve	No	1231.00	1231.00	1231.00	1231.00
138	G.M. 25mm float valve	No	1689.00	1689.00	1689.00	1689.00
139	Floor Trap 11x7.5cm (4" X 2½")	No	303.00	303.00	303.00	303.00
140	PVC Grating 100 mm dia	No	41.00	41.00	41.00	41.00
141	C P GRATING 100 mm DIA SIZE STEEL DOME	No	54.00	54.00	54.00	54.00
142	C P GRATING 12.5cm (5") DIA SIZE	No	67.00	67.00	67.00	67.00
143	Aluminium Grating 100 mm	No	45.00	45.00	45.00	45.00
144	160 mm dia DWV Upvc pipe with foamcore Double sockets SN-4 Grey color, Astral or eqv	Rm	1465.00	1465.00	1465.00	1465.00

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
145	110 mm dia DWV Upvc pipe with foamcore Double sockets SN-4 Grey color, Astral or eqv	Rm	513.00	513.00	513.00	513.00
146	75 mm dia DWV Upvc pipe with foamcore Double sockets SN-4 Grey color, Astral or eqv	Rm	284.00	284.00	284.00	284.00
147	15 mm G. I. Pipe 'B' class	Rm	162.00	162.00	162.00	162.00
148	20 mm G. I. Pipe 'B' class	Rm	207.00	207.00	207.00	207.00
149	25 mm G. I. Pipe 'B' class	Rm	310.00	310.00	310.00	310.00
150	32 mm G. I. Pipe 'B' class	Rm	404.00	404.00	404.00	404.00
151	40 mm G. I. Pipe 'B' class	Rm	464.00	464.00	464.00	464.00
152	50 mm G. I. Pipe 'B' class	Rm	632.00	632.00	632.00	632.00
153	80 mm G. I. Pipe 'B' class	Rm	1002.00	1002.00	1002.00	1002.00
154	9 cm Concealed flushing cistern complete accessories (Geberit/Viega or eqv.)	set	8067.00	8067.00	8067.00	8067.00
155	Dual flush Actuator plate	set	3958.00	3958.00	3958.00	3958.00
156	Inspection Chamber body 32x32cm	nos	3256.00	3256.00	3256.00	3256.00
157	Inspection Chamber Riser	nos	1617.00	1617.00	1617.00	1617.00
158	Inspection Chamber Lid with cover	nos	3071.00	3071.00	3071.00	3071.00
159	Inspection Chamber Plastic body 45x45cm	nos	8993.00	8993.00	8993.00	8993.00
160	Inspection Chamber Riser	nos	2859.00	2859.00	2859.00	2859.00
161	Inspection Chamber Lid with cover	nos	4771.00	4771.00	4771.00	4771.00
162	50 mm dia. Pvc pipe 6 Kg/cm2	Rm	107.00	107.00	107.00	107.00
163	75 mm dia. Pvc pipe 6 Kg/cm2	Rm	241.00	241.00	241.00	241.00
164	110 mm dia. Pvc pipe 6 Kg/cm2	Rm	501.00	501.00	501.00	501.00
165	Euro Guard Water purification set (one litre per minute)	Set	17655.00	17655.00	17655.00	17655.00
166	15.0 Ltr water heater including copper pipe connector with coupling and other necessary fittings complete American.	Set	12777.00	12777.00	12777.00	12777.00
167	25.0 Ltr water heater including copper pipe connector with coupling and other necessary fittings complete.	Set	18266.00	18266.00	18266.00	18266.00
168	35.0 Ltr water heater including copper pipe connector with coupling and other necessary fittings complete.	Set	22709.00	22709.00	22709.00	22709.00
169	50.0 Ltr water heater including copper pipe connector with coupling and other necessary fittings complete.	Set	27151.00	27151.00	27151.00	27151.00
170	Acrylic Bath tub 5'-6"x2'-6" with complete fittings.(Duravit, Grohe, American Standard or Eqv.)	No	10177.00	10177.00	10177.00	10177.00
171	C.P. Bath tub spout(Hot and cold) with Telephonic shower.	No	4525.00	4525.00	4525.00	4525.00
172	S.S. Bath tub spout(Hot and cold) with Telephonic shower.	No	20009.00	20009.00	20009.00	20009.00
173	15mm CP Wall Mixture with Telephonic Shower arrangement	No	5247.00	5247.00	5247.00	5247.00
174	15mm S.S. Wall Mixture (single control) Bath Cock with Hand Shower	No	15886.00	15886.00	15886.00	15886.00
175	Acrylic Shower Tray 3'x3' with complete fittings.	No	542.00	542.00	542.00	542.00
176	Hand dryer (Germany) with complete accessories	Rm	21057.00	21057.00	21057.00	21057.00
177	Hand dryer (Chinese) with complete accessories		7777.00	7777.00	7777.00	7777.00
178	CI Cover 18" X 18" (14 kg) Medium Duty	No	2464.00	2464.00	2464.00	2464.00
179	CI Cover 22" X 22" (20 kg) Medium Duty	No	3180.00	3180.00	3180.00	3180.00
180	CI Cover 22" X 22" (22 kg) Heavy Duty	No	5373.00	5373.00	5373.00	5373.00
181	CI Tank Cover 24"Dia (16 kg) Round (Locking Type)	No	3668.00	3668.00	3668.00	3668.00
182	CI Tank Cover 24" X 24" (50 kg) Square (Locking Type)	No	11005.00	11005.00	11005.00	11005.00
183	100 kg -20" dia CI round Manhole cover with square frame.	Set	15882.00	15882.00	15882.00	15882.00
184	5 kg Fire extinguisher ABC type minimax	No	7740.00	7740.00	7740.00	7740.00
185	Fire Post complete set	Set	29543.00	29543.00	29543.00	29543.00
186	Fire pump 20 HP two pump set with panel board and accessories pedrollo, Italian,	Set	597080.00	597080.00	597080.00	597080.00
187	Swinging hose reel with 20 mm hydraulic rubber braided hose 30 mt. Long, swinging up to 170° nozzle	Set	21386.00	21386.00	21386.00	21386.00
188	Flange 80 mm dia.	No	2053.00	2053.00	2053.00	2053.00
189	Flange 100 mm dia.	No	2548.00	2548.00	2548.00	2548.00
190	Stainless steel Bowl with ordinary drain board 37"long size.	Set	2512.00	2512.00	2512.00	2512.00
191	Stainless steel double Bowl with single drain Ordinary board 62" x 20" size.	Set	6281.00	6281.00	6281.00	6281.00
192	High density poethylene pipe 50mm. 4kg/cm2	Rm	87.00	87.00	87.00	87.00
193	High density poethylene pipe 110mm.4kg/cm2	Rm	395.00	395.00	395.00	395.00

(Signature)

(Signature)

(Signature)

धर्मराज जोशी
जिल्ला अधिकारी



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
सुर्खेत

भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)

(Signature)

सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
194	High density poeithene pipe 125 mm.4kg/cm2	Rm	531.00	531.00	531.00	531.00
195	High density poeithene pipe 140mm.dia.4kg/cm2	Rm	674.00	674.00	674.00	674.00
196	High density poeithene pipe 160mm. Dia 4kg/cm2	Rm	876.00	876.00	876.00	876.00
197	High density poeithene pipe 180mm. 4kg/cm2	Rm	1106.00	1106.00	1106.00	1106.00
198	High density poeithene pipe 200mm. 4kg/cm2	Rm	1367.00	1367.00	1367.00	1367.00
199	15 mm Insulation for hot water pipe 'Aeroflex" of 6 mm wall thickness	Rm	92.00	92.00	92.00	92.00
200	25 mm Insulation for hot water pipe 'Aeroflex" of 6 mm wall thickness	Rm	136.00	136.00	136.00	136.00
201	32 mm Insulation for hot water pipe 'Aeroflex" of 6 mm wall thickness	Rm	171.00	171.00	171.00	171.00
202	15 mm CPVC Pipe SDR 11 CTS, 28.1 kg/cm2	Rm	144.00	144.00	144.00	144.00
203	20 mm CPVC Pipe SDR 11 CTS, 28.1 kg/cm2	Rm	193.00	193.00	193.00	193.00
204	25 mm CPVC Pipe SDR 11 CTS, 28.1 kg/cm2	Rm	269.00	269.00	269.00	269.00
205	32 mm CPVC Pipe SDR 11 CTS, 28.1 kg/cm2	Rm	325.00	325.00	325.00	325.00
206	40 mm CPVC Pipe SDR 11 CTS, 28.1 kg/cm2	Rm	453.00	453.00	453.00	453.00
207	50 mm CPVC Pipe SDR 11 CTS, 28.1 kg/cm2	Rm	734.00	734.00	734.00	734.00
208	15 mm CPVC ball valve, CTS sockets,	No	396.00	396.00	396.00	396.00
209	20 mm CPVC ball valve, CTS sockets,	No	527.00	527.00	527.00	527.00
210	25 mm CPVC ball valve, CTS sockets,	No	638.00	638.00	638.00	638.00
211	32 mm CPVC ball valve, CTS sockets,	No	1488.00	1488.00	1488.00	1488.00
212	40 mm CPVC ball valve, CTS sockets,	No	1783.00	1783.00	1783.00	1783.00
213	50 mm CPVC ball valve, CTS sockets,	No	2298.00	2298.00	2298.00	2298.00
214	16 mm multi-layer composite pipe (sangai or equiv.)	rm	109.00	109.00	109.00	109.00
215	20 mm multi-layer composite pipe (sangai or equiv.)	rm	129.00	129.00	129.00	129.00
216	25 mm multi-layer composite pipe (sangai or equiv.)	rm	195.00	195.00	195.00	195.00
217	32 mm multi-layer composite pipe (sangai or equiv.)	rm	305.00	305.00	305.00	305.00
218	40 mm multi-layer composite pipe (sangai or equiv.)	rm	484.00	484.00	484.00	484.00
219	50 mm multi-layer composite pipe (sangai or equiv.)	rm	708.00	708.00	708.00	708.00
220	20 mm PPR pipe, PN-10, Pachanya, Nepatop or eqv,	rm	68.00	68.00	68.00	68.00
221	25 mm PPR pipe, PN-10, Pachanya, Nepatop or eqv,	rm	103.00	103.00	103.00	103.00
222	32 mm PPR pipe, PN-10, Pachanya, Nepatop or eqv,	rm	165.00	165.00	165.00	165.00
223	40 mm PPR pipe, PN-10, Pachanya, Nepatop or eqv,	rm	259.00	259.00	259.00	259.00
224	50 mm PPR pipe, PN-10, Pachanya, Nepatop or eqv,	rm	403.00	403.00	403.00	403.00
225	150 mm NP-2 RCC hump pipe	rm	546.00	546.00	546.00	546.00
226	200 mm NP-2 RCC hump pipe	rm	708.00	708.00	708.00	708.00
227	300 mm NP-2 RCC hump pipe	rm	1203.00	1203.00	1203.00	1203.00
228	400 mm NP-2 RCC hump pipe	rm	1675.00	1675.00	1675.00	1675.00
229	600 mm NP-2 RCC hump pipe	rm	2623.00	2623.00	2623.00	2623.00
230	150 mm NP-3 RCC hump pipe	rm	1254.00	1254.00	1254.00	1254.00
231	200 mm NP-3 RCC hump pipe	rm	1671.00	1671.00	1671.00	1671.00
232	300 mm NP-3 RCC hump pipe	rm	3003.00	3003.00	3003.00	3003.00
233	400 mm NP-3 RCC hump pipe	rm	3838.00	3838.00	3838.00	3838.00
234	600 mm NP-3 RCC hump pipe	rm	5936.00	5936.00	5936.00	5936.00
235	150 mm NP-2 RCC hump pipe collar	No	140.00	140.00	140.00	140.00
236	200 mm NP-2 RCC hump pipe collar	No	184.00	184.00	184.00	184.00
237	300 mm NP-2 RCC hump pipe collar	No	310.00	310.00	310.00	310.00
238	400 mm NP-2 RCC hump pipe collar	No	432.00	432.00	432.00	432.00
239	600 mm NP-2 RCC hump pipe collar	No	676.00	676.00	676.00	676.00
240	150 mm NP-3 RCC hump pipe collar	No	313.00	313.00	313.00	313.00
241	200 mm NP-3 RCC hump pipe collar	No	417.00	417.00	417.00	417.00
242	300 mm NP-3 RCC hump pipe collar	No	750.00	750.00	750.00	750.00
243	400 mm NP-3 RCC hump pipe collar	No	958.00	958.00	958.00	958.00
244	600 mm NP-3 RCC hump pipe collar	No	1485.00	1485.00	1485.00	1485.00
245	50 mm Plain Tee	No	73.00	73.00	73.00	73.00
246	50 mm Bend 90 degree	No	49.00	49.00	49.00	49.00
247	50 mm Bend 45 degree	No	48.00	48.00	48.00	48.00
248	75 mm Vent cowl	No	57.00	57.00	57.00	57.00
249	75 mm Plain tee	No	159.00	159.00	159.00	159.00
250	75 mm Plain door tee	No	214.00	214.00	214.00	214.00
251	75 mm Bend 90 degree	No	117.00	117.00	117.00	117.00

(Signature)

(Signature)

धर्मरत्न जोशी
प्रमुख जिल्ला अधिकारी

सि.नं.	सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व. ०८०/०८१	आ.व. २०८१/८२	आ.व. २०८२/८३	आ.व. २०८३/८४
252	75 mm Door bend	No	150.00	150.00	150.00	150.00
253	75 mm Bend 45 degree	No	95.00	95.00	95.00	95.00
254	75 mm Y- Branch	No	182.00	182.00	182.00	182.00
255	75 mm Cross tee (double tee)	No	349.00	349.00	349.00	349.00
256	75 mm Pipe clip	No	30.00	30.00	30.00	30.00
257	110 mm Vent cowl	No	94.00	94.00	94.00	94.00
258	110 mm Plain tee	No	302.00	302.00	302.00	302.00
259	110 mm Door tee	No	400.00	400.00	400.00	400.00
260	110 mm Bend 90 degree	No	217.00	217.00	217.00	217.00
261	110 mm Door bend	No	262.00	262.00	262.00	262.00
262	110 mm Bend 45 degree	No	171.00	171.00	171.00	171.00
263	110 mm Y- Branch	No	394.00	394.00	394.00	394.00
264	110 mm Cross tee (double tee)	No	553.00	553.00	553.00	553.00
265	110 mm Pipe clip	No	40.00	40.00	40.00	40.00
266	110 mm Gully trap	No	276.00	276.00	276.00	276.00
267	160 mm Bend 90 degree	No	1072.00	1072.00	1072.00	1072.00
268	160 mm x110 Reducer	No	487.00	487.00	487.00	487.00
269	160 mm Door tee	No	2188.00	2188.00	2188.00	2188.00
270	160 mm 45 degree Bends	No	937.00	937.00	937.00	937.00
271	160 mm Plain tee	No	1256.00	1256.00	1256.00	1256.00
272	160 mm Y- Branch	No	2299.00	2299.00	2299.00	2299.00
273	160 mm Door bend	No	937.00	937.00	937.00	937.00
274	75 mm Bend 90 degree	No	192.00	192.00	192.00	192.00
275	75 mm Vent cowl	No	249.00	249.00	249.00	249.00
276	75 mm Door tee	No	378.00	378.00	378.00	378.00
277	75 mm 45 degree Bends	No	151.00	151.00	151.00	151.00
278	75 mm Plain tee	No	241.00	241.00	241.00	241.00
279	75 mm T- Branch	No	312.00	312.00	312.00	312.00
280	75 mm Door bend	No	87.00	87.00	87.00	87.00
281	110 mm Bend 90 degree	No	350.00	350.00	350.00	350.00
282	110 mm Vent cowl	No	174.00	174.00	174.00	174.00
283	110 mm Door tee	No	491.00	491.00	491.00	491.00
284	110 mm 45 degree Bends	No	306.00	306.00	306.00	306.00
285	110 mm Plain tee	No	474.00	474.00	474.00	474.00
286	110 mm Y- Branch	No	515.00	515.00	515.00	515.00
287	110 mm Door bend	No	111.00	111.00	111.00	111.00
288	4' Ø R.C.C. Ring upto 25 ft	Rm	7930.00	7930.00	7930.00	7930.00
289	3' 6" Ø R.C.C. Ring upto 25 ft	Rm	6428.00	6428.00	6428.00	6428.00
290	3' Ø R.C.C. Ring upto 25 ft	Rm	5523.00	5523.00	5523.00	5523.00
291	2' 4" Ø R.C.C. Ring upto 25 ft	Rm	4352.00	4352.00	4352.00	4352.00
292	Seat Cover	No	299.00	299.00	299.00	299.00

(Signature)

(Signature)

(Signature)

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

(Signature)

(Signature)

आलुनियम, यू. पि. भि. सि. का भ्याट बोर्ड, जिन्समबोर्ड, पार्टिसन तथा फल्स सिलिड

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			सा व २०८०/८१	सा व २०८१/८२	सा व २०८२/८३	सा व २०८३/८४
१	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 101*45*1.3 mm including 5mm clear glass all complete	वर्ग फिट	६८३	६८३.००	६८३.००	६८३.००
२	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net and section size 101x45x1.3 mm including 5 mm every colour reflective glass all complete	वर्ग फिट	७१६.००	७१६.००	७१६.००	७१६.००
३	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 101*45*1.2 mm including 5mm clear glass all complete	वर्ग फिट	६१८.००	६१८.००	६१८.००	६१८.००
४	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net and section size 101x45x1.2 mm including 5 mm every colour reflective glass all complete	वर्ग फिट	६३९.४५	६३९.००	६३९.००	६३९.००
५	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 101*45*1.1 mm including 5mm clear glass all complete	वर्ग फिट	५६७.७९	५६७.००	५६७.००	५६७.००
६	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net and section size 101x45x1.1 mm including 5 mm every colour reflective glass all complete	वर्ग फिट	६०६.३८	६०६.००	६०६.००	६०६.००
७	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 90*38*1.2 mm including 5mm clear glass all complete	वर्ग फिट	५०१.६४	५०१.००	५०१.००	५०१.००
८	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net and section size 90*38*1.2 mm including 5 mm every colour reflective glass all complete	वर्ग फिट	५२९.२०	५२९.००	५२९.००	५२९.००
९	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 90*38*1.1 mm including 5mm clear glass all complete	वर्ग फिट	४९६.१३	४९६.००	४९६.००	४९६.००
१०	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net and section size 90*38*1.1 mm including 5 mm every colour reflective glass all complete	वर्ग फिट	५२९.२०	५२९.००	५२९.००	५२९.००
११	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net and section size 88*38*1.1 mm including 5 mm every colour reflective glass all complete	वर्ग फिट	५१०.००	५१०.००	५१०.००	५१०.००
१२	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net and section size 78x45x1.2 mm including 5mm clear glass all complete	वर्ग फिट	६१७.४०	६१७.००	६१७.००	६१७.००
१३	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net and section size 78*45*1.2 mm including 5 mm every colour reflective glass all complete	वर्ग फिट	६४४.९६	६४४.००	६४४.००	६४४.००
१४	Main Entrance 12 mm thick clear glass door) Supply and fixing of aluminium Door section size 65*38*1.20 mm all complete works	वर्ग फिट	८८२.००	८८२.००	८८२.००	८८२.००
१५	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.3 mm all complete works	वर्ग फिट	७४८.००	७४८.००	७४८.००	७४८.००
१६	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.2 mm all complete works	वर्ग फिट	६६१.००	६६१.००	६६१.००	६६१.००
१७	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.1 mm all complete works	वर्ग फिट	६२९.००	६२९.००	६२९.००	६२९.००
१८	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 90*38*1.2 mm all complete works	वर्ग फिट	६०७.००	६०७.००	६०७.००	६०७.००
१९	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 90*38*1.1 mm all complete works	वर्ग फिट	५७५.००	५७५.००	५७५.००	५७५.००
२०	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.5 mm all complete works	वर्ग फिट	७९१.००	७९१.००	७९१.००	७९१.००
२१	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 65*38*1.2 mm all complete works	वर्ग फिट	६४६.००	६४६.००	६४६.००	६४६.००
२२	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.3 mm including 9 mm nepal board or 5 mm clear glass all complete works	वर्ग फिट	६८३.००	६८३.००	६८३.००	६८३.००
२३	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.2 mm including 9 mm nepal board or 5 mm clear glass all complete works	वर्ग फिट	६६१.००	६६१.००	६६१.००	६६१.००
२४	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.1 mm including 9 mm nepal board or 5 mm clear glass all complete works	वर्ग फिट	६२९.००	६२९.००	६२९.००	६२९.००
२५	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 90*38*1.2 mm including 9 mm nepal board or 5 mm clear glass all complete works	वर्ग फिट	६६१.००	६६१.००	६६१.००	६६१.००
२६	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 90*38*1.1 mm including 9 mm nepal board or 5 mm clear glass all complete works	वर्ग फिट	६०७.००	६०७.००	६०७.००	६०७.००
२७	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 65*38*1.2mm including 9 mm nepal board or 5 mm clear glass all complete works	वर्ग फिट	५९१.००	५९१.००	५९१.००	५९१.००
२८	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 65*38*1.3mm including 9 mm nepal board or 5 mm reflective glass all complete works	वर्ग फिट	६२२.००	६२२.००	६२२.००	६२२.००
२९	(Fix partition) Supply and fixing of aluminium fix partition section size 101*40*1.3 mm thickness aluminium frame, with 5 mm clear glass or 9 mm Nepal board with all necessary fittings	वर्ग फिट	५४२.००	५४२.००	५४२.००	५४२.००
३०	(Fix partition) Supply and fixing of aluminium fix partition section size 101*40*1.3 mm thickness aluminium frame, with 5 mm reflective glass or 9 mm Nepal board with all necessary fittings	वर्ग फिट	५७५.००	५७५.००	५७५.००	५७५.००
३१	(Fix partition) Supply and fixing of aluminium fix partition section size 65*38*1.2 mm thickness aluminium frame, with 5 mm clear glass or 9 mm Nepal board with all necessary fittings	वर्ग फिट	४५५.००	४५५.००	४५५.००	४५५.००
३२	(Fix partition) Supply and fixing of aluminium fix partition section size 65*38*1.2 mm thickness aluminium frame, with 5 mm reflective glass or 9 mm Nepal board with all necessary fittings	वर्ग फिट	४८८.००	४८८.००	४८८.००	४८८.००
३३	(Fix partition with aluminium composite panel) supply and fixation of aluminium fix partition section size 101*40*1.30 net aluminium frame with 4 mm thick aluminium composite panel with all necessary fittings	वर्ग फिट	५७१.००	५७१.००	५७१.००	५७१.००
३४	(Fix partition with aluminium composite panel) supply and fixation of aluminium fix partition section size 65*38*1.2 net aluminium frame with 4 mm thick aluminium composite panel with all necessary fittings	वर्ग फिट	५१०.००	५१०.००	५१०.००	५१०.००
३५	(Structure glazing) Supply and fixing of structure glazing section size 101*50*1.6 mm thickness aluminium frame with 5 mm reflective glass and all necessary fittings	वर्ग फिट	८०२.००	८०२.००	८०२.००	८०२.००
३६	(Structure glazing) Supply and fixing of structure glazing section size 55*50*1.6 mm thickness aluminium frame with 5 mm reflective glass and all necessary fittings	वर्ग फिट	६८३.००	६८३.००	६८३.००	६८३.००
३७	(Potico stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe,vertical 1.5" dia. Pipe every 5' distance with 39" height and 3/4" dia. Pipe 3 line horizontal pipe and all complete work	र.फिट	१२६७.८८	१२६७.००	१२६७.००	१२६७.००
३८	(Potico stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe,vertical 1.5" dia. Pipe every 5' distance with 39" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	र.फिट	१५९८.६३	१५९८.००	१५९८.००	१५९८.००
३९	(Stair case stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe,vertical 1.5" dia. Pipe every three step distance with 34" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	र.फिट	१५४३.५०	१५४३.००	१५४३.००	१५४३.००
४०	(Round staircase stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe,vertical 1.5" dia. Pipe every three step distance with 34" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	र.फिट	१३२३.००	१३२३.००	१३२३.००	१३२३.००
४१	(Round staircase stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe,vertical 1.5" dia. Pipe every three step distance with 34" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	र.फिट	१६५३.७५	१६५३.००	१६५३.००	१६५३.००
४२	(For Tailor counter normal ht 4 ft) Supply and fixing of wooden (19 mm, 10mm, and 6 mm plywood) finish with formica including lock,handle,granite finished top and accessories with all complete work	र.फिट	७१६६.२५	७१६६.००	७१६६.००	७१६६.००
४३	(For wooden File Rack) Supply and fixing of wooden (19 mm, 10mm, and 6 mm plywood) finish with formica including lock,handle, and accessories with all complete work	व.फि.	१५९८.६३	१५९८.००	१५९८.००	१५९८.००
४४	MF Suspended Ceiling with GYP For RCC Ceiling/Plane Ceiling Supply fixing, Fiting inpostiong GI under Frame using Gypsteel branded chanel and fixing 9.00-12mm thick gypsum board or boral plaster finishing joint filling with compounds taping all complete.	व.फि.	१४३.३३	१४३.००	१४३.००	१४३.००
४५	MF Suspended Ceiling with GYP For RCC Ceiling/Plane Ceiling Supply fixing, Fiting inpostiong GI under Frame using Gypsteel branded chanel and fixing 9.00-12mm thick gypsum board or boral plaster finishing joint filling with compounds taping all complete. for disigned ceiling	व.फि.	१६५.३८	१६५.००	१६५.००	१६५.००

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			सा व २०८०/८१	सा व २०८१/८२	सा व २०८२/८३	सा व २०८३/८४
४६	MF Suspended Ceiling with MPL Board (for CGI roofing ceiling Supply fixing, Fitting in position GI under Frame using Gypsteel branded channel and fixing 9.00-12.5mm thick MPL (metalized polyester laminated) board or MPL Boral Plaster Board in position GI Underframe using Gypsteel branded channel fitting joints with compounds all complete.	व.फि.	१६५.३८	१६५.००	१६५.००	१६५.००
४७	MF Suspended Ceiling with MPL Board (for CGI roofing ceiling Supply fixing, Fitting in position GI under Frame using Gypsteel branded channel and fixing 9.00-12.5mm thick MPL (metalized polyester laminated) board or MPL Boral Plaster Board in position GI Underframe using Gypsteel branded channel fitting joints with compounds all complete for designed ceiling	व.फि.	१७६.४०	१७६.००	१७६.००	१७६.००
४८	Drywall partition with metal stud. Suply fixing fitting GI under frame using Gypsteel Branded channel fixing 10.5mm thick GYPsum or boral plaster board with all accessor all complete.	व.फि.	२४२.५५	२४२.००	२४२.००	२४२.००
४९	Wall panelling supplying fixing and fitting in position GI under frame using gypsteel branded channel fixing 10.5 mm thick gypsum or boral plaster board with all accessories all complete	व.फि.	१३७.८१	१३७.००	१३७.००	१३७.००
५०	Wall panelling supplying fixing and fitting in position GI under frame using gypsteel branded channel fixing armstrong mineral fiber board (fine fixured ANF) for suspended false ceiling with all accessories all complete	व.फि.	२४८.०६	२४८.००	२४८.००	२४८.००
५१	थाईलेण्डमा बनेको जिप्सम बोर्डबाट गरिने कामहरु					
	False ceiling	व.फि.	१४३.३३	१४३.००	१४३.००	१४३.००
	wall partation	व.फि.	२२०.५०	२२०.००	२२०.००	२२०.००
	wall panneling	व.फि.	१२१.२८	१२१.००	१२१.००	१२१.००
५२	Supply and fitting Flat Wall Panel Ivory Color					
	50mm	व.फि.	१३७.८१	१३७.००	१३७.००	१३७.००
	75mm	व.फि.	२३१.५३	२३१.००	२३१.००	२३१.००
	100mm	व.फि.	२७०.११	२७०.००	२७०.००	२७०.००
५३	Supply and fitting R.P. Boltless Wall Panel Grey Color					
	50mm	व.फि.	२२०.५०	२२०.००	२२०.००	२२०.००
	75mm	व.फि.	२५४.६८	२५४.००	२५४.००	२५४.००
	100mm	व.फि.	२९१.०६	२९१.००	२९१.००	२९१.००
५४	Supply and fitting Roof Panel Orange & Blue Color					
	50mm	व.फि.	२३०.४२	२३०.००	२३०.००	२३०.००
	75mm	व.फि.	२६६.८१	२६६.००	२६६.००	२६६.००
	100mm	व.फि.	३०३.१९	३०३.००	३०३.००	३०३.००
५५	Supply and fitting Wood Siding Wall Panel Wood Color					
	75mm	व.फि.	२७८.९३	२७८.००	२७८.००	२७८.००
	100mm	व.फि.	३१५.३२	३१५.००	३१५.००	३१५.००
५६	Supply and fitting Zinc Wall & Roof Panel ZINC Color					
	50mm	व.फि.	२७८.९३	२७८.००	२७८.००	२७८.००
	75mm	व.फि.	३१५.३२	३१५.००	३१५.००	३१५.००
	100mm	व.फि.	३५१.७०	३५१.००	३५१.००	३५१.००
५७	Supply and fitting Steel Door, 30 min fire rated					
	900*2100	set	१४५५३.००	१४५५३.००	१४५५३.००	१४५५३.००
	1000*2100	set	१५७६५.७५	१५७६५.००	१५७६५.००	१५७६५.००
५८	Supply and fitting ABS					
	900*2100	set	१३३४०.२५	१३३४०.००	१३३४०.००	१३३४०.००
५९	Supply and fitting Panel Door					
	900*2100	set	९७०२.००	९७०२.००	९७०२.००	९७०२.००
६०	Sandwich PUF Panel					
६०.०१	50mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फि.	२५५.००	२५५.००	२५५.००	२५५.००
६०.०२	50mm thick colored PUF (Poly Urethane Foam) 0.4 mm sheet bothside- Wall Panel with all accessor	व.फि.	२३०.००	२३०.००	२३०.००	२३०.००
६०.०३	75mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessor	व.फि.	३००.००	३००.००	३००.००	३००.००
६०.०४	75mm thick colored PUF (Poly Urethane Foam) 0.4mm sheet bothside- Wall Panel with all accessor	व.फि.	२७५.००	२७५.००	२७५.००	२७५.००
६०.०५	100mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accesso	व.फि.	३६५.००	३६५.००	३६५.००	३६५.००
६०.०६	100mm thick colored PUF (Poly Urethane Foam) 0.4mm sheet bothside- Wall Panel with all accesso	व.फि.	३३५.००	३३५.००	३३५.००	३३५.००
६०.०७	150mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accesso	व.फि.	४३०.००	४३०.००	४३०.००	४३०.००
६०.०८	150mm thick colored PUF (Poly Urethane Foam) 0.4mm sheet bothside- Wall Panel with all accesso	व.फि.	४१०.००	४१०.००	४१०.००	४१०.००
६०.०९	30mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with	व.फि.	२३०.००	२३०.००	२३०.००	२३०.००
६०.१	40mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with	व.फि.	२५०.००	२५०.००	२५०.००	२५०.००
६०.११	50mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with	व.फि.	२७५.००	२७५.००	२७५.००	२७५.००
६०.१२	0.4mm thick Ridge Cap	र.फि.	१८०.००	१८०.००	१८०.००	१८०.००
	(Wood Polymer Composites) WPC Single Toilet Hollow Door Board (Size up to 14 sq. ft.) (32 mm)					

Handwritten signature

Handwritten signature

Handwritten mark

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ व २०८०/८१	आ व २०८१/८२	आ व २०८२/८३	आ व २०८३/८४
६०.१३	Embossing Without Film	व.फि.	५२८.००	५२८.००	५२८.००	५२८.००
६०.१४	With Hot-stamping Film	व.फि.	५५०.००	५५०.००	५५०.००	५५०.००
६०.१५	With Hot-stamping Film and Grooving	व.फि.	६००.००	६००.००	६००.००	६००.००
	WPC Single Room Hollow Door Board (Size from 15 sq. ft. to 18 sq. ft.) (32 mm)					
६०.१६	Embossing Without Film	व.फि.	५२८.००	५२८.००	५२८.००	५२८.००
६०.१७	With Hot-stamping Film	व.फि.	५५०.००	५५०.००	५५०.००	५५०.००
६०.१८	With Hot-stamping Film and Grooving	व.फि.	६००.००	६००.००	६००.००	६००.००
	WPC Double Hollow Door Board (Small) (Size from 19 sq. ft. to 22 sq. ft.) (32 mm)					
६०.१९	Embossing Without Film	व.फि.	५२८.००	५२८.००	५२८.००	५२८.००
६०.२०	With Hot-stamping Film	व.फि.	५५०.००	५५०.००	५५०.००	५५०.००
६०.२१	With Hot-stamping Film and Grooving	व.फि.	६००.००	६००.००	६००.००	६००.००
	WPC Double Hollow Door Board (Medium) (Size from 23 sq. ft. to 26 sq. ft.) (32 mm)					
६०.२२	Embossing Without Film	व.फि.	५२८.००	५२८.००	५२८.००	५२८.००
६०.२३	With Hot-stamping Film	व.फि.	५५०.००	५५०.००	५५०.००	५५०.००
६०.२४	With Hot-stamping Film and Grooving	व.फि.	६००.००	६००.००	६००.००	६००.००
	WPC Double Hollow Door Board (Big) (Size from 27 sq. ft. to 32 sq. ft.) (32 mm)					
६०.२५	Embossing Without Film	व.फि.	५२८.००	५२८.००	५२८.००	५२८.००
६०.२६	With Hot-stamping Film	व.फि.	५५०.००	५५०.००	५५०.००	५५०.००
६०.२७	With Hot-stamping Film and Grooving	व.फि.	६००.००	६००.००	६००.००	६००.००
६०	Supply and fitting U PVC Window (115mm)	व.फि.	६७९.१४	६७९.००	७५०.००	७५०.००
	UPVC Door and Window Items					
६१	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	Sq.Ft.		८७४.००	९६०.००	९६०.००
६१	UPVC Sliding Window frame (80/50) sliding Window Sash 38/62 mm white net all complete inside 1.5 reinforced 5mm clear glass	Sq.Ft.		५००.००	५५०.००	५५०.००
६२	UPVC Door (80/50) , Door frame 112/42 mm sash 9*100 Panel inside white net all complete inside 1.5 reinforced 5mm clear glass	Sq.Ft.		६२०.००	६८५.००	६८५.००
६३	UPVC Fixed Ventilation (40/60) inside 1.5 reinforced 5mm clear glass	Sq.Ft.		४६०.००	५००.००	५००.००
६४	UPVC Roofing Sheet 3 mm thick with double glass fiber mesh	Sq.Ft.		१०५.००	११५.००	११५.००
९*	Fiber cement board (Wall)					
	3.2 MM (2'x2')	Sq.Ft.		२७.००	२७.००	२७.००
	3.2 MM (4'x8')	Sq.Ft.		२९.००	२९.००	२९.००
	3.5 MM (4'x8')	Sq.Ft.		३३.००	३३.००	३३.००
	4MM (4'x8')	Sq.Ft.		३४.००	३४.००	३४.००
	6MM (4'x8')	Sq.Ft.		४९.००	४९.००	४९.००
	8MM (4'x8')	Sq.Ft.		६६.००	६६.००	६६.००
	9MM (4'x8')	Sq.Ft.		७४.००	७४.००	७४.००
	10MM (4'x8')	Sq.Ft.		८४.००	८४.००	८४.००
	12MM (4'x8')	Sq.Ft.		९३.००	९३.००	९३.००
	Fiber cement board (Floor)					
	15MM (4'x8')	Sq.Ft.		१५०.००	१५०.००	१५०.००
	18MM (4'x8')	Sq.Ft.		१८०.००	१८०.००	१८०.००
	20MM (4'x8')	Sq.Ft.		२०१.००	२०१.००	२०१.००

(Signature)

(Signature)

(Signature)

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

फलामजन्य सामग्रीहरुको दर रेट





सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ ब २०८०/०८	आ ब २०८१/८२	आ ब २०८२/८३	आ ब २०८३/८४
१	सादा सि.जि.आई.जस्ता पाता हेभी क्लास (एन.एस. १४१)					
	बेस मेटल मोटाई ०.५० मि.मि.	बण्डल				१२,१९३
	बेस मेटल मोटाई ०.४६ मि.मि.	बण्डल				९,८९४
	बेस मेटल मोटाई ०.४० मि.मि.	बण्डल				९,८९४
	बेस मेटल मोटाई ०.३१ मि.मि.(२८ गेज)	बण्डल				७,८१७
२	सादा सि.जि.आई.जस्ता पाता मेडियम क्लास (एन.एस. १४१)					
	बेस मेटल मोटाई ०.५० मि.मि.(२४ गेज)	बण्डल	११,७५५	११,७५५	११,७५५	११,७५५
	बेस मेटल मोटाई ०.३७ मि.मि.(२६ गेज)	बण्डल	९,०१९.५५	९,०२०	९,०२०	९,०२०
	बेस मेटल मोटाई ०.२८ मि.मि.(२८ गेज)	बण्डल	७,१४८	७,१४८	७,१४८	७,१४८
३	सादा सि.जि.आई.जस्तापाता लाईट क्लास (एन.एस. १४१)					
	बेस मेटल मोटाई ०.४५ मि.मि.(२४ गेज)	बण्डल	१०,६९६	१०,६९६	१०,६९६	१०,६९६
	बेस मेटल मोटाई ०.३५ मि.मि.(२६ गेज)	बण्डल	८,६४२.५०	८,६४२	८,६४२	८,६४२
	बेस मेटल मोटाई ०.२६ मि.मि.(२८ गेज)	बण्डल	६,८३१	६,८३१	६,८३१	६,८३१
४	सादा जि.आई.सिट मेडियम क्लासको धुरी					
	बेस मेटल मोटाई ०.३८ मि.मि.(२६ गेज)	बण्डल	९,०२०	९,०२०	९,०२०	९,०२०
	बेस मेटल मोटाई ०.२८ मि.मि.(२८ गेज)	बण्डल	७,१२३.२५	७,१२३	७,१२३	७,१२३
५	सादा जि.आई.सिट लाईट क्लासको धुरी					
	बेस मेटल मोटाई ०.३५ मि.मि.(२६ गेज)	बण्डल	८,६४२.५०	८,६४२	८,६४२	८,६४२
	बेस मेटल मोटाई ०.२६ मि.मि.(२८ गेज)	बण्डल	६,८३१	६,८३१	६,८३१	६,८३१
६	रगिन सि.जि.आई. जस्तापाता हेभी क्लास (एन.एस. १४१)					
	बेस मेटल मोटाई ०.५० मि.मि.	बण्डल				१४,८४२
	बेस मेटल मोटाई ०.४६ मि.मि.	बण्डल				१२,३३८
	बेस मेटल मोटाई ०.४० मि.मि.	बण्डल				९,८४५
	रगिन H-SPAN जस्तापाता हेभी क्लास (एन.एस. १४१)					
	बेस मेटल मोटाई ०.५५ मि.मि.	बण्डल				१९,४२०
	बेस मेटल मोटाई ०.४६ मि.मि.	बण्डल				१६,३४०
७	रगिन सि.जि.आई. जस्तापाता मेडियम क्लास (एन.एस. १४१)					
	बेस मेटल मोटाई ०.५० मि.मि.(२४ गेज)	बण्डल	१४,३५६	१४,३५६	१४,३५६	१४,३५६
	बेस मेटल मोटाई ०.३७ मि.मि.(२६ गेज)	बण्डल	११,४००.९५	११,४०१	११,४०१	११,४०१
	बेस मेटल मोटाई ०.२८ मि.मि.(२८ गेज)	बण्डल	९,१४१	९,१४१	९,१४१	९,१४१
८	रगिन सि.जि.आई. जस्तापाता लाईट क्लास (एन.एस. १४१)					
	बेस मेटल मोटाई ०.४५ मि.मि.(२४ गेज)		१३,२२४	१३,२२४	१३,२२४	१३,२२४
	बेस मेटल मोटाई ०.३५ मि.मि.(२६ गेज)	बण्डल	१०,८५५.२२	१०,८५५	१०,८५५	१०,८५५
	बेस मेटल मोटाई ०.२६ मि.मि.(२८ गेज)	बण्डल	८,६६७	८,६६७	८,६६७	८,६६७
९	४ फिट चौडाईको सादा जि.आई. प्लेन सीट मेडियम (४X८फिट)					
	बेस मेटलको ०.८० मि.मि.	किलो ग्राम	१४८	१४८	१४८	१४८
	बेस मेटलको ०.७५ मि.मि.	किलो ग्राम	१४७.७४	१४८	१४८	१४८
	बेस मेटलको ०.६२ मि.मि.	किलो ग्राम	१४९	१४९	१४९	१४९
	बेस मेटलको ०.५० मि.मि.(२४ गेज)	किलो ग्राम	१५१.०४	१५१	१५१	१५१
	बेस मेटलको मोटाई ०.४५ मि.मि	किलो ग्राम	१५२	१५२	१५२	१५२
	बेस मेटलको मोटाई ०.४० मि.मि.	किलो ग्राम	१५३.२५	१५३	१५३	१५३
	बेस मेटलको ०.३७ मि.मि.(२६ गेज)	किलो ग्राम	१५४	१५४	१५४	१५४
	बेस मेटलको ०.२८ मि.मि.(२८ गेज)	किलो ग्राम	१५९.८६	१६०	१६०	१६०
१०	४x ८ फिट को कलर जि.आई. प्लेन सिट मेडियम					
	बेस मेटलको मोटाई ०.७५ मि.मि.	पाता	२,९८२.२६	२,९८२	२,९८२	२,९८२
	बेस मेटलको मोटाई ०.६२ मि.मि	पाता	२,५६२	२,५६२	२,५६२	२,५६२
	बेस मेटलको मोटाई ०.५५ मि.मि	पाता	२,३११.९४	२,३१२	२,३१२	२,३१२
	बेस मेटलको मोटाई ०.५० मि.मि	पाता	२,१२०	२,१२०	२,१२०	२,१२०
	बेस मेटलको मोटाई ०.४५ मि.मि	पाता	१,९५३.६३	१,९५४	१,९५४	१,९५४
	बेस मेटलको मोटाई ०.४० मि.मि.	पाता	१,७८४	१,७८४	१,७८४	१,७८४


धर्मराज जोशी
 अधिकारी



सि.नं.	निर्माण सामाग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ व २०८०/०८१	आ व २०८१/८२	आ व २०८२/८३	आ व २०८३/८४
	बेस मेटलको मोटाई ०.३७ मि.मि	पाता	१,६५२.६५	१,६५३	१,६५३	१,६५३
	बेस मेटलको मोटाई ०.२८ मि.मि	पाता	१,३४२	१,३४२	१,३४२	१,३४२
११	०.६० मि.मि. कोरुगेटेड फाइबर सीट २.५ फिट चौडाई	र फिट	१७८.६१	१७९	१७९	१७९
	६ फिट लामो	पाता	१,२०४	१,२०४	१,२०४	१,२०४
	७ फिट लामो	पाता	१,३६७.१०	१,३६७	१,३६७	१,३६७
	८ फिट लामो	पाता	१,६०४	१,६०४	१,६०४	१,६०४
	९ फिट लामो	पाता	१,८०४.७९	१,८०४	१,८०४	१,८०४
	१० फिट लामो	पाता	२,००७	२,००७	२,००७	२,००७
	१२ फिट लामो	पाता	२,४०६.७६	२,४०७	२,४०७	२,४०७
१२	जि.आई. वारबेड वायर (एन.एस. १६८)					
	८ गेज किलो ग्राम		११७.९७	११८	११८	११८
	१० गेज किलो ग्राम		११८	११८	११८	११८
	१२ गेज किलो ग्राम		११९.०७	११९	११९	११९
	१४ गेज किलो ग्राम		१२१	१२१	१२१	१२१
१३	बिभिन्न साईजको नटबोल्ट	किलो ग्राम	१४८.८४	१४९	१४९	१४९
१४	फलामे किला १" देखि ४" सम्म (एन.एस. ४६-२०४१)	किलो ग्राम	१०५	१०५	१०५	१०५
१५	बिभिन्न साईजको एम.एस. एङ्गल	किलो ग्राम	१०४.७४	१०५	१०५	१०५
१६	एम.एस सुलिस पाता	किलो ग्राम	११०	११०	११०	११०
१७	बिभिन्न साईजको ब्याक पाईप	किलो ग्राम	११०.२५	११०	११०	११०
१८	बिभिन्न साईजको सोलिड कोर स्क्वायर एम.एस. रड	किलो ग्राम	९९	९९	९९	९९
१९	बिभिन्न साईजको स्क्वायर होलो पाईप	किलो ग्राम	११०.२५	११०	११०	११०
२०	ब्याक पाइपको तयारी टयुबलर ट्रस	किलो ग्राम	१२७	१२७	१२७	१२७
२१	एम.एस.एङ्गलको तयारी ट्रस	किलो ग्राम	१२१.२८	१२१	१२१	१२१
२२	बिभिन्न साईजको एम.एस. एङ्गल फ्रेममा १४ देखि १८ गेज एम.एस. पाता प्रयोग गरी गेट बनाई, एककोट प्राईमर लगाई जोड्ने काम पुरा	किलो ग्राम	१२७	१२७	१२७	१२७
२३	नक्शा अनुसार एम.एस. पाताको गिलहरु बनाई, एककोट प्राईमर लगाई जडान समेत गर्ने काम	किलो ग्राम	१२६.७९	१२७	१२७	१२७
२४	नक्शा अनुसार ब्लेक पाइपको गेट बनाई, लगाई जडान गर्ने काम	किलो ग्राम	१२७	१२७	१२७	१२७
२५	फलामे कोल्याप्ससिम्बल सटर बनाई, एककोट प्राईमर लगाई जडान गर्ने काम	बर्ग फिट	४६८.५६	४६९	४६९	४६९
२६	फलामे रोलिङ सटर बनाई, एककोट प्राईमर लगाई जडान गर्ने काम (१६ गेज)	बर्ग फिट	३५८	३५८	३५८	३५८
२७	बिभिन्न साईजको सोलिड स्क्वायर रडको ग्रील बनाई जडान गर्ने काम	किलो ग्राम	२२६.०१	२२६	२२६	२२६
२८	बिभिन्न साईजको एम.एस. एंगल फ्रेममा ७ मि.मि. ब्यासको फलामे डण्डिको जालि बनाई माथिल्लो भागमा एम.एस. पत्तिको काँडा समेतको गिल बनाई जडान गर्ने काम	किलो ग्राम	१४३	१४३	१४३	१४३
२९	३/४"X ३/४" साईजको स्क्वायर पाइपबाट ३ फिट देखि ३ फीट ३" सम्म उचाई भएको रेलिङ बनाई ३"X५" साईजको साल वा सिसौ काठको हेण्डिल बनाई पेन्टिङ सहित जडान गर्ने काम	र.मीटर	२,२६०.१३	२,२६०	२,२६०	२,२६०
३०	३/४"X ३/४" साईजको स्क्वायर पाइपबाट ३ फिट देखि ३ फिट ३" सम्म उचाई भएको रेलिङ बनाई १.५" डायको कालो पाइपको हेण्डरेल बनाई सप्लाई, जडान सहितको सम्पूर्ण काम	र.मीटर	१,९८५	१,९८५	१,९८५	१,९८५
३१	Fixation Charge of Truss / Purlin complete.	Per Kg	३८.५९	३९	३९	३९
३२	Stainless steel pipe 1" dia.	प्रति र.फि.	९४	९४	९४	९४
३३	Stainless steel pipe 1.5" dia.	प्रति र.फि.	१२६.७९	१२७	१२७	१२७
३४	Stainless steel pipe 2" dia.	प्रति र.फि.	१७१	१७१	१७१	१७१




धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

किचन तथा बाथरूमका सामग्रीहरु को दररेट



सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	आ.व.०८०/०८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
	सिंकहरु					
१	स्टिल किचन सिंक १८"	सेट	२५८७.००	२५८७.००	२५८७.००	२५८७.००
२	स्टिल किचन सिंक २४"	सेट	३१७८.००	३१७८.००	३१७८.००	३१७८.००
३	स्टिल किचन सिंक ३०"	सेट	४३७९.००	४३७९.००	४३७९.००	४३७९.००
४	स्टिल किचन सिंक ३६"	सेट	५४९९.००	५४९९.००	५४९९.००	५४९९.००
५	स्टिल किचन सिंक ४२"	सेट	६५७४.००	६५७४.००	६५७४.००	६५७४.००
६	लेबोरेटरी सिङ्ग ४५ ३० १५	सेट	३६५८.००	३६५८.००	३६५८.००	३६५८.००
	बास बेसिन					
१	साधारण सेरामिक बास बेसिन १२" X १८"	सेट	६३९.००	६३९.००	६३९.००	६३९.००
२	साधारण सेरामिक बास बेसिन २०" X १६"	सेट	७०९.००	७०९.००	७०९.००	७०९.००
३	साधारण सेरामिक बास बेसिन २२" X १६"	सेट	९१८.००	९१८.००	९१८.००	९१८.००
४	सेतो रंगको पोर्सेलिन ग्लेज कर्नर बेसिन ४० से.मि.		६८५.००	६८५.००	६८५.००	६८५.००
५	हिन्दुस्तान, सेरा, पारागोनको सेरामिक वा सो सरहको बास बेसिन १२" X १८"	सेट	६३९.००	६३९.००	६३९.००	६३९.००
६	हिन्दुस्तान, सेरा, पारागोनको सेरामिक वा सो सरहको बास बेसिन २०" X १६"	सेट	७७४.००	७७४.००	७७४.००	७७४.००
७	हिन्दुस्तान, सेरा, पारागोनको सेरामिक वा सो सरहको बास बेसिन २२" X १६"	सेट	८८३.००	८८३.००	८८३.००	८८३.००
	मिक्सर					
१	सि.पि. वाल मिक्सर	गोटा	४९५०.००	४९५०.००	४९५०.००	४९५०.००
२	सि.पि. बेसिन मिक्सर सेन्ट्रल होल	गोटा	४६२०.००	४६२०.००	४६२०.००	४६२०.००
३	बेसिन मिक्सर घुमाउन मिल्ने	गोटा	४६०८.००	४६०८.००	४६०८.००	४६०८.००
	यूरिनल तथा यूरिनल पार्टिशन					
१	स्यानो साइजका साधारण यूरिनल	गोटा	७५७.००	७५७.००	७५७.००	७५७.००
२	सेतो रंगको पोर्सेलिन ग्लेज डिभिजन प्लेट भएको ६८ x ३० से.मि.	गोटा	३०९४.००	३०९४.००	३०९४.००	३०९४.००
३	सेतो रंगको पोर्सेलिन ग्लेज फ्लाट व्याक सानो	गोटा	९९३.००	९९३.००	९९३.००	९९३.००
४	प्रथम श्रेणीको रंगको पोर्सेलिन ग्लेज फ्ल्याट व्याक सानो आकारको	गोटा	११२३.००	११२३.००	११२३.००	११२३.००
५	स्टाण्ड यूरिनल	गोटा	२१७५.००	२१७५.००	२१७५.००	२१७५.००
	प्यानसेट					
१	इण्डियन टाइप पैन १८" ट्याप र फुट रेष्ट समेत	सेट	५९५.००	५९५.००	५९५.००	५९५.००
२	उडिसा पैन २०" ट्याप र फुट रेष्ट समेत	सेट	७५९.००	७५९.००	७५९.००	७५९.००
३	उडिसा पैन २१" ट्याप र फुट रेष्ट समेत	सेट	९०९.००	९०९.००	९०९.००	९०९.००
४	फाईबर ग्लास पैनसेट १८" ट्याप र फुट रेष्ट समेत	सेट	८२२.००	८२२.००	८२२.००	८२२.००
	कमोड					
१	लोकल कमोड कम्प्लीट सेट एस. ट्याप	सेट	३०४६.००	३०४६.००	३०४६.००	३०४६.००
२	ब्रान्डेड कमोड कम्प्लीट सेट सेतो रङ	सेट	६९५८.००	६९५८.००	६९५८.००	६९५८.००
३	ब्रान्डेड कमोड कम्प्लीट सेट ढाक रङ	सेट	१०२२०.००	१०२२०.००	१०२२०.००	१०२२०.००
४	लो लेवल सेरामिक सिस्टर्न १० लिटर क्षमताको	गोटा	४४४६.००	४४४६.००	४४४६.००	४४४६.००
५	लो लेवल प्लाष्टिक सिस्टर्न १० लिटर क्षमताको	गोटा	२८४९.००	२८४९.००	२८४९.००	२८४९.००
६	लो लेवल प्लाष्टिक सिस्टर्न ५ लिटर क्षमताको	गोटा	१५९४.००	१५९४.००	१५९४.००	१५९४.००
७	वान पिस कमोड	गोटा	१९६२०.००	१९६२०.००	१९६२०.००	१९६२०.००
	क्रोम प्लेटेड एसेसोरीजहरु			०.००	०.००	०.००
१	सि.पि. लोकल सावर	गोटा	६९९.००	६९९.००	६९९.००	६९९.००
२	सि.पि. पूस सावर	गोटा	१०७५.००	१०७५.००	१०७५.००	१०७५.००
३	७५ मि.मि. ब्यासको सि.पि.सावर रोज रिमलिभज्ज् ज्वाइन्ट	गोटा	८३६.००	८३६.००	८३६.००	८३६.००
४	१०० मि.मि. ब्यासको सि.पि.सावर रोज रिमलिभज्ज् ज्वाइन्ट	गोटा	९६९.००	९६९.००	९६९.००	९६९.००
५	१९० मि.मि. लामो सावर आर्म	गोटा	४४४.००	४४४.००	४४४.००	४४४.००
६	१५ मि.मि. ब्यासको टेलिफोनिक हाते सावर (1 meter PVC Tube)	गोटा	९०९.००	९०९.००	९०९.००	९०९.००
७	१५ मि.मि. ब्यासको टेलिफोनिक हाते सावर (1.5 meter PVC Tube)	गोटा	१२०२.००	१२०२.००	१२०२.००	१२०२.००
८	१५ मि.मि. सि.पि.एङ्गल कक साधारण	गोटा	९०९.००	९०९.००	९०९.००	९०९.००
९	१५ मि.मि. सि.पि.एङ्गल कक हेवी	गोटा	११२९.००	११२९.००	११२९.००	११२९.००
१०	टु इन वान सर्ट बडी विब कक हेभी	गोटा	१९८३.००	१९८३.००	१९८३.००	१९८३.००
११	१५ मि.मि. सि.पि. टुवे एङ्गल कक	गोटा	१५०३.००	१५०३.००	१५०३.००	१५०३.००
१२	१५ मि.मि. सि.पि. स्टप कक साधारण	गोटा	६९६.००	६९६.००	६९६.००	६९६.००
१३	१५ मि.मि. सि.पि. स्टप कक हेवी	गोटा	९०९.००	९०९.००	९०९.००	९०९.००
१४	१५ मि.मि. साधारण सि.पि. विबकक लङ्गनेक	गोटा	१०७०.००	१०७०.००	१०७०.००	१०७०.००
१५	१५ मि.मि. साधारण सि.पि. विबकक सर्टनेक	गोटा	९०९.००	९०९.००	९०९.००	९०९.००
१६	१५ मि.मि. हवी क्लासको सि.पि. विबकक लङ्गनेक	गोटा	११५३.००	११५३.००	११५३.००	११५३.००
१७	१५ मि.मि. सि.पि.स्टप कक आपेन टाइप साधारण	गोटा	४५९.००	४५९.००	४५९.००	४५९.००

(Signature)

(Signature)

धर्मराज चौधरी
प्रमुख जिल्ला अधिकारी

किचन तथा बाथरूमका सामग्रीहरु को दररेट



(Handwritten signature)

१८	१५ मि.मि. सि.पि. स्टप कर्क आपेन हेवी टाइप साधारण	गोटा	४८०.००	४८०.००	४८०.००	४८०.००
१९	१५ मि.मि. सि.पि. स्टप कन्सील्ड स्टप कर्क साधारण	गोटा	१०९९.००	१०९९.००	१०९९.००	१०९९.००
२०	१५ मि.मि. सि.पि. स्टप कन्सील्ड स्टप कर्क हेवी	गोटा	१७४२.००	१७४२.००	१७४२.००	१७४२.००
२१	१५ मि.मि. सि.पि. पिलर कर्क हेवी	गोटा	१२१४.००	१२१४.००	१२१४.००	१२१४.००
२२	१५ मि.मि. सि.पि. पिलर कर्क साधारण	गोटा	८८३.००	८८३.००	८८३.००	८८३.००
२३	१५ मि.मि. सि.पि. लामो निप्पल	गोटा	३३०.००	३३०.००	३३०.००	३३०.००
२४	१५ मि.मि. सि.पि. छोटो निप्पल	गोटा	२९५.००	२९५.००	२९५.००	२९५.००
२५	१५ मि.मि. सि.पि. सिङ्ग कर्क हेवी	गोटा	२३९८.००	२३९८.००	२३९८.००	२३९८.००
२६	सि.पि. सोप डिस्	गोटा	३९८.००	३९८.००	३९८.००	३९८.००
२७	सि.पि. पेपर होल्डर	गोटा	४४४.००	४४४.००	४४४.००	४४४.००
२८	सि.पि. ग्लास सेल्फ	गोटा	५८९.००	५८९.००	५८९.००	५८९.००
२९	सि.पि. टावेल रड ०.५५"X १८"	गोटा	४३२.००	४३२.००	४३२.००	४३२.००
३०	सि.पि. टावेल रड ०.५"X १८"	गोटा	४१४.००	४१४.००	४१४.००	४१४.००
३१	सि.पि. ग्रेटिङ्ग	गोटा	६६.००	६६.००	६६.००	६६.००
३२	फलामे ग्रेटिङ्ग प्लेट	के.जि.	१६७.००	१६७.००	१६७.००	१६७.००
३३	स्टील ग्रेटिङ्ग	गोटा	६६.००	६६.००	६६.००	६६.००
३४	प्लास्टिक सोप डिस्	गोटा	७७.००	७७.००	७७.००	७७.००
३५	३२ मि.मि. बोटल टयाप	गोटा	५९५.००	५९५.००	५९५.००	५९५.००
३६	अल्मुनिडम ग्लास सेल्फ	गोटा	५७९.००	५७९.००	५७९.००	५७९.००
३७	स्टील सेल्फ	गोटा	४४४.००	४४४.००	४४४.००	४४४.००
३८	अल्मुनिडम टबयलेट पेपर हौल्डर	गोटा	२७०.००	२७०.००	२७०.००	२७०.००
३९	हेर्ने ऐना			०.००	०.००	०.००
	१४" X १६"	गोटा	६३९.००	६३९.००	६३९.००	६३९.००
	२२" X १६"	गोटा	८८३.००	८८३.००	८८३.००	८८३.००
	२०" X १६"	गोटा	७५७.००	७५७.००	७५७.००	७५७.००

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी



पशु तथा भू संरक्षण तर्फ

क स	विवरण	किसिम	स्वीकृत दररेट आ व २०८०/८१	स्वीकृत दररेट आ व २०८१/८२	स्वीकृत दररेट आ व २०८२/८३	स्वीकृत दररेट आ व २०८३/८४
			भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
१	नेपियर सेट खरिद	सेट	२५०	२५०	२५०	२५०
२	अमसो राइजम	गोटा	७००	७००	७००	७००
३	बाँस राइजम कटिङ्ग	"	२५०१००	२५०१००	२५०१००	२५०१००
४	दबदबे कटीङ (५०" लामो, ७ " गोलाई)	"	१११५५	१११५५	१११५५	१११५५
५	काब्रो (५०" लामो, ७ " गोलाई)	"	१०५०	१०५०	१०५०	१०५०
६	स्टाइलो घाँस बीउ	के.जी.	५५०१००	५५०१००	५५०१००	५५०१००
७	निगालो राइजम	गोटा	६१००	६१००	६१००	६१००
८	कास	प्रति स्लिप	०५०	०५०	०५०	०५०
	घाँस तर्फ			०१००	०१००	०१००
१	खर	प्रति स्लिप	०५०	०५०	०५०	०५०
२	बावियो	प्रति स्लिप	०५०	०५०	०५०	०५०
३	असुरो कटिङ्ग (५०" लामो, ७ " गोलाई)	प्रति गोटा	४१००	४१००	४१००	४१००
४	बैस कटिङ (५०" लामो, ७ " गोलाई)	प्रति गोटा	१०५०	१०५०	१०५०	१०५०
५	काडेफुल कटिङ (५०" लामो, ७ " गोलाई)	प्रति गोटा	१०५०	१०५०	१०५०	१०५०
६	सिमलि कटिङ (५०" लामो, ७ " गोलाई)	प्रति गोटा	१०५०	१०५०	१०५०	१०५०
७	बेसरम कटिङ्ग	प्रति स्लिप	१५०	१५०	१५०	१५०
८	खिररो कटिङ (५०" लामो, ७ " गोलाई)	प्रति गोटा	१०५०	१०५०	१०५०	१०५०
९	निमारो कटिङ (५०" लामो, ७ " गोलाई)	प्रति गोटा	१०५०	१०५०	१०५०	१०५०
१०	बोटरी कटिङ	प्रति गोटा	१०५०	१०५०	१०५०	१०५०
११	निलकांडा कटिङ २५" लामो, ७ " गोलाई)	प्रति गोटा	३१५	३१५	३१५	३१५
१२	लेमन ग्रास स्लिप	प्रति स्लिप	२१०	२१०	२१०	२१०
१३	सिट्रोनेला स्लिप	प्रति स्लिप	२१०	२१०	२१०	२१०
१४	आंक कटिङ (२५" लामो, ७ " गोलाई)	प्रति गोटा	३१५	३१५	३१५	३१५
१५	किम्बु कटिङ २५" लामो, ७ " गोलाई)	प्रति गोटा	१०५०	१०५०	१०५०	१०५०
१६	सजिवन कटिङ २५" लामो, ७ " गोलाई)	प्रति गोटा	५१२५	५१२५	५१२५	५१२५
१७	मल्लाटो ,पासपालम बदामे	प्रति सेट	१३९१	१३९१	१३९१	१३९१
१८	मेन्डोला विड	प्रति के वि	१०००१००	१०००१००	१०००१००	१०००१००
	एक बने अग्लो बिरुवा खरिद (पोलिब्याग सहित)			०१००	०१००	०१००
१	अर्नामेन्टल (अंशोक,स्वामी धुपी आदी)	प्रति गोटा	५०१००	५०१००	५०१००	५०१००
२	अर्नामेन्टल अन्य जातका	प्रति गोटा	१००१००	१००१००	१००१००	१००१००
३	सुगन्ध कोकिला	प्रति गोटा	१११००	१११००	१११००	१११००
४	रिद्ध	प्रति गोटा	१०१००	१०१००	१०१००	१०१००
५	निम	प्रति गोटा	१०१००	१०१००	१०१००	१०१००
६	बडहर	प्रति गोटा	१११००	१११००	१११००	१११००
७	बकाइनो	प्रति गोटा	१११००	१११००	१११००	१११००
८	कोइरालो	प्रति गोटा	७००	७००	७००	७००

प्रमुख

प्रमुख

प्रमुख

प्रमुख

प्रमुख जिल्ला अधिकारी

९	कपुर		प्रति गोटा	१६१००	१६१००	१६१००	१६१००
१०	मसला		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
११	अमला हाईब्रिड		प्रति गोटा	२८१००	२८१००	२८१००	२८१००
१२	तेजपात		प्रति गोटा	१११००	१११००	१११००	१११००
१३	हरौ		प्रति गोटा	९१००	९१००	९१००	९१००
१४	बरो		प्रति गोटा	५१५०	५१५०	५१५०	५१५०
१५	सिसौ		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
१६	जामुन		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
१७	पिपल कटिङ्ग		प्रति गोटा	९१००	९१००	९१००	९१००
१८	लहरे पिपल कटिङ्ग		प्रति गोटा	७००	७००	७००	७००
१९	टिमु		प्रति गोटा				
१९.१	टिमु	३x७ इन्चको १ बर्षे	प्रति गोटा	३२१००	३२१००	३२१००	३२१००
१९.२	टिमु	३x७ इन्चको २ बर्षे	प्रति गोटा	४५१००	४५१००	४५१००	४५१००
१९.३	टिमु	३x७ इन्चको ३ बर्षे	प्रति गोटा	६०१००	६०१००	६०१००	६०१००
१९.४	टिमु	४x७ इन्चको १ बर्षे	प्रति गोटा	४०१००	४०१००	४०१००	४०१००
१९.५	टिमु	४x७ इन्चको २ बर्षे	प्रति गोटा	५०१००	५०१००	५०१००	५०१००
१९.६	टिमु	४x७ इन्चको ३ बर्षे	प्रति गोटा	६५१००	६५१००	६५१००	६५१००
२०	बेल लोकल		प्रति गोटा	९१००	९१००	९१००	९१००
२१	खैर		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
२२	काबो बिरुवा पोलिव्याग		प्रति गोटा	९१००	९१००	९१००	९१००
२३	अमला लोकल		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
२४	मोलासेस		प्रति सेट	०१५५	०१५५	०१५५	०१५५
२५	पिनट ग्रास		प्रति सेट	११०	११०	११०	११०
२६	रुदाक्ष		प्रति गोटा	२१५१००	२१५१००	२१५१००	२१५१००
२७	सिरिखण्ड		प्रति गोटा	२७००	२७००	२७००	२७००
२८	भिमल		प्रति गोटा	९१००	९१००	९१००	९१००
२९	लाकुरी		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
३०	लप्सी		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
३१	बेत		प्रति गोटा	१२१००	१२१००	१२१००	१२१००
३२	सिरिस		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
३३	कुरिलो लोकल		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
३४	कुरिलो नाङ्गो जरा		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
३५	सर्प गन्धा		प्रति गोटा	५१५०	५१५०	५१५०	५१५०
३६	रक्त चन्दन		प्रति गोटा	२१५१००	२१५१००	२१५१००	२१५१००
३७	दाते ओखर		प्रति गोटा	२७००	२७००	२७००	२७००
३८	सल्लो		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
३९	उत्तिस		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
४०	सिडलेस किमु प्रति		प्रति गोटा	१०५०	१०५०	१०५०	१०५०
४१	काग्रो		प्रति बोट	२११००	२११००	२११००	२११००
४२	सुपर नेपियर		प्रति बोट	६१००	६१००	६१००	६१००
४३	भटमासे प्रतिबोट		प्रति बोट	१०५	१०५	१०५	१०५
४४	मेन्दुला		प्रति बोट	१०५	१०५	१०५	१०५
४५	राइखन्यु		प्रति गोटा	५२१००	५२१००	५२१००	५२१००
४६	अमरीसो		प्रति गोटा	१०५	१०५	१०५	१०५
	फलफूल बिरुवा तर्फ						
१	आप हाईब्रीड		प्रति गोटा	११०१००	११०१००	११०१००	११०१००
२	आप उन्नत		प्रति गोटा	८५१००	८५१००	८५१००	८५१००
३	लिचि उन्नत		प्रति गोटा	११०१००	११०१००	११०१००	११०१००
४	कागति विजू		प्रति गोटा	५०१००	५०१००	५०१००	५०१००
५	सुन्तला		प्रति गोटा	५०१००	५०१००	५०१००	५०१००

प्रमुख अधिकारी

नगर प्रशासनिक कार्यालय

धर्मराज जोशी
नगर प्रशासनिक कार्यालय



प्रति गोटा
जिल्ला प्रशासन कार्यालय
सुर्खेत

६	अनार		११०१००	११०१००	११०१००	११०१००
	वीउ खरिद :					
१	मेन्या	के.जी.	५५१००	५५१००	५५१००	५५१००
२	क्यामोमाइन विउ	के.जी.	२२००१००	२२००१००	२२००१००	२२००१००
३	खोटे सल्ला	के.जी.	२७००१००	२७००१००	२७००१००	२७००१००
४	बडहर	के.जी.	६५०१००	६५०१००	६५०१००	६५०१००
५	राइखन्यु	के.जी.	५३००१००	५३००१००	५३००१००	५३००१००
६	खमारी	के.जी.	६४०१००	६४०१००	६४०१००	६४०१००
७	पैयौ	के.जी.	५३०१००	५३०१००	५३०१००	५३०१००
८	निमारो	के.जी.	५३००१००	५३००१००	५३००१००	५३००१००
९	बास	के.जी.	२२००१००	२२००१००	२२००१००	२२००१००
१०	अमला हाईब्रिड	के.जी.	५३००१००	५३००१००	५३००१००	५३००१००
११	तेजपात	के.जी.	११००१००	११००१००	११००१००	११००१००
१२	धुपी	के.जी.	५५०१००	५५०१००	५५०१००	५५०१००
१३	श्रीखण्ड	के.जी.	३२००१००	३२००१००	३२००१००	३२००१००
१४	रक्त चन्दन	के.जी.	२२००१००	२२००१००	२२००१००	२२००१००
१५	श्रीस	के.जी.	९००१००	९००१००	९००१००	९००१००
१६	बकाइनो	के.जी.	३२५१००	३२५१००	३२५१००	३२५१००
१७	कपुर	के.जी.	२६५०१००	२६५०१००	२६५०१००	२६५०१००
१८	लप्सी	के.जी.	३२०१००	३२०१००	३२०१००	३२०१००
१९	जामुन	के.जी.	५५०१००	५५०१००	५५०१००	५५०१००
२०	रुइनिया	के.जी.	४५०१००	४५०१००	४५०१००	४५०१००
२१	सजिवन	के.जी.	४५०१००	४५०१००	४५०१००	४५०१००
२२	खैर सिसौ	के.जी.	६५०१००	६५०१००	६५०१००	६५०१००
२३	क्यासिया सिमिया	के.जी.	८५०१००	८५०१००	८५०१००	८५०१००
२४	बबुल	के.जी.	८५०१००	८५०१००	८५०१००	८५०१००
२५	गोलमोहर	के.जी.	६००१००	६००१००	६००१००	६००१००
२६	टाकी कोइरालो	के.जी.	९००१००	९००१००	९००१००	९००१००
२७	टिमुर	के.जी.	३४०१००	३४०१००	३४०१००	३४०१००
२८	सुगन्ध कोकिला	के.जी.	२२५१००	२२५१००	२२५१००	२२५१००
२९	पोलिथिन ट्यूब २ ईन्च * ७ ईन्च २०० गेजको	के.जी.	२६०१००	२६०१००	२६०१००	२६०१००
	बन तर्फ			०१००	०१००	०१००
१	रुख छपान गर्ने कार्य	प्रति रुख	१५१००	१५१००	१५१००	१५१००
	कटान मुछान तर्फ					
१	रुख काटी गोलिया बनाउने	प्रति क्यु.फि.				
१.१	रुख काटी गोलिया बनाउने	कडा	४५१००	४५१००	४५१००	४५१००
१.२	रुख काटी गोलिया बनाउने	नरम	३५१००	३५१००	३५१००	३५१००
२	गोलियाको बोका फिक्ने र रिड काट्ने	"	१०१००	१०१००	१०१००	१०१००
३	नम्बरिङ गर्ने कार्य	"	५१००	५१००	५१००	५१००
४	ग्रेडिङ गर्ने कार्य	"	७५०	७५०	७५०	७५०
५	गोलिया तानने र सकलन गर्ने कार्य	"		०१००	०१००	०१००
५.१	गोलिया तानने र सकलन गर्ने कार्य	कडा	३०१००	३०१००	३०१००	३०१००
५.२	गोलिया तानने र सकलन गर्ने कार्य	नरम	२५१००	२५१००	२५१००	२५१००
६	गोलिया लोड अनलोड	"		०१००	०१००	०१००
६.१	गोलिया लोड अनलोड	कडा	४५१००	४५१००	४५१००	४५१००
६.२	गोलिया लोड अनलोड	नरम	३५१००	३५१००	३५१००	३५१००
७	गोलिया पाइलिङ/ चट्टा लगाउने	"				

प्रमुख जिल्ला अधिकारी

प्रमुख जिल्ला अधिकारी

प्रमुख जिल्ला अधिकारी

प्रमुख जिल्ला अधिकारी



७.१	गोलिया पाइलिङ/ चट्टा लगाउने	कडा		२०१००	२०१००	२०१००	२०१००
७.२	गोलिया पाइलिङ/ चट्टा लगाउने	नरम		१५१००	१५१००	१५१००	१५१००
गोलिया काठ ढुवानीतर्फ :					०१००	०१००	०१००
१	० - ५ कि.मी. सम्म	प्रति क्यु.फि.		४७००	४७००	४७००	४७००
२	५- १० " "	"		५५१००	५५१००	५५१००	५५१००
३	१० - १५ " "	"		६३१००	६३१००	६३१००	६३१००
४	१५ - २० " "	"		७५१००	७५१००	७५१००	७५१००
५	२०- २५ " "	"		८०१००	८०१००	८०१००	८०१००
६	२५ - ३० " "	"		८७००	८७००	८७००	८७००
७	३० - ३५ " "	"		९३१००	९३१००	९३१००	९३१००
८	३५ - ४० " "	"		९६१००	९६१००	९६१००	९६१००
९	४० देखि माथी सवै प्रति कि मि	"		३१००	३१००	३१००	३१००
१०	नदी बाट काठ निकासी ढुवानी गर्ने कार्य			१२११००	१२११००	१२११००	१२११००
११	दाउरा २०फिट X ५फिट X ५फिट कटान,	चट्टा		१००८०१००	१००८०१००	१००८०१००	१००८०१००
१२	दुईसय गेजको कालो रङ्गको पोलिथिन व्याग ईन्च	के जी		२८८१००	२८८१००	२८८१००	२८८१००
१३	दाउरा ढुवानी कार्य	प्रति क्यु.फि.					
गोलिया चिरान उत्पादन							
१	विभिन्न साईजका काठ चिरान उत्पादन	प्र क्यु फिट		४०१००	४०१००	४०१००	४०१००
२	अनसाईज उत्पादन	प्र क्वी		९०१००	९०१००	९०१००	९०१००
३	बाकल उत्पादन	प्र क्वी		५७००	५७००	५७००	५७००
४	चिरान लोडिग	प्र क्यु फिट		१६१००	१६१००	१६१००	१६१००
५	चिरान अन लोडिग	प्र क्यु फिट		३१००	३१००	३१००	३१००
६	बाकल लोडिग	प्र क्वी		४१००	४१००	४१००	४१००
७	बाकलअन लोडिग	प्र क्वी		३१००	३१००	३१००	३१००
८	अनसाईज लोडिग	प्र क्वी		७००	७००	७००	७००
९	अनसाईज अनलोडिग	प्र क्वी		७००	७००	७००	७००
१०	चिरान पाईलिग	प्र क्यु फिट		४१००	४१००	४१००	४१००
११	१०० मि टाढाबाट मिल सम्म बाक्ने काम	प्र क्यु फिट		९१००	९१००	९१००	९१००
१२	मिलमा गोलिया सिपमेन्ट लोडिग	प्र क्यु फिट		१५१००	१५१००	१५१००	१५१००
१३	मिलमा गोलिया सिपमेन्ट अन लोडिग	प्र क्यु फिट		७००	७००	७००	७००
चिरान काठ ढुवानी				०१००			
	० देखि ५ कि मि सम्म	प्र क्यु फिट		१९१००	१९१००	१९१००	१९१००
	६ देखि १० कि मि सम्म	प्र क्यु फिट		२४१००	२४१००	२४१००	२४१००
	११ कि मि माथी	प्र क्यु फिट		२९१००	२९१००	२९१००	२९१००
बाकल अनसाईज ढुवानी				०१००	०१००	०१००	०१००
	० देखि ५ कि मि सम्म	प्र क्वी		२९१००	२९१००	२९१००	२९१००
	६ देखि १० कि मि सम्म	प्र क्वी		३५१००	३५१००	३५१००	३५१००
	११ कि मी. माथी	प्र क्वी		४०१००	४०१००	४०१००	४०१००

चौखेल

धर्मराज जोशी

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

 वन विभाग, नेपाल सरकार
 प्रशासन कार्यालय

जिल्ला दर रेट रु (२०८३/८४) भ्याट बाहेक

सानां	प्रजाति	४"×७" पोलीब्याग	५"×८" पोलीब्याग	१०"×१०" ग्राब्याग
१	रिठ्ठा	२५		
२	तेजपात	२५		
३	अमला	२५		
४	खण्ड	२५		
५	हर्रो	२५	३५	
६	बररो	२५	३५	
७	सिसौ	२५		
८	सितलचिनी	२५	३५	
९	कोइरालो	२५		
१०	किम्बु	३०	४०	
११	टाँकि	२५		
१२	बेल	२५	३५	
१३	निम	२५	३५	१००
१४	गुल्मोहर	२५	३५	१००
१५	विरेन्द्र फुल	२५	३५	१००
१६	कल्की	२५	३५	१००
१७	बकाइनो	२५	३५	
१८	श्रीखण्ड	२५	३५	१००
१९	छतिवन	२५	३५	
२०	गिट्टी	२५		
२१	लप्सी	२५	३५	
२२	चिउरी	२५	३५	
२३	मसला	२५		
२४	पाषणबेद	२५		
२५	कपुर	२५	३५	१००
२६	धुपी	२५	३५	१००
२७	जामुन	२५		
२८	समी	२५	३५	१००
२९	जकारान्दा	२५	३५	१००
३०	बडहर	२५	३५	
३१	अशोक	२५	३५	
३२	इमिली	२५	३५	
३३	सिरिस	२५	३५	
३४	पारिजात	२५	३५	
३५	अन्य प्रजाती	२५	३५	१००

(Signature)

(Signature)


(Signature)

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

क स	विवरण	किसिम	एकाई	स्वीकृत दररेट आ व २०८०/८१	स्वीकृत दररेट आ व २०८१/८२	स्वीकृत दररेट आ व २०८२/८३	स्वीकृत दररेट आ व २०८३/८४
				भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
१	तौलाई		प्रति क्वीन्टल	६।३०	७।००	७।००	७।००
२	चौकाई		"	६।३०	७।००	७।००	७।००
३	फ्यूमिगेशन		प्रति लट	४६।२५	४९।००	४९।००	४९।००
४	बोरा सिलाई		प्रति बोरा	४।७३	५।००	५।००	५।००
५	स्प्रे		प्रति लट	२७८।२५	३००।००	३००।००	३००।००
६	छल्ली सारी पलटी गर्ने तौलने,सिलाउन एकमुसट		प्रति क्वीन्टल	४।२५	५।००	५।००	५।००
७	छल्ली सारी पलटी गर्ने तौलने,सिलाउन तप ढाला काटी एकमुसठ		प्रति क्वीन्टल	५५।६५	६०।००	६०।००	६०।००
८	सुपथ मूल्य पसलमा गोदाम देखी ढुवानी (लोड अनलोड समेत)		प्रति क्वीन्टल	५२।५०	५५।००	५५।००	५५।००








धर्मराज जोशी
 प्रमुख जिल्ला अधिकारी



कंकट एडमिसर तथा वाटर पुफिङको काम सुर्खेत

सि.नं.	निर्माण सामाग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ व २०८०/८१	आ व २०८१/८२	आ व २०८२/८३	आ व २०८३/८४
क	नन पोलिमरबेस कंकट एडमिसरहरु					
१	वाटर पुफिङ, कम्पाउण्ड कम्पासिल पाउडर	के.जि.	६८.३६	६८.००	६८.००	६८.००
२	सिलिका सिमेन्ट एडमिक्चर	के.जि.	३५२.८०	३५२.००	३५२.००	३५२.००
३	एन्टि टरमाईट	लिटर	३६३.८३	३६३.००	३६३.००	३६३.००
४	प्लास्टिसाइजर	लिटर	३९१.३९	३९१.००	३९१.००	३९१.००
५	वाटरपुफ कम्पाउण्ड	लिटर	२८९.९६	२८९.००	२८९.००	२८९.००
६	क्विक सेटिङ कम्पाउण्ड	लिटर	३९६.९०	३९६.००	३९६.००	३९६.००
ख	पोलिमरबेस कंकट एडमिसर					
१	Organic based polymer in liquid form which acts as a plasticizer cum accelerator for concrete/mortar. Higher strength is achieved in a shorter time. It conform IS: 9103:1979 and ASTM C-494. Excellent in winter or cold climate.	लिटर	३२८.५५	३२८.००	३२८.००	३२८.००
२	PLASTMASTER It is an additive for plaster of walls. Gives excellent workability and smooth finish. Check seepage of water/moisture.	लिटर	४८८.४१	४८८.००	४८८.००	४८८.००
३	Super plasticizer for concrete- high range water reducing admixture for concrete based on sulphonated naphthalene formaldehyde and is used for reducing the water to cement ratio, increasing compressive strength & producing free flowing concrete.	लिटर	३२४.१४	३२४.००	३२४.००	३२४.००
४	RETARDPLAST Modified sulphonated naphthalene formaldehyde plasticize-cum-retarder for concrete. It is a dark brown liquid. Water reducing up to 25% can be achieved.	लिटर	३२४.१४	३२४.००	३२४.००	३२४.००
५	Water based emulsion to be applied by brush or spray on fresh concrete surface to remain water in concrete. Suitable for use where curing by water in not possible, or in hot climate.	लिटर	२२१.६०	२२१.००	२२१.००	२२१.००
६	An air entraining concrete admixture used for increasing crack resistance, frost resistance etc.	लिटर	५२०.३८	५२०.००	५२०.००	५२०.००
७	TILEBOND LIQUID Single component compound for fixing tiles, marbles, granite etc. on any plain surface (walls as well as floor). Highly economical and easy to use. A very thin coating is required.	लिटर	४८७.३१	४८७.००	४८७.००	४८७.००
८	TILE MASTER Liquid additive and bonding agent for water resistant cement mortar. It is specially formulated liquid polymer additive for use with cement and sand for form mortars having high bond strength and water proofing proportions for the laying of ceramic, mosaic or glazed tiles on the floors and wall. It improves adhesion chemical resistance flexibility, resistant to impact and thermal shock.	लिटर	४८७.३१	४८७.००	४८७.००	४८७.००
९	CONCRETE COAT Protective Coating for reinforced concrete. It is protective coating, which in extremely useful in increasing the life of reinforced cement concrete structures. It protects the RCC from CO2, oxygen, water and other damaging elements in the air.	लिटर	५२०.३८	५२०.००	५२०.००	५२०.००
१०	POLY - SULPHIDE SEALANT Two packed poly sulphide base sealant with available grades. It provides strong and highly elastic sealant through cross linking process. Joint Set (G) gun applied for non - sag type for vertical and inclined expansion contraction joints and (P) pouring type for horizontal joints. BS 4254:1983	किलो ग्राम	१,९४९.२२	१,९४९.००	१,९४९.००	१,९४९.००
११	JOINT SET PRIMER For surface namely concrete, brick work, cement, gypsum board, natural and artificial stone, glass ceramics, anodized aluminium, timber and rigid PVC etc.	लिटर	१,७५४.०८	१,७५४.००	१,७५४.००	१,७५४.००
१२	Waterproofing treatment					
	i) Wall guard (Interior wall coating)	वर्ग फिट	४३.००	४२.००	४२.००	४२.००
	ii) Seal on roof, water proof coating work	वर्ग फिट	४७.४१	४७.००	४७.००	४७.००
	iii)Seal, long life exterior coating on plastered surface	वर्ग फिट	३६.३८	३६.००	३६.००	३६.००
	iv)Water repellent on exposed bricks and stones	वर्ग फिट	२५.३६	२५.००	२५.००	२५.००
ग	स्लोप र फल्याट रफ, संकस्लाव र बेसमेन्ट मा पानी चुहेको स्थानमा मालसामान उपलब्ध गरि waterproofing गर्ने काम					
१	Waterproofing treatment by injection and pressure Grouting system using perma Grout 500 with mixing fresh gray cement all complete. (sloop roof, sunk slab, basement)	वर्ग फिट	६०.६४	६०.००	६०.००	६०.००
२	Waterproofing treatment by Perma Guard coating (Elastomonic coating) all complete. (rooftop, sunk slab, basement)	वर्ग फिट	६६.१५	६६.००	६६.००	६६.००

सुर्खेत नगरपालिका प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			जा ब २०८०/८१	जा ब २०८१/८२	जा ब २०८२/८३	जा ब २०८३/८४
३	Waterproofing treatment by using perma shield / AR coating (Semi flexible coating) all Complete (roof top, sunk slab, basement)	वर्ग फिट	६०.६४	६०.००	६०.००	६०.००
४	Waterproofing treatment by Crystallization Process by applying two coats of perma Seal all complete. (watertank basement)	वर्ग फिट	६६.१५	६६.००	६६.००	६६.००
५	Minor crack treatment on Rcc slab by SBR mortar (sunkslab)	वर्ग फिट	२६६.८१	२६६.००	२६६.००	२६६.००
६	Major crack treatment on Rcc slab by polyseal	वर्ग फिट	५५४.५६	५५४.००	५५४.००	५५४.००
७	Water Repellent work by perma treat (Expose brick)	वर्ग फिट	२५.३६	२५.००	२५.००	२५.००
८	Expansion Joint works by using perma polyseal with fixing 18 gauge GI sheets all complete.	वर्ग फिट	२,२५७.९२	२,२५७.००	२,२५७.००	२,२५७.००
९	Perma Clear seal coating	वर्ग फिट	४१.९०	४१.००	४१.००	४१.००
१०	Supplying and applying perma or Beck Brand Self leveling Epoxy coating on floor 2mm thick as per specification all complete. (for pharmaceutical and hospitals floor)	वर्ग फिट	४६८.५६	४६८.००	४६८.००	४६८.००
११	Functional and High build epoxy coating on floor 400 micron (for pharmaceutical and hospitals floor)	वर्ग फिट	२०८.३७	२०८.००	२०८.००	२०८.००
१२	Decorative epoxy coating with perma plaster putty on celing and wall all complete 200 micron. (for pharmaceutical and hospitals floor)	वर्ग फिट	१७९.७१	१७९.००	१७९.००	१७९.००
१३	Epoxy coving (for pharmaceutical and hospitals floor)					
	a) Floor to wall (for pharmaceutical and hospitals floor)	वर्ग फिट	२१७.१९	२१७.००	२१७.००	२१७.००
	b) Ceiling to wall (for pharmaceutical and hospitals floor)	वर्ग फिट	१८९.६३	१८९.००	१८९.००	१८९.००
	c) Wall to wall (for pharmaceutical and hospitals floor)	वर्ग फिट	१५९.८६	१५९.००	१५९.००	१५९.००
घ	Safe Techno Tropical (India)					
१	सेफ फिट					
	२०० मि.लि.		६९.४६	६९.००	६९.००	६९.००
	१००० मि.लि.		२९६.५७	२९६.००	२९६.००	२९६.००
	५००० मि.लि.		१,१८६.२९	१,१८६.००	१,१८६.००	१,१८६.००
	१०००० मि.लि.		२,३३१.७९	२,३३१.००	२,३३१.००	२,३३१.००
	२०००० मि.लि.		४,६४३.७३	४,६४३.००	४,६४३.००	४,६४३.००
२	सेफ हार्ड फिट					
	२०० मि.लि.		७४.९७	७४.००	७४.००	७४.००
	१००० मि.लि.		३२०.८३	३२०.००	३२०.००	३२०.००
	५००० मि.लि.		१,२८४.४१	१,२८४.००	१,२८४.००	१,२८४.००
	२०००० मि.लि.		४,९४०.३०	४,९४०.००	४,९४०.००	४,९४०.००
३	सेफ एग्री					
	२०० मि.लि.		६९.४६	६९.००	६९.००	६९.००
	१००० मि.लि.		३२०.८३	३२०.००	३२०.००	३२०.००
	५००० मि.लि.		१,४३२.१५	१,४३२.००	१,४३२.००	१,४३२.००
४	सेफ माइट					
	२०० मि.लि.		७२.७७	७२.००	७२.००	७२.००
	१००० मि.लि.		३१६.४२	३१६.००	३१६.००	३१६.००
	५००० मि.लि.		१,२३५.९०	१,२३५.००	१,२३५.००	१,२३५.००
५	सेफ बर्न					
	५००० मि.लि.		१,०९६.९९	१,०९६.००	१,०९६.००	१,०९६.००
६	सिमेन्ट गार्ड (एडमिक्चर)					
	२०० मि.लि.		६५.०५	६५.००	६५.००	६५.००
	१००० मि.लि.		२८३.३४	२८३.००	२८३.००	२८३.००
	५००० मि.लि.		१,१३०.०६	१,१३०.००	१,१३०.००	१,१३०.००
	१०००० मि.लि.		२,१८०.७५	२,१८०.००	२,१८०.००	२,१८०.००
	२०००० मि.लि.		४,३३८.३४	४,३३८.००	४,३३८.००	४,३३८.००
७	सिमेन्ट गार्ड (Fast & Strong working)					
	२०० मि.लि.		७४.९७	७४.००	७४.००	७४.००
	१००० मि.लि.		३२६.३४	३२६.००	३२६.००	३२६.००
	५००० मि.लि.		१,३०६.४६	१,३०६.००	१,३०६.००	१,३०६.००
	२०००० मि.लि.		५,०५४.९६	५,०५४.००	५,०५४.००	५,०५४.००
	५०००० मि.लि.		१०,५६८.५७	१०,५६८.००	१०,५६८.००	१०,५६८.००

(Signature)

(Signature)

(Signature)

प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			वा व २०८०/८१	वा व २०८१/८२	वा व २०८२/८३	वा व २०८३/८४
८	Providing and laying aluminium Sheet (18 gauge) fix at one side and sliding at other side filling by thermocoal and selling with polysulfide as per drawing.	RFT	२,३८५.८१	२,३८५.००	२,३८५.००	२,३८५.००
Specification of Silica Cement Admixture						
	Product	Silica Cement Admixture				
	Material	Natural volcano Ash				
	Chif Ingredient	SiO2 above 85%				
	Characteristics of the Material	Amorphous (Shapeless)				
	Partical Size	0.4 cm				
	Specific Surface area by Blainc	60,000 cm2/gm				
	Color	White				
	Combination of all in one	Water proffing, strength enhancement, plasticizer				
	Minimum amount	5% by weight of cement				
9	Surface Treatment					
9.1	Protective, Decorative anti carbonation coating.	Kg	१,४५५.३०	१,४५५.३०	१,४५५.३०	१,४५५.३०
9.2	Protective, Decorative Insulating anti carbonation coat	Kg	१,६३७.२१	१,६३७.२१	१,६३७.२१	१,६३७.२१
9.3	Concrete Penetrating corrosion inhibitor	Kg	५,४५७.३८	५,४५७.३८	५,४५७.३८	५,४५७.३८
9.4	Protective Acrylic Sealer	Kg	१,८१९.१३	१,८१९.१३	१,८१९.१३	१,८१९.१३
9.5	Protective polyurethane Sealer	Kg	२,१८२.९५	२,१८२.९५	२,१८२.९५	२,१८२.९५
9.6	Water based Fire Retardant Coating.	Kg	१,४५५.३०	१,४५५.३०	१,४५५.३०	१,४५५.३०
9.7	High Performance water Repellent Paint	Ltr.	१०,९१४.७५	१०,९१४.७५	१०,९१४.७५	१०,९१४.७५
9.8	Concentrated & Emulsified Chemical Mould Release Agent.	Ltr.	६०६.३८	६०६.३८	६०६.३८	६०६.३८
9.9	Ready to use Chemical Mould Release Agent.	Ltr.	४८५.१०	४८५.१०	४८५.१०	४८५.१०
9.10	Concrete Curing Aid.	Kg	४८५.१०	४८५.१०	४८५.१०	४८५.१०
9.11	Resin Silica based multi function, water proofing and Curing Compound dose : Cover Area 0.15 Kg/m2	Kg	७७१.७५	७७१.७५	७७१.७५	७७१.७५
10	Concrete Repairs.					
10.1	Rust Remover & Passivator.	Ltr.	१,२१२.७५	१,२१२.७५	१,२१२.७५	१,२१२.७५
10.2	Corrosion Inhibitor	Kg	१,२१२.७५	१,२१२.७५	१,२१२.७५	१,२१२.७५
10.3	Micro Concrete (M55) for Permanent Repairs.	Kg	१६९.७९	१६९.७९	१६९.७९	१६९.७९
10.4	Single Component Polymer Modified Cementitious Repair Mortar.	Kg	२१२.२३	२१२.२३	२१२.२३	२१२.२३
10.5	Two Components Polymer Modified Cementitious Repair Mortar.	Kg	३०३.१९	३०३.१९	३०३.१९	३०३.१९
10.6	Cementitious Water Proof Crack Repair Mortar.	Kg	२४२.५५	२४२.५५	२४२.५५	२४२.५५
10.7	Acrylic Based Crack filling Putty.	Kg	१,४५५.३०	१,४५५.३०	१,४५५.३०	१,४५५.३०
10.8	Resin, Polycoboxylate Base for Ultra High Strength Concrete Repairing Dose: Admixture 10% by weight of Cement	Kg	७७१.७५	७७१.७५	७७१.७५	७७१.७५
11	Prepacked Mortar		-			
11.1	Tile Marble Granite etc, Adhesive	Kg	९०.९६	९०.९६	९०.९६	९०.९६
11.2	Marble Granite etc, Adhesive	Kg	४२४.४६	४२४.४६	४२४.४६	४२४.४६
11.3	Coarse & Water resistant Readymix Plastring Mortar	Kg	९९.२३	९९.२३	९९.२३	९९.२३
11.4	High Performance Polymer Based Wall Putty (Skim Coat)	Kg	७७.१८	७७.१८	७७.१८	७७.१८
11.5	High Performance Polymer Based insulating Wall Putty (Skim Coat)	Kg	९९.२३	९९.२३	९९.२३	९९.२३

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी



रुग्णसँग सम्बन्धित सामग्रीहरू को दररेट

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)			
			आ.व.०८०/८१	आ.व.२०८१/८२	आ.व.२०८२/८३	आ.व.२०८३/८४
१	सेतो सिमेन्ट	बोरा ५० के.जी.	११५८.००	११५८.००	११५८.००	११५८.००
२	पाउडर वाटरप्रूफ सिमेन्ट पेन्ट - (एन.एस.८५-२०४९)	के.जी.	७४.००	७४.००	७४.००	७४.००
३	प्लाष्टर अफ पेरिस	कि. ग्राम	३५.००	३५.००	३५.००	३५.००
४	प्लाष्टिक इमोल्टान पेन्ट एक्स्टेरियर साइड राम्रो-प्रिमियम (एन.एस. १६१)	लिट्र	११५८.००	११५८.००	११५८.००	११५८.००
५	आक्यालिक एक्स्टेरियर इमल्सन	लिट्र	९२६.००	९२६.००	९२६.००	९२६.००
६	एक्स्टेरियर इमल्सन	लिट्र	५२१.००	५२१.००	५२१.००	५२१.००
७	प्लाष्टिक इमोल्टान पेन्ट इन्टरियर साइड राम्रो एन.एस. १६१)	लिट्र	१०७१.००	१०७१.००	१०७१.००	१०७१.००
८	प्लाष्टिक इमोल्टान पेन्ट इन्टरियर साइड मध्यम एन.एस. १६१)	लिट्र	८६८.००	८६८.००	८६८.००	८६८.००
९	इन्टरियर इमल्सन	लिट्र	४८६.००	४८६.००	४८६.००	४८६.००
१०	वेदरकोट पेन्ट	लिट्र	१०४१.००	१०४१.००	१०४१.००	१०४१.००
११	आक्यालिक डिस्टेम्पर	किलो ग्राम	१८४.००	१८४.००	१८४.००	१८४.००
१२	वासेबल डिस्टेम्पर	किलो ग्राम	२७८.००	२७८.००	२७८.००	२७८.००
१३	मेटल प्राईमर	लिट्र	३६५.००	३६५.००	३६५.००	३६५.००
१४	प्राइमर काठको लागि (एन.एस. २०५)	लिट्र	४०५.००	४०५.००	४०५.००	४०५.००
१५	सिमेन्ट प्राइमर	लिट्र	४३४.००	४३४.००	४३४.००	४३४.००
१६	वाल सिमेन्ट पुटिन	कि. ग्राम	७४.००	७४.००	७४.००	७४.००
१७	काठमा लगाउने पुटिन	के.जी.	३०६.००	३०६.००	३०६.००	३०६.००
१८	फलाममा लगाउने पुटिन	के.जी.	३०६.००	३०६.००	३०६.००	३०६.००
१९	सिन्थेटिक इनामेल पेन्ट	लिट्र	५७८.००	५७८.००	५७८.००	५७८.००
२०	तयारी अलुमिनियम पेन्ट - (एन.एस.११७)	लिट्र	५९१.००	५९१.००	५९१.००	५९१.००
२१	तयारी वार्नेस सेन्थेटिक- (एन.एस. १६३)	लिट्र	३९३.००	३९३.००	३९३.००	३९३.००
२२	स्वीमिङ्ग पूल पेन्ट	लिट्र	९२६.००	९२६.००	९२६.००	९२६.००
२३	ब्लेकबोर्ड पेन्ट	लिट्र	३६५.००	३६५.००	३६५.००	३६५.००
२४	रोड मार्किङ्ग पेन्ट एस टि	लिट्र	७२९.००	७२९.००	७२९.००	७२९.००
२५	रोड मार्किङ्ग पेन्ट डब्लु टि	लिट्र	६७०.००	६७०.००	६७०.००	६७०.००
२६	रोड मार्किङ्ग thermoplastic पेन्ट्स	के.जी.	५२१.००	२१५.००	२१५.००	२१५.००
२७	Cats eye	थान	५७८.००	५७८.००	५७८.००	५७८.००
२८	उड प्रिजरभेटिभ आयल	लिट्र	६३७.००	६३७.००	६३७.००	६३७.००
२९	लिन्सिड आयल - (एन.एस.१३३-२०४३)	लिट्र	१६१.००	१६१.००	१६१.००	१६१.००
३०	थिनर (नेपाली)	लिट्र	१४४.००	१४४.००	१४४.००	१४४.००
३१	थिनर (भारती)	लिट्र	१८४.००	१८४.००	१८४.००	१८४.००
३२	फिलर	लिट्र	२३२.००	२३२.००	२३२.००	२३२.००
३३	टरपेन्टाइन	लिट्र	२०२.००	२०२.००	२०२.००	२०२.००
३४	गम चुनामा लगाउने	के.जी.	२०२.००	२०२.००	२०२.००	२०२.००
३५	चुना	के.जी.	२४.००	२४.००	२४.००	२४.००
३६	चुना (रंगिन)	के.जी.	४०.००	४०.००	४०.००	४०.००
३७	टच उड	लिट्र	५७८.००	५७८.००	५७८.००	५७८.००
३८	रेड अक्साईड पेन्ट	लिट्र	४३४.००	४३४.००	४३४.००	४३४.००
३९	स्प्रिट	लिट्र	१७४.००	१७४.००	१७४.००	१७४.००
४०	अलकत्रा पेन्ट	लिट्र	२०७.००	२०७.००	२०७.००	२०७.००
४१	चप्रा	किलो ग्राम	८६८.००	८६८.००	८६८.००	८६८.००

(सुन्दर)

...

...

धर्मराज बोशी
प्रमुख जिल्ला अधिकारी

४२	चप्रा पालिस पेन्ट	किलो ग्राम	४०५.००	४०५.००	४०५.००	४०५.००
४३	सरेस	के.जी.	१६१.००	१६१.००	१६१.००	१६१.००
४४	नेपाल रेड	के.जी.	८१.००	८१.००	८१.००	८१.००
४५	काठमा लगाउने खाक्सी	दर्जन	८७.००	८७.००	८७.००	८७.००
४६	फलाममा लगाउने खाक्सी	दर्जन	८७.००	८७.००	८७.००	८७.००
४७	आर्ट कलर - ब्यानर लेख्ने	लिट्र	६९५.००	६९५.००	६९५.००	६९५.००
४८	फ्लोर कोटेड अक्साइड सिमेन्ट पेन्ट	लिट्र	१९७.००	१९७.००	१९७.००	१९७.००
४९	ब्लेक जापान अलकत्रा पेन्ट	लिट्र	२४३.००	२४३.००	२४३.००	२४३.००
५०	पेन्टिङ्ग ब्रश- (एन.एस. १७०-२०४५)					
	१ ईञ्चको	थान	७४.००	७४.००	७४.००	७४.००
	१.५० ईञ्चको	थान	१४४.००	१४४.००	१४४.००	१४४.००
	२.० ईञ्चको	थान	२२०.००	२२०.००	२२०.००	२२०.००
	२.५० ईञ्चको	थान	२९५.००	२९५.००	२९५.००	२९५.००
	४ ईञ्चको	थान	५२१.००	५२१.००	५२१.००	५२१.००
५१	रामराज माटो	के.जी.	३७.००	३७.००	३७.००	३७.००
५२	रातो माटो (गेरु रंग)	के.जी.	३७.००	३७.००	३७.००	३७.००
५३	रामतिलक	के.जी.	३७.००	३७.००	३७.००	३७.००
५४	लिनसिड आयल	लिट्र	१७४.००	१७४.००	१७४.००	१७४.००
५५	स्थानिय स्प्रिट	लिट्र	११५.००	११५.००	११५.००	११५.००
५६	मोबिकल/फेबिकोल	के.जी.	३४७.००	३४७.००	३४७.००	३४७.००
५७	वाल पेपर फिटिङ गर्ने कार्य	प्रति ब.मी.	१००.००	१००.००	१००.००	१००.००

(Signature)

(Signature)

(Signature)

धर्मराज जोशी
प्रमुख जिल्ला अधिका

New Miscellaneous Items



सि.नं.	निर्माण सामाग्रीको नाम	प्रति इकाई	आ.व २०८३/०८४
१	FOOT LIGHT/STEP LIGHT		
	LED step/foot light with long life LED driver, No harmful UV/IR radiation, Square/Circle/Rectangle Shape, Louvered/Nonlouverd, Die-cast aluminium with required IP protection from dust and water 3000K/4000K/5700K/6000K/6500K		
	2/3 W, Surface/Recessed, 3000K/4000K/5700K/6000K/6500K	गोटा	१,६६३.००
	4/5 W, Surface/Recessed, 3000K/4000K/5700K/6000K/6500K	गोटा	२,९९३.००
	6/7 W, Surface/Recessed, 3000K/4000K/5700K/6000K/6500K	गोटा	२,५४९.००
	12/15 W, Surface/Recessed, 3000K/4000K/5700K/6000K/6500K	गोटा	३,३८६.००
२	STREET LIGHT		
	300/500 watt halogen weather proof FLOOD LIGHT with glass cover complete set.	सेट	१,६९४.००
	1000watt halogen weather proof FLOOD LIGHT with glass cover complete set.	सेठ	३,३८८.००
	150watt HPSV weather proof FLOOD LIGHT with glass cover complete set.	सेड	१०,१६६.००
	250watt HPSV weather proof FLOOD LIGHT with glass cover complete set.	सेढ	१,१८५.००

३	Modular Swith Plates - सम्बन्धित उत्पादक रास्ट्रको गुणस्तर चिन्ह प्राप्त		
	1 Modular Plate	सेट	१५५.००
	2 Modular Plate	सेट	१५५.००
	3 Modular Plate	सेट	२०२.००
	4 Modular Plate	सेट	२३२.००
	6 Modular Plate	सेट	३१६.००
	8 Modular Plate	सेट	३७२.००
	12 Modular Plate	सेट	५०६.००

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]
धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

	16 Modular Plate	सेट	५९०.००
	18 Modular Plate	सेट	६२३.००
४	Switches- सम्बन्धित उत्पादक रास्ट्रको गुणस्तर चिन्ह प्राप्त		
	10A 1 Way Switch	सेट	१३७.००
	10A 2 Way Switch	सेट	२५१.००
	16A 1 Way Switch with indicator	सेट	२९७.००
	16A 1 Way Switch	सेट	२६५.००
	20A DP Switch with indicator	सेट	५७३.००
	32A DP Switch with indicator	सेट	६८८.००
	10A Bell Push	सेट	२६५.००
	10A 2 Modular Bell Push	सेट	३९१.००
	25A Motor Stater	सेट	१,२२०.००
	400W 1 Modular Dimmer	सेट	७०७.००
	100W 2 Modular Dimmer	सेट	१,३७९.००
	Step Regulator 4 step Dimmer	सेट	७२५.००
	20A 2 Way Switch 1M	सेट	४१६.००
	20A 1 way Switch with IND 1M	सेट	५०४.००
५	Sockets- सम्बन्धित उत्पादक रास्ट्रको गुणस्तर चिन्ह प्राप्त		-
	6A 2 Pin Socket	सेट	२२३.००
	13A Universal Socket	सेट	२९३.००
	6/16A 3 Pin Socket	सेट	४५०.००
	RJ11 Socket	सेट	२९६.००
	TV socket	सेट	२३७.००
	USB Charger	सेट	२,२६३.००
	Buzzer OFF	सेट	५६३.००
	Blank OFF	सेट	५३.००
	LED Foot Light 2M	सेट	१,१३९.००
	LED Phase indicator	सेट	२९९.००
	RJ45 Socket	सेट	८६०.००
	Call Bell Indicator	सेट	२,१३३.००
	Movement Sensor	सेट	७,५९२.००
६	EPS)Expanded Polystyrene and cement base light weight sandwich panel with 4.5mm thick calcium silicate board (non asbestos) as face board on both sides (size 2270*610mm)-exculding installation		
	50mm thickness	व.फि.	२५०.००

(Signature)

(Signature)

(Signature)

(Signature)

(Signature)

(Signature)

जिला अधिकारी



	60mm thickness	व.फि.	२९३.००
	75mm thickness	व.फि.	३००.००
	Installation charge	व.फि.	२६.००
	other accessories	व.फि.	४७.००
७	Supply and erection of different mm thick cement base prefabricated solid wall panel non asbestos including 1.1mm thick GI channel (50*25*20)mm with necessary accessories and fittings charge in partition wall all complete.		
	75mm thick	व.फि.	३४०.००
	50mm thick	व.फि.	२९०.००
८	SS Solar water heater 300 liter capacity with 24 tubes with necessary fittings	सेट	६४,८००.००
९	400 gsm polypropylene membrane sheet laying works for waterproofing including construction glue, cement and polymer primer applying all complete.	व.मि	१,३००.००
१०	RTI Septic Tank of 2000L Capacity manufactured from high-density polyethylen wall thickness minimum 7mm , having 2-4 internal chambers with 4 manholes, overall minimum dimensions 2.0m*0.8m*1.1m, aand soakpit of 200L, HDPE materials with fittings , accessories, complete installation, testing and commissioning	Set	१६९,५६५.२२

(Signature)

(Signature)

(Signature)

(Signature)

धर्मराज जोशी
प्रमुख जिल्हा अधिकारी



S.No.	Description of Items	भ्याट बाहेको स्वीकृत दररेट (रुपैयामा)	
		आ.व.०८२/०८३	आ.व.०८३/०८४
		Per Pcs	Per Pcs
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)		26.00
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)		28.00
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)		23.00
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)		25.00
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)		162.00
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)		182.00
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)		132.00
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)		144.00
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)		114.00
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)		127.00
6	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)		45.00
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)		52.00
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)		57.00
7	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)		53.00
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)		60.00
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)		63.00
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*175*60 (NS Standard)		37.00
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*175*60 (NS Standard)		44.00
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*175*60 (NS Standard)		48.00
8	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)		65.00
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)		70.00

[Handwritten signature]

[Handwritten signature]

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी



S.No.	Description of Items	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)	
		आ.व.०८२/०८३	आ.व.०८३/०८४
		Per Pcs	Per Pcs
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)		75.00
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)		74.00
9	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)		81.00
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)		84.00
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)		44.00
10	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)		50.00
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)		52.00
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)		88.00
11	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)		96.00
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)		99.00
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)		47.00
12	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)		54.00
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)		57.00
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)		73.00
13	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)		81.00
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)		84.00
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60 (NS Standard)		53.00
14	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60 (NS Standard)		61.00
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60 (NS Standard)		64.00
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 80mm, Dimension: 225*112.5*60 (NS Standard)		37.00
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 80mm, Dimension: 225*112.5*60 (NS Standard)		44.00
15	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 80mm, Dimension: 225*112.5*60 (NS Standard)		48.00
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80 (NS Standard)		72.00
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80 (NS Standard)		79.00

(Signature)

(Signature)


(Signature)

(Signature)

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी



S.No.	Description of Items	भ्याट बाहेकको स्वीकृत दररेट (रुपैयाँमा)	
		आ.व.०८२/०८३	आ.व.०८३/०८४
		Per Pcs	Per Pcs
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)		82.00
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)		117.00
16	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)		132.00
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)		137.00
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)		132.00
17	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)		142.00
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)		147.00
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)		69.00
18	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)		77.00
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)		80.00
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)		68.00
19	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)		83.00
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)		88.00
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)		84.00
20	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)		99.00
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)		104.00
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)		22.00
21	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)		25.00
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)		30.00
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)		84.00
22	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)		94.00
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)		99.00
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)		90.00
23	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)		100.00



 धर्मराज जोशी
 प्रमुख जिल्ला अधिकारी



S.No.	Description of Items	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)	
		आ.व.०८२/०८३	आ.व.०८३/०८४
		Per Pcs	Per Pcs
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)		110.00
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		282.00
24	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		312.00
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		342.00
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		412.00
25	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		462.00
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		512.00
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		1,902.00
26	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		2,152.00
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		2,402.00
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)		3,152.00
27	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)		3,452.00
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)		3,602.00
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200x200x60mm (NS Standard)		65.00
28	Grass Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200x200x60mm (NS Standard)		72.00
	Grass Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200x200x60mm (NS Standard)		70.00





धर्मराज जोशी
प्रमुख जिल्ला अधिकारी

S.No.	Description of Items	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)	
		आ.व.०८२/०८३	आ.व.०८३/०८४
		Per Pcs	Per Pcs
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)		487.00
29	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)		427.00
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)		452.00
30	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)		357.00
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)		377.00
31	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)		417.00
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)		437.00
32	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)		472.00
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)		497.00
33	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)		652.00
34	Compressed stablized earth blocks (CSEB) interlocking brick of size 30x15x10cm		48.00
35	Cobble Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)		30.00
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)		32.00
	Cobble Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)		35.00
36	Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)		96.00
	Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)		110.00
	Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)		120.00
37	Interlock With Cobble Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)		114.00
	Interlock With Cobble Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)		126.00
	Interlock With Cobble Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)		136.00
38	Grass Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:400x600x100mm (NS Standard)		644.00
39	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)		49.18
	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)		56.98



धर्मरान जोशी
 प्रमुख जिल्ला अधिकारी


S.No.	Description of Items	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)	
		आ.व.०८२/०८३	आ.व.०८३/०८४
		Per Pcs	Per Pcs
	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)		62.38
40	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)		53.52
	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)		54.12
	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)		73.51
	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)		73.51
40	Permeable Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)		87.00
	Permeable Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)		103.00
	Permeable Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)		116.00
	Permeable Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)		116.00
41	Permeable Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)		105.00
	Permeable Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)		124.00
	Permeable Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)		139.00
	Permeable Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)		139.00
42	Permeable Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)		143.00
	Permeable Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)		168.00
	Permeable Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)		188.00
	Permeable Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)		188.00
43	Porus Permeable Matrix Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40		337.00
	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40		404.00
	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40		404.00
44	Porus Permeable Matrix Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:400*400*60		421.00
	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:400*400*60		421.00
	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:400*400*60		526.00

धर्मराज जोशी
 प्रमुख जिल्ला अधिकारी

बाँस (निर्माण प्रयोजनका लागि)

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयामा)		
			आ.व.०८१/०८२	आ.व.०८२/०८३	आ.व.०८३/०८४
३५	बाँस - निर्माण प्रयोजनका लागि (कच्चा बाँस)				
	३ इन्च गोलाई प्रति फिटको	रनिङ्ग फिट			१५.००
	२.५ इन्च गोलाई प्रति फिटको	रनिङ्ग फिट			१४.००
	२ इन्च गोलाई प्रति फिटको	रनिङ्ग फिट			१३.००
३६	बाँस - निर्माण प्रयोजनका लागि (उपचार गरिएको बाँस)				-
	३ इन्च गोलाई प्रति फिटको	रनिङ्ग फिट			२५.००
	२.५ इन्च गोलाई प्रति फिटको	रनिङ्ग फिट			२४.००
	२ इन्च गोलाई प्रति फिटको	रनिङ्ग फिट			२३.००
३७	Flattened treated bamboo	बर्ग मिटर			३१०.००
३८	Wall Weaving Work (Supplying, making, and fixing treated flattened bamboo or treated bamboo strips, nailing on Wall using common wire nails spaced at 100 mm center to center in staggered position into bamboo poles having a minimum wall thickness of 8 mm, as per approved design or instruction by engineer in-charge, including and all joint connection bolts; having bamboo poles free from holes, and other defects, as per specification, all complete.)	बर्ग मिटर			१,४३०.००
३९	Bamboo poles in wall panel (Supplying, making, and fixing treated bamboo poles of at least 75mm dia. or as per design, spaced not more than 600mm, in wall panel including all connection bolts & grouting, 40*80mm treated wooden bottom and top member as per approved design or instruction by the engineer; having bamboo poles free from warps, holes, and other defects, as per specification, all complete.)	बर्ग मिटर			१,६६५.००
४०	Roof truss making (Supplying, making, and fixing treated bamboo roof rafters of at least 65mm dia., purlin at least 50mm dia. or as per approved design or instruction by the engineer in-charge, including all connection bolts; having bamboo poles free from warps, holes, and other defects, as per specification, all complete.)	बर्ग मिटर			१,६००.००
४१	Chicken-Meshwire fixing (Supplying, making, and fitting the Chicken Meshwire of at least 22 gauge and mesh-size not more than 20mm x 20mm, on wall works as per approved design or instructions by the engineer-in-charge; mesh free from rust, and other defects, as per specification, all complete.)	बर्ग मिटर			५१५.००
४२	Prefabricated Wall panel making and Instalation (Supplying, making, and fitting Prefabricated Wall Panel, using flattened treated bamboo, treated bamboo poles of at least 75mm dia. or as per design, spaced not more than 600mm, in wall panel including all connection bolts & grouting, 40*80mm treated wooden bottom and top member, metal bracing of at least 5mm THK, chicken wire mesh of at least 22 gauge and mesh-size not more than 20mm x 20mm, or as per approved design, including all joint connection bolts, and labour cost including supply and delivery for 30m as per specification, all complete.)	बर्ग मिटर			३,२५०.००



 धर्मराज जोशी

 प्रमुख जिल्ला अधिकारी



घर भाडा मुल्यांकन प्रयोजनका लागि

(क) घरको वर्गिकरण तथा आ.व. ०८३/०८४ को लागि प्रती वर्ग फिट प्लिनथ एरियाको भाडा दर

सि.नं.	घरको विवरण	प्रती वर्ग फिट प्लिनथ एरिया/फ्लोर एरियाको भाडा दर			
		वरिन्द्रनगर नगरपालिका		अन्य पालिकाहरु	
		फोरलेन देखि उत्तर कपासे फोरलेन देखी दक्षिण	अन्य क्षेत्र	नगर क्षेत्र	ग्रामिण क्षेत्र
		ब्यारेक सम्म र पूर्वमा धुलियाबिट सुब्बाकुना, नयाँगाउँ, घुसा, देखी पश्चिममा कालागाउँ प्रदेश लाटिकोईली क्षेत्र अस्पताल सम्म ।			
१	माटोको जोडाईमा फोरवा ढुङ्गाको गारो साल काठ प्रयोग गरी टिन वा स्लेटले छाएको र माटोले लिपेको ।	११.०७	९.२२	६.७७	५.४१
२	माटोको जोडाईमा फोरवा ढुङ्गा वा ईट्टाको गारो भित्र बाहिर सिमेन्ट प्लाष्टर वा टिपकार गरेको भूईँ पक्की र आर.सि.सि. छाना सहित ।	१३.४९	११.२४	७.६२	७.६३
३	सिमेन्ट मसलाको जोडाईमा फोरवा वा कुँदेको ढुङ्गा वा ईट्टाको गारो सालकाट प्रयोग गरी टिन वा टाईलले छाएको बाहिर सिमेन्ट प्लाष्टर वा टिपकार गरेको र भूईँ पक्की ।	१४.६९	१२.४९	१०.४१	८.४७
४	आर.सि.सि. फ्रेम स्ट्रक्चरको घर सम्पूर्ण फिनिसिङ्ग भएको ।	१७.४२	१४.५२	१०.८९	१०.२८
५	आर.सि.सि. फ्रेम स्ट्रक्चरको घर सम्पूर्ण फिनिसिङ्ग भएको तथा भूकम्प प्रतिरोधात्मक विधी प्रयोग गरी प्राविधिक डिजाईन र सुपरिवेक्षणमा बनेको ।	२१.७८	१८.१५	१३.३१	१०.८९

(क) उपरोक्त उल्लेखित क्षेत्रका घरहरु उल्लेखित भाडामा लिँदा सामान्य शौचालय, धारा र बत्तीको सुविधा भएको हुनुपर्ने छ र त्यसका अतिरिक्त मोटर ग्यारेज,

कम्पाउण्ड गेट सहित, बगैँचा, करेसावारी, टेलिफोन आदी समेतको सुविधा भएमा उपरोक्त दररेटमा बढीमा १५ प्रतिशत सम्म थप गरी भाडा निर्धारण गर्न

सकिने छ ।

(Signature)

(Signature)

(Signature)

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी



- (ख) उपरोक्त उल्लेखित क्षेत्रका घरहरूमा चारै तिर बार्दली भएको, एटेज्ड ट्वाईलेट बाथरुम भएको, तातो चिसो पानीको व्यवस्था भएको, ईन्भर्टर वा पावर ब्याकअप सुविधा भएको जस्ता अन्य विशेष सुविधा भएको घरमा उपरोक्त दररेटमा वढीमा ५ प्रतिशत सम्म थप गरी भाडा निर्धारण गर्न सकिने छ ।
- (ग) ४० वर्ष पुराना तथा जिर्ण माटोको जोडाईमा फोरवा दुङ्गाको गारो साल काठ प्रयोग गरी टिन वा स्लेटले छाएको, माटोले लिपेको र माटोको जोडाईमा फोरवा दुङ्गा वा ईट्टाको गारो भित्र बाहिर सिमेन्ट प्लाष्टर वा टिपकार गरेको घरहरूको हकमा माथिको तालिका बाट मुल्यांकन गरि कम्तिमा २०% ले घटाइ घर भाडा निर्धारण गर्न सकिने छ ।


- (घ) कार्यालयलाई आवश्यक परेमा भाडामा लिने घरको कम्पाउण्ड भित्रको जग्गालाई प्रति कठ्ठा ११००।- का दरले मूल्याङ्कन गर्ने ।

(Signature) *(Signature)* *(Signature)*
धर्मराज जोशी
प्रमुख जिल्ला अधिकारी



घर/गोठ मुल्यांकन (क्षतिपूर्ति प्रयोजनको लागि)

सि.नं.	घरको विवरण	आ.व. ०८२/०८३ (प्रति वर्ग फीट रु)	आ.व. ०८३/०८४ (प्रति वर्ग फीट रु)
१	माटोको जोडाईमा फोरुवा ढुङ्गाको गारो कुकाठ प्रयोग गरी खरले छाएको र माटोले लिपेको	९६५/००	९६५/००
२	माटोको जोडाईमा फोरुवा ढुङ्गाको गारो कुकाठ प्रयोग गरी टिन वा स्लेटले छाएको	१११६/००	१११६/००
३	माटोको जोडाईमा फोरुवा ढुङ्गाको गारो साल काठ प्रयोग गरी टिन वा स्लेटले छाएको र माटोले लिपेको	१९००/००	१९००/००
४	सि.नं.३ जस्तै तर भित्र बाहिर सिमेन्ट प्लाष्टर वा टिप्कार गरेको	२०००/००	२०००/००
५	सि.नं.३ जस्तै तर आर.सि.सि.छानो र भूईँ पक्की	२३४०/००	२३४०/००
६	सिमेन्ट मसालाको जोडाईमा फोरुवा वा कुँदैको ढुङ्गा वा ईट्टाको गारो साल काठ प्रयोग गरी टिन वा स्लेटले छाएको र बाहिर सिमेन्ट प्लाष्टर वा टिप्कार गरेको र भूईँ पक्की	२३८०/००	२३८०/००
७	सि.नं. छ जस्तै तर आर.सि.सि. छानो सम्पूर्ण फिनिसिङ्ग भएको	२५६०/००	२५६०/००
८	आर.सि.सि.फ्रेम स्ट्रक्चरको घर सम्पूर्ण फिनिसिङ्ग भएको	२७००/००	२७००/००
९	आर.सि.सि.फ्रेम स्ट्रक्चरको घर सम्पूर्ण फिनिसिङ्ग भएको तथा भूकम्प प्रतिरोधात्मक विधि प्रयोग गरी प्राविधिक डिजाईन र सुपरिवेक्षणमा तयार भएको	सि.नं. ७ मा १५ प्रतिशत थप गर्ने	सि.नं. ७ मा १५ प्रतिशत थप गर्ने
१०	स्ट्रक्चरल एनालाईसिस तथा डिजाईन गरी तयार गरिएका भवन	३८००/००	३८००/००
११	मार्बल छापेको	४००/००	४००/००
१२	मोज्याईक गरेको	३४०/००	३४०/००
१३	ग्लेज्ड टाईलको सम्पूर्ण काम गरिएको	२७५/००	२७५/००
१४	सेरामिक टाईलको सम्पूर्ण काम गरिएको	२४०/००	२४०/००
१५	पेभिड स्टोन फिनिसिङ्गको सम्पूर्ण काम गरिएको	२७५/००	२७५/००
१६	अग्राख काठको पार्केटिङ्ग गरिएको	२७५/००	२७५/००
१७	गाडी पार्किङ्गको सुविधा भएको	कुल खर्चको ५%	कुल खर्चको ५%
१८	खानेपानी तथा सरसफाईको साधारण सुविधा भएको	कुल खर्चको ५%	कुल खर्चको ५%
१९	तातो / चिसो सहितको खानेपानी तथा सरसफाई सुविधा	कुल खर्चको १०%	कुल खर्चको १०%
२०	साधारण फिक्चर्स तथा वाईरिङ्ग सहितको विद्युतिकरण	कुल खर्चको ५%	कुल खर्चको ५%
२१.	अर्थिङ्ग सिस्टम तथा स्तरिय फिक्चर्स सहितको	कुल खर्चको १०-१५%	कुल खर्चको १०-१५%



धर्मराज जोशी
 प्रमुख जिल्ला अधिकारी



नोट :- १) घरको उपयोगी उमेर (वर्ष N) १, २, ३, ४, ५, ६, ७, ८, ९, १० कालागि क्रमशः
२०, ३०, ४५, ४५, ४५, ७०, ७०, १००, १००, १००

२) आर.सि.सि. फ्रेम स्ट्रक्चर भएका घरमा भूईतल्लाको लागि माथि उल्लेखित दररेट र बाँकी माथिका हरेक तल्लाको लागि १० देखि २० प्रतिशत कम गरी मूल्याङ्कन गरिनेछ ।

मूल्याङ्कन विधि :-

१) घरको प्रत्येक तल्लाको बाहिरी भाग (Plinth Area) को नाप लिएर क्षेत्रफल निकाल्ने र जोड्ने ।

२) घरको प्रकार अनुसार त्यसको हालको मूल्य निकाल्ने, त्यसमा सुविधाको हकमा मुल्य थप गर्ने र घर निर्माण भएको अवधि अनुसार हास कट्टी गर्ने । त्यसरी बाँकी हुन आउने रकम त्यस घरको खुद मुल्य हुन आउँछ । हास कट्टी गरी कायम भएको मुल्य यस प्रकार सुत्रबाट निकाल्नुपर्छ ।

हास कट्टी तलको Formula लगाई निकाल्नु पर्ने छ ।

$$D = P(1 - R_d/100)^n$$

Where, D= Depreciated Value

P= Cost at present market rate

n=the age of the building in years (सम्बन्धित बडाको सिफारिसबाट प्रमाणित हुनुपर्ने)

R_d = the fixed percentage of depreciation that depends upon the life of building.

For $R_d = \left(\frac{1}{N}\right) * 100$ where N= घरको उपयोगी उमेर, घरको प्रकृति अनुसार माथि उल्लेख भएको

३) मूल्याङ्कनकर्ताले स्थलगत भ्रमण गरी आफैले नापेर माथिका विवरणहरू प्रष्ट खुल्ने गरी प्रतिवेदन समेत पेश गर्नुपर्नेछ ।

४) इञ्चालय नभएका र भए पनि साह्रै साना र कोठामा दिउँसै बत्ती बाल्नुपर्ने खालका कोठाहरू भएमा तिनको अवस्था हेरी त्यस्ता कोठाहरूको १० देखि ३० प्रतिशत सम्म मुल्य घटाईने छ ।

५) घर अगाडीका बरण्डा र बार्दलीहरू (Slab Projection) भएमा तिनको माथिको दरमा ५ देखि १० प्रतिशत बढाएर मुल्य निकालिने छ ।

६) वित्तिय संस्थाहरूमा धितो राख्ने प्रयोजनका लागि प्रकरण (क) अनुसार आर.सि.सि. घरहरूको प्राविधिक मूल्याङ्कनमा १० देखि २० प्रतिशत थप गरिने छ ।

धर्मराज जोशी
प्रमुख जिल्ला अधिकारी