



नेपाल सरकार
गृह मन्त्रालय

जिल्ला प्रशासन कार्यालय
दररेट निर्धारण समिति
वीरेन्द्रनगर, सुर्खेत



स्वीकृत जिल्ला दररेट



आ.व. २०७९/०८०

सुर्खेत जिल्लाको आ.व. ०७९/०८० को लागि स्वीकृत श्रमिक ज्याला दररेट

क्र.सं.	कामदारको किसिम	२०७४/०७५	आ.व. २०७५/०७६	आ.व. २०७६/०७७	आ.व. २०७७/०७८	आ.व. २०७८/०७९	आ.व. २०७९/०८०
१	डकमी	७२०.०	७३०.०	८००.०	९००.०	९४५.०	१०४०.००
२	मिकमी	७२०.०	७३०.०	८००.०	९००.०	९४५.०	१०४०.००
३	बडकमी	७२०.०	७३०.०	८००.०	९००.०	९४५.०	१०४०.००
४	चित्रकार/पेन्टर	७२०.०	७३०.०	८००.०	९००.०	९४५.०	१०४०.००
५	ब्लान्टर	७२०.०	७३०.०	८००.०	९००.०	९४५.०	१०४०.००
६	बेल्लर	७२०.०	७३०.०	८००.०	९००.०	९४५.०	१०४०.००
७	ज्यामी	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
८	ढुल सफा गर्ने ज्यामी	४९०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
९	सुपर भाइजर अप्राविधिक	४३५.०	४६०.०	४८०.०	८५०.०	९५०.०	१०४५.००
१०	सुपरभाइजर प्राविधिक खरिदार वा सो सरह	४७०.०	४९५.०	६२०.०	९४०.०	१०००.०	११००.००
११	सुपरभाइजर प्राविधिक ना. सु. वा सो सरह						११६०.००
१२	सुपरभाइजर इन्जिनियर					१२५०.०	१३७५.००
१३	प्लम्बर खरिदार वा सो सरह						११००.००
१४	प्लम्बर	४७५.०	६००.०	६२५.०	६८७.५	७२९.९	८००.००
१५	सिनियर प्लम्बर	५८५.०	६१०.०	६३५.०	७००.०	७३५.०	८१०.००
१६	इलेक्ट्रीसियन हेल्पर	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
१७	विद्युत पोलमा तार तान्ने हेल्पर			४५०.०	६००.०	६३०.०	७००.००
१८	इलेक्ट्रीसियन	४८५.०	६१०.०	६३५.०	७००.०	७३५.०	८१०.००
१९	विद्युत पोलमा तार तान्ने मिस्त्री			५८०.०	६४०.०	६७२.०	७५०.००
२०	सहायक बेल्लर	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
२१	घेत म्यान/टेप म्यान	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
२२	स्थायी असिस्टेन्ट (निर्माण सामग्री परीक्षण सम्बन्धि काममा सहयोग गर्ने)	४३५.०	४६०.०	४८०.०	६४०.०	६७२.०	७५०.००
२३	स्थायी टेक्निसियन (निर्माण सामग्री परीक्षण सम्बन्धि काममा गर्ने)	६२५.०	६५०.०	६७५.०	७४५.०	७८२.३	८६०.००
२४	डाइभर (तलुका)	४५०.०	४७५.०	६००.०	६६०.०	८००.०	८८०.००
२५	डाइभर (होम)	६१०.०	६३५.०	६६०.४	७३०.०	८६०.०	९५०.००
२६	होम इन्वीपमेण्ट अपरेटर	६९०.०	७१५.०	७४५.०	८१९.५	९००.०	१०००.००
२७	डाइभर सहयोगी	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
२८	नगर निरीक्षक (का.सहयोगी सरह)	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
२९	नर्सरी नाईके	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
३०	क्याम्प वर्कर/चौकीदार	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
३१	कुधिकार	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
३२	सर्भे हेल्पर	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
३३	माली	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
३४	लेखा बर्कर/सडक सम्बन्धि	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम
३५	कृषि ज्यामि	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम
३६	टिडलर कम कम्प्रेसर अपरेटर	४८५.०	६१०.०	६३५.०	७००.०	७३५.०	८१०.००
३७	भुक्त्य मापन कार्यालय र खानी तथा भूगर्भ विभागको कामका लागि						

क्र.सं.	कामदारको किसिम	आ व. २०७४/०७५	आ व. २०७५/०७६	आ व. २०७६/०७७	आ व. २०७७/०७८	आ व. २०७८/०७९	आ व. २०७९/०८०
३७.१	ग्याम्प वर्कर	४३५.०	४६०.०	४८०.०	६४०.०	६७२.०	७५०.००
३७.२	खनेल	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
३७.३	ग्याम्पल - कटर(दुगा काटने)	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
३७.४	सर्भ हेल्पर (भू-गर्भ सम्बन्धि)	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
३७.५	भरिया (भू-गर्भ सम्बन्धि)	४३५.०	४६०.०	४८०.०	६४०.०	६७२.०	७५०.००
३७.६	क। एस.पि.टि. हेल्पर (भू-गर्भ सम्बन्धि)	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
३७.७	ख। ड्रिल हेल्पर (भू-गर्भ सम्बन्धि)	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
३८	हावापानी कार्यालयसंग सम्बन्धित कामको लागि						
३८.१	भरीया(सवेदनशील मौसमी उपकरण बोल्ने)	४८०.०	४२०.०	४४०.०	६००.०	६३०.०	७००.००
३८.२	मौसम टेक्निसियन हेल्पर	४४०.०	४६०.०	४८०.०	६४०.०	६७२.०	७५०.००

नोट : माथि समावेश नभएका श्रमिक तथा अन्य कामदारहरूको हकमा नेपाल सरकारको समान तहको कार्यालयमा कार्यरत कर्मचारी को तलबमान लागू

२६ कार्य दिनले भाग गरी हुन आउने रकमलाई १ दिनको ज्याला कायम गर्ने निर्णय गरियो ।

Handwritten signatures and stamps are present below the table. A stamp on the right reads "प्रमुख जिल्ला अधिकारी" (Chief District Officer) and "सुदूरपश्चिम प्रदेश" (Sudurpashchim Province).

सुर्खेत जिल्लाको आ.ब.०७९/०८० का लागि स्वीकृत निर्माण सामग्री तथा बिभिन्न सुस्तहरूको दररेट

क्र.सं.	विवरण	किसिम	स्वीकृत दररेट आ. ब. २०७९/७८	स्वीकृत दररेट आ. ब. २०७९/७८	स्वीकृत दररेट आ. ब. २०७९/७८	स्वीकृत दररेट आ. ब. २०७९/७८
			भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
१	ईश दुबानी समेत	प्रति हजार	१४५.००/००	१५०.००/००	१५५.००/००	१६२.५०/००
२	दुका ईश	प्रति घ.मि.	३२०.००/००	३२०.००/००	३२०.००/००	३२०.००/००
३	फोहरवा बाण्डर	प्रति घ.मि.	१८०.००/००	१८०.००/००	१८०.००/००	१९५.००/००
४	कावेरिस्ट्रम	प्रति घ.मि.	६०.००/००	६०.००/००	६३.००/००	७०.००/००
५	सावेल चिप	प्रति के.जी.	१६.००	१६.००	१६.८०	१८.००
६	एलिङ स्टोन	५ "६" "६"	४०.००	४०.००	४२.००	४५.००
७	एलिङ स्टोन चिप	५ "६" "६"	५५.००	५५.००	५५.५५	६०.००
८	इन्टरलक पेभर टायल एम२५ / ६० एम एम बाक्लो					९०.००/००
९	इन्टरलक पेभर टायल एम२५ / ८० एम एम बाक्लो					१००.००/००
१०	इन्टरलक पेभर टायल एम२५ / ६० एम एम बाक्लो					१०५.००/००
११	इन्टरलक पेभर टायल एम३५ / ८० एम एम बाक्लो					१२०.००/००
१२	कर्वे स्टोन २५ / २०० / ३८० एम २०					९०.००/००
१३	दुका को बाल टायल ननपोलिश	प्रति वर्ग फिट	७०.००	७०.००	७३.५०	८०.००
१४	दुकाको बाल टायल पोलिश	प्रति वर्ग फिट	९५.००	९५.००	९९.५५	११०.००
१५	छाना / मुड मा प्रयोग हुने दुकाको टायल ननपोलिश	प्रति वर्ग फिट	८०.००	८०.००	८५.००	९०.००
१६	छाना / मुड मा प्रयोग हुने दुकाको टायल पोलिश	प्रति वर्ग फिट	११०.००	११०.००	११५.५०	१२५.००
१७	आर.सी.सी. चौकोर, म्याल तथा डोकाको लागि साईज ४ इन्च * २.७५ इन्च	प्रति वर्ग फिट	२२.००/००	२२.००/००	२३.१०/००	२५.००/००
१८	आर.सी.सी. भेन्टिलेशन साईज ४ इन्च * २.७५ इन्च	प्रति वर्ग फिट	२२.००/००	२२.००/००	२३.१०/००	२५.००/००
१९	आर.सी.सी. आरक फेम साईज ४ इन्च * २.७५ इन्च	प्रति वर्ग फिट	४३.००/००	४३.००/००	४५.१५/००	४९.००/००
२०	दुकाको ईश	प्रति घ.मि.	३५.००	३५.००	३६.५५	३९.००
२१	स्ट्रिंग डस्ट	प्रति घ.मि.	२२०.००/००	२२०.००/००	२२०.००/००	२३०.००/००
२२	माटो	प्रति घ.मि.	३१.००/००	३१.००/००	३२.५५/००	३५.००/००
२३	गिट्टि - तोडेको	१० एम एम, जिरा	३१०.००/००	३१०.००/००	३१०.००/००	३३०.००/००
२४		२० एम एम	३००.००/००	३००.००/००	३००.००/००	३२०.००/००
२५		४० एम एम र सो भन्दा माथी	२८०.००/००	२८०.००/००	२८०.००/००	३००.००/००
२६		खोलामा चालेको				
२७		५ देखि १० मि.मि. सम्म	२४०.००/००	२४०.००/००	२५२.००/००	२६०.००/००
२८		५ देखि २० मि.मि. सम्म	२३०.००/००	२३०.००/००	२४१.५०/००	२५५.००/००
२९		५ देखि ४० मि.मि. सम्म	२०५.००/००	२०५.००/००	२१५.२५/००	२३०.००/००
३०		५ देखि ७० मि.मि. सम्म	१७०.००/००	१७०.००/००	१७८.५०/००	१९०.००/००
३१		खोलामा नचालेको	१३५.००/००	१३५.००/००	१४१.५५/००	१५०.००/००
३२	बालुवा	प्रति घ.मि.	३००.००/००	३००.००/००	३००.००/००	३२०.००/००
३३	कठ	प्रति घ.मि.	१७०.००/००/००	१९१.००/००	२००.५६/००	२१०.००/००
३४		प्रति घ.मि.	९५.००/००/००	९५.००/००/००	९९.५५/००/००	१०५.००/००/००
३५		प्रति घ.मि.	३५.००/००/००	३५.००/००/००	३६.५५/००/००	४०.००/००/००
३६		प्रति के.जी.	११.००	११.००	११.५५	१२.००
३७		प्रति घ.मि.	३५.००/००	३५.००/००	३६.५५/००	४०.००/००
३८	नेपाली ४३ फेड पिपर्स	प्रति बोरा	७०.००/००	७०.००/००	७०.००/००	७०.००/००
३९	नेपाली ५३ फेड पिपर्स	प्रति बोरा	७३.००/००	७३.००/००	७३.००/००	७३.००/००
४०	भारतीय ४३ फेड पिपर्स	प्रति बोरा	७०.००/००	७०.००/००	७०.००/००	७०.००/००

प्रमुख अधिकारी

क्र.सं.	विवरण	कितना	प्रति	स्वीकृत दररेट आ व २०७६/७७	स्वीकृत दररेट आ व २०७७/७८	स्वीकृत दररेट आ व २०७८/७९	स्वीकृत दररेट आ व २०७९/८०
				प्याट वाहेक	प्याट वाहेक	प्याट वाहेक	प्याट वाहेक
२३	सिमेन्ट (५० के.जी. बोरा)	भारतीय ५२ सेड विपॉसि	प्रति बोरा	७३०।००	७३०।००	७३०।००	७३०।००
		भारतीय ओपॉसि सिमेन्ट ५३ सेड	प्रति बोरा	८४०।००	८४०।००	८४०।००	८४०।००
		नेपाली ओपॉसि सिमेन्ट ५३ सेड	प्रति बोरा	८४०।००	८४०।००	८४०।००	८४०।००
		नेपाली ओपॉसि सिमेन्ट ४३ सेड	प्रति बोरा	८२०।००	८२०।००	८२०।००	८२०।००
		बेसी सिमेन्ट ४० के जी	प्रति बोरा	१२५०।००	१२५०।००	१२५०।००	१२५०।००
२४	कलामे छड (एफ.टी. - ४१५) सबै साईजको		प्रति के.जी.	९१।००	९१।००	९५।५५	९५।००
	कलामे छड (टि.एम.टि. १००) ८ मि.मि.		प्रति के.जी.	९२।००	९२।००	९६।६०	९०।००
	कलामे छडा टि.एम.टि. १००/१० मि.मि. भन्दा माथी		प्रति के.जी.	९१।००	९१।००	९५।५५	९०।००
	वाण्डिङ तार		प्रति के.जी.	११५।००	११५।००	१२०।७५	१२५।००
२५	वि.आई. बायर (गोपियन तार)	९४ गेज	प्रति के.जी.	१११।००	१११।००	११६।५५	१२०।००
		होम कोटेड	प्रति के.जी.	११५।००	११५।००	१२०।७५	१२५।००
		मोडियम कोटेड	प्रति के.जी.	१०४।००	१०४।००	१०९।२०	११३।००
२६	कलामे जाली	कमर्शियल/वाणिज्य	प्रति व.मि.	१६५।००	१६५।००	१७३।२५	१७५।००
		मस्कीटी फुफ (कमर्शियल/वाणिज्य)	प्रति व.मि.	२६०।००	२६०।००	२७३।००	२८०।००
२७	जाली	कलामे जाली २२ गेज	प्रति व.मि.	१४०।००	१४०।००	१४५।००	१५०।००
		कलामे जाली १८ गेज	प्रति व.मि.	१८०।००	१८०।००	१८९।००	२००।००
		घास परफो (एक्स्पेन्डेड)	" "	२००।००	२००।००	२१०।००	२१५।००
		जाली	" "	२००।००	२००।००	२१०।००	२१५।००
२८	जे - हुक	- साधारण	प्रति भात	२०।००	२०।००	२१।००	२२।००
२९	विटुमिन बासर			०.९०	०।९०	०।९५	१।००
३०	फाईउड - कमर्शियल	३ मिमि	प्रति व.मि.	२०५।००	२०५।००	२१५।२५	२३०।००
		६ मिमि	" "	३३०।००	३३०।००	३४६।५०	३७०।००
		१२ मिमि	" "	४००।००	४००।००	४२०।००	४४०।००
	फाईउड - आर्टिफिशियल टिफ	३ मिमि	प्रति व.मि.	३७०।००	३७०।००	३८८।५०	४००।००
३१	सतसाईकल	साधारण	प्रति व.मि.	२१०।००	२१०।००	२२०।५०	२३०।००
		३५ मिमि	प्रति व.मि.	६७०।००	६७०।००	७०३।५०	७२५।००
३२	साँचा	४ मिमि सेतो	प्रति व.मि.	७१५।००	७१५।००	७५०।७५	७७५।००
		४ मिमि कालो	" "	९५०।००	९५०।००	९९५।५०	१०००।००
		साधारण	प्रति भात	३८०।००	३८०।००	३९९।००	४२०।००
३३	छारा टुटी	बास (होम)	प्रति भात	६००।००	६००।००	६३०।००	६५०।००
		जोन्सन (साधारण)	" "	४८०।००	४८०।००	५०४।००	५२५।००
		जोन्सन (होम)	" "	६९०।००	६९०।००	७२४।५०	७३०।००
		जोन्सन (होम)	" "	६९०।००	६९०।००	७२४।५०	७३०।००
३४	६ न. हेन्डपम्प हेड आवश्यक सबै सामान सहित	मिडियम १० के.मि.	प्रति सेट				
	६ न. हेन्डपम्प हेड आवश्यक सबै सामान सहित	लाईट १८ के.मि.	प्रति सेट				
	४ न. हेन्डपम्प हेड आवश्यक सबै सामान सहित	मिडियम १० के.मि.	प्रति सेट				
	४ न. हेन्डपम्प हेड आवश्यक सबै सामान सहित	लाईट १८ के.मि.	प्रति सेट				
३५	पोषीलिन स्लेज टायल						
३५.१	बाल टायल	४"X६", ६" X ८"	प्रति व.मि.	६०।००	६०।००	६३।००	६३।००
		८" X ८"	" "	६०।००	६०।००	६३।००	६३।००
		८" X १२"	" "	७०।००	७०।००	७३।५०	७३।५०
		१२" X १२"	" "	७०।००	७०।००	७३।५०	७३।५०
		१०" X १२"	" "	७५।००	७५।००	७८।७५	७८।७५
		१२" X १६"	" "	९५।००	९५।००	१०१।८५	१०१।८५
	फ्लोर टायल	४"X६", ६" X ८"	प्रति व.मि.	७०।००	७०।००	७३।५०	७३।५०

क्र.सं.	विवरण	विशेष	एकक	स्वीकृत दररेट आ न २०७६/७७ म्याट बाहेक	स्वीकृत दररेट आ न २०७७/७८ म्याट बाहेक	स्वीकृत दररेट आ न २०७८/७९ म्याट बाहेक	स्वीकृत दररेट आ न २०७९/८० म्याट बाहेक
३५.२	फ्लोर टायल	८" X ८"	"	७०१००	७०१००	७३१५०	७३१५०
		८" X १२"	"	७०१००	७०१००	७३१५०	७३१५०
		१२" X १२"	"	७५१००	७५१००	७८१७५	७८१७५
		१५" X १५"	"	९०१००	९०१००	९४१५०	९४१५०
		२४" X २४"	"	१३०१००	१३०१००	१३६१५०	१३६१५०
३६	marble						
३७	14mm thick		प्रति व.मी.	२३२२५००	२५६६१००	२६९४३०	२७००१००
३८	16mm thick				२८००१००	२९४०१००	३०००१००
३९	Marble Chips (3mm to 6mm)		प्रति घ.मी.	११८६४१००	११८६४१००	१२४५५२०	१२५००१००
४०	सिमेन्ट टायल इन्टरलक स्क्वायर	८" X ८"	प्रति गोटा	३५१००	३५१००	३६१७५	३६१००
४१	वेक टायल स्क्वायर	१०" X १०"	प्रति गोटा	४०१००	४०१००	४२१००	४३१००
४२	खान्सी काठमा लम्बाउने		प्रति ताउ	२०१००	२०१००	२११००	२२१००
४३	खान्सी फलाममा लम्बाउने		प्रति ताउ	२०१००	२०१००	२११००	२२१००
४४	खर		प्रति भारी	२७०१००	२७०१००	२८३१५०	३००१००
४५	गोबर		प्रति घ.मि.	६९०१००	६९०१००	६४०१५०	६५०१००
४६	धुस		प्रति के.जी	५१००	५१००	५१२५	६१००
४७	गट बोल्ड	८ मि.मि. १० मी.मी. र १५ मी.मी.	प्रति के.जी	२९०१००	२९०१००	२२०१५०	२२९१००
४८	डिस्कली	३" (साधारण)	प्रति पान	३५१००	३५१००	३६१७५	३७१००
		३" (आलमुनिषम)	"	५०१००	५०१००	५२१५०	५३१००
		४" (साधारण)	"	४०१००	४०१००	४२१००	४३१००
		४" (आलमुनिषम)	"	६५१००	६५१००	६८१२५	७०१००
		६" (साधारण)	प्रति पान	५५१००	५५१००	५७१७५	६०१००
		६" (आलमुनिषम)	प्रति पान	८५१००	८५१००	८९१२५	९०१००
		१२" (साधारण)	"	९०१००	९०१००	९४१५०	९००१००
		१२" (आलमुनिषम)	"	११०१००	११०१००	११५१५०	१२०१००
४९	कच्चा	३"	प्रति पान	३०१००	३०१००	३११५०	३३१००
		४"	"	४०१००	४०१००	४२१००	४३१००
		५"	"	५०१००	५०१००	५२१५०	५३१००
५०	स्प्राइड (आलमुनिषम)	६"	"	६५१००	६५१००	६८१२५	६९१००
		८"	"	८५१००	८५१००	८९१२५	९०१००
५१	लॉकड गेट (२५० मी.मी.)	सिटल	"	२७५१००	२७५१००	२८८१७५	२९०१००
		आलमुनिषम	"	३६०१००	३६०१००	३७८१००	३८०१००
५२	डोर स्टीड	साधारण	"	२९०१००	२९०१००	२२०१५०	२२५१००
५३	भाषात अड्याउने आई- हुक	९" जि.आई- कलामे साधारण	प्रति पान	२५१००	२५१००	२६१२५	२७१००
		८" आलमुनिषम	"	४०१००	४०१००	४२१००	४४१००
५४	होलफास्ट (प्रति के.जी ७ पान)	९"	"	२५१००	२५१००	२६१२५	२८१००
५५	कार्बन पाईप सुपिनिरी कच्चा पाता ३ मि.मि	३ मि.मि	प्रति वर्ग फिट	१६०१००	१६०१००	१६८१००	१७०१००
५६	पाउडर कोर्टिङ फिक्सर		प्रति पान	१०१००	१०१००	१०१५०	१११००
५७	सेल्फ टेपिङ स्क्व ३"		प्रति पान	८१५०	८१५०	८१९३	९१००
५८	सेल्फ टेपिङ स्क्व २ ५"		प्रति पान	७००	७००	७३५	८१००
५९	सेल्फ टेपिङ स्क्व २"		प्रति पान	५१५०	५१५०	५१७८	६१००
६०	सेल्फ टेपिङ स्क्व १ ५"		प्रति पान	५१००	५१००	५१२५	६१००
६१	सेल्फ टेपिङ स्क्व १"		प्रति पान	४१००	४१००	४१२०	४१५०
६२	सुपिनिरी रिज कभर (४'६" X २")		प्रति पान	१४५०१००	१४५०१००	१५२२१५०	१५५०१००
६३	अलकचा						
	अलकचा (८०-१००)		प्रति मी.ट.	८२०००१००	८२०००१००	८६९००१००	९००००१००
	CRMB- DIGO 55		प्रति मी.ट.	८५०००१००	८५०००१००	८९२५०१००	९२०००१००
	अलकचा (VG10)		प्रति मी.ट.				
	अलकचा (VG120)		प्रति मी.ट.				
	अलकचा (VG130)		प्रति मी.ट.				
६४	पारकोर्टिङ		प्रति व.मि.	१३५१००	१३५१००	१४९१७५	१४५१००
६५	रबर सिन						
	३ ईन्च		प्रति र.मि.	४५०१००	४५०१००	४७२१५०	४७५१००

नेपाल बिटुमीन तथा ब्यारेल उद्योगको दर बमोजिम हुनेछ

क्र.सं.	विवरण	किसिम/मात्रा	स्वीकृत दररेट आ न २०७६/७७	स्वीकृत दररेट आ न २०७७/७८	स्वीकृत दररेट आ न २०७८/७९	स्वीकृत दररेट आ न २०७९/८०
			भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
	६ इन्च	प्रति र मि	६००।००	६००।००	६३०।००	६३५।००
	९ इन्च	प्रति र मि	९००।००	९००।००	९४५।००	९५५।००
६६	Anti Stripping Agent (कालो पत्रे सडकमा प्रयोग हुने)	प्रति के जी	३२०।००	३२०।००	३३६।००	३५०।००
६७	Thermoplastic Road marking					
	BS Grade	प्रति के जी	१७०।००	१७०।००	१७८।५०	१८०।००
	MOST Grade	प्रति के जी	१८८।००	१८८।००	१९७।४०	२००।००
	Glass Beads	प्रति के जी	१५४।००	१५४।००	१६१।७०	१६५।००
	टार फेल्ड	प्रति ब मी	१५०।००	१५०।००	१५७।५०	१६०।००
	बेन्टीनाइट	प्रति के जी	३०।००	३०।००	३१।५०	३२।००
६८	Heavy coated machine made gabion boxes (mesh wire- 3mm,Selvedge wire-3.9 mm,Lacing wire-2.4 mm & mesh size(10*12)cm hexagonal mesh size					
	(1.5*1*.5) m	प्रति बक्स	१४१६।००	१४१६।००	१४८६।८०	१५५०।००
	(2*1*.5)m	प्रति बक्स	१९२६।००	१९२६।००	२०२२।३०	२१००।००
	(3*1*.5)m	प्रति बक्स	२७४९।००	२७४९।००	२८८६।४५	३०००।००
	(4*1*.5)m	प्रति बक्स	३४७०।००	३४७०।००	३६४३।५०	३८००।००
	(1.5*1*1)m	प्रति बक्स	२०५८।००	२०५८।००	२१६०।९०	२२५०।००
	(2*1*1)m	प्रति बक्स	२७३५।००	२७३५।००	२८७१।७५	३०००।००
	(3*1*1)m	प्रति बक्स	३८८१।००	३८८१।००	४०७५।०५	४२००।००
	(4*1*1)m	प्रति बक्स	४९९८।००	४९९८।००	५२४७।९०	५४००।००
	Meccaferri jumbo Gabion					
	(3*1.5*.5)m	प्रति बक्स	४०३८।००	४०३८।००	४२३९।९०	४४००।००
	(4*1.5*.50)m	प्रति बक्स	५१११।००	५१११।००	५३६६।५५	५५००।००
	(5*1.5*.5)m	प्रति बक्स	६३३६।००	६३३६।००	६६५२।८०	७०००।००
	(6*1.5*.50)m	प्रति बक्स	७५७६।००	७५७६।००	७९५४।८०	८३००।००
	(3*1.5*1)m	प्रति बक्स	५६८६।००	५६८६।००	५९७०।३०	६२००।००
	(4*1.5*1)m	प्रति बक्स	७१६७।००	७१६७।००	७५२५।३५	७८००।००
	(5*1.5*1)m	प्रति बक्स	८८६१।००	८८६१।००	९३०४।०५	९७००।००
	(6*1.5*1)m	प्रति बक्स	१०५३९।००	१०५३९।००	११०६५।९५	११५००।००
	(3*2*.50)m	प्रति बक्स	५१११।००	५१११।००	५३६६।५५	५६००।००
	(4*2*.50)m	प्रति बक्स	६४५७।००	६४५७।००	६७७१।८५	७१००।००
	(5*2*.50)m	प्रति बक्स	८०१४।००	८०१४।००	८४१४।७०	८८००।००
	(6*2*.50)m	प्रति बक्स	९५७१।००	९५७१।००	१००४९।५५	१०२००।००
	(3*2*1)m	प्रति बक्स	७०३१।००	७०३१।००	७३८२।५५	७५००।००
	(4*2*1)m	प्रति बक्स	८८४६।००	८८४६।००	९२८८।३०	९४००।००
	(5*2*1)m	प्रति बक्स	१०९३२।००	१०९३२।००	११४७८।६०	११७००।००
	(6*2*1)m	प्रति बक्स	१३००४।००	१३००४।००	१३६५४।२०	१४०००।००
६९	Wiremesh netting Heavy coated	प्रति ब मि	२६५।००	२६५।००	२७८।२५	२९२।००
७०	स्टिल रोलिंग हेमी	प्रति र फिट	१०९०।००	१०९०।००	११४४।५०	१२००।००
७१	स्टिल रोलिंग कार्डेट	प्रति र फिट	९९०।००	९९०।००	१०३९।५०	१०५०।००
७२	स्टिल रोलिंग डिजार्डन ब्याबला	प्रति र फिट	१६४०।००	१६४०।००	१७२२।००	१८००।००
७३	UPVC Door and Windows			काठमाण्डौको स्विक्ल दररेटमा हुनेको नोटि कायम हुने	काठमाण्डौको स्विक्ल दररेटमा हुनेको नोटि कायम हुने	काठमाण्डौको स्विक्ल दररेटमा हुनेको नोटि कायम हुने
७४	PVC Items			काठमाण्डौको स्विक्ल दररेटमा हुनेको नोटि कायम हुने	काठमाण्डौको स्विक्ल दररेटमा हुनेको नोटि कायम हुने	काठमाण्डौको स्विक्ल दररेटमा हुनेको नोटि कायम हुने
	खातेपानी तर्फ					
१	एन एस ४० अनुसारको थिम्बल कार्डेटको पोलिथिन कार्डेट	प्रति के जि	२८०।००	२८०।००	२९४।००	३०५।००
२	एच डि पी कार्डेट स्टोरेज टैंक	प्रति लिटर	१३।५०	१३।५०	१४।१८	१५।००
	प्रति लिटर		६५०।००	६५०।००	६८२।५०	६८५।००

6

क्र.सं.	विवरण	किसिम	स्वीकृत दररेट आ व २०७६/७७	स्वीकृत दररेट आ व २०७७/७८	स्वीकृत दररेट आ व २०७८/७९	स्वीकृत दररेट आ व २०७९/८०
			भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
४	टि वेण्ड (सि. आइ.)	४"	४७५/००	४७५/००	४९८/०५	५००/००
५	टि वेण्ड (सि. आइ.)	४"	३५०/००	३५०/००	३६५/००	३७०/००
६	एस डब्लू पाइप २ फिट लांबी	४"	२२५/००	२२५/००	२३६/२५	२४०/००
७	एस डब्लू टि वेण्ड	४"	१८५/००	१८५/००	१९४/२५	२००/००
८	सि आइ फाउल	४"	२४०/००	२४०/००	२५२/००	२५५/००
९	निहाल टयाम	४"X २.५"	१८०/००	१८०/००	१८९/००	१९०/००
१०	जि. आई Fittings		बाहेको विवरण दररेटमा दुवानी जोडि कायम हुने	बाहेको विवरण दररेटमा दुवानी जोडि कायम हुने	बाहेको विवरण दररेटमा दुवानी जोडि कायम हुने	बाहेको विवरण दररेटमा दुवानी जोडि कायम हुने
११	जि. आई पाइप (विभिन्न क्लास)					
१२	जि. आई पाइप स्ट्रिट क्लास (एन.एस. १९९१)					
	15 mm diameter	प्रति मिटर	१३१/६७	१३१/६७	१३८/२५	१४०/००
	20 mm diameter	प्रति मिटर	१७९/०३	१७९/०३	१८५/९८	१९०/००
	25 mm diameter	प्रति मिटर	२५०/६४	२५०/६४	२६३/१७	२६५/००
	32 mm diameter	प्रति मिटर	३२२/२५	३२२/२५	३३८/३६	३४०/००
	40 mm diameter	प्रति मिटर	४००/७९	४००/७९	४२०/८२	४२५/००
	50 mm diameter	प्रति मिटर	५०४/७४	५०४/७४	५२९/९७	५३०/००
	65 mm diameter	प्रति मिटर	६९८/७८	६९८/७८	७३३/७९	७३५/००
	80 mm diameter	प्रति मिटर	८२२/३६	८२२/३६	८६३/४८	८६५/००
	100 mm diameter	प्रति मिटर	११८२/७२	११८२/७२	१२४१/८६	१२४५/००
	125 mm diameter	प्रति मिटर	१८०४/११	१८०४/११	१८९४/३२	१९००/००
	150 mm diameter	प्रति मिटर	२१४२/३३	२१४२/३३	२२४९/६५	२२५५/००
१३	जि. आई पाइप मिडियम क्लास (एन.एस. १९९१)					
	15 mm diameter	प्रति मिटर	१५४/७७	१५४/७७	१६२/११	१६५/००
	20 mm diameter	प्रति मिटर	१९६/३५	१९६/३५	२०६/१७	२१०/००
	25 mm diameter	प्रति मिटर	२९९/१५	२९९/१५	३१४/१०	३१६/००
	32 mm diameter	प्रति मिटर	३८९/२४	३८९/२४	४०८/३०	४१०/००
	40 mm diameter	प्रति मिटर	४४६/९९	४४६/९९	४६९/३३	४७०/००
	50 mm diameter	प्रति मिटर	६१४/४६	६१४/४६	६४५/१८	६५०/००
	65 mm diameter	प्रति मिटर	७८४/२५	७८४/२५	८२३/४६	८२५/००
	80 mm diameter	प्रति मिटर	९७५/९८	९७५/९८	१०२४/७७	१०२५/००
	100 mm diameter	प्रति मिटर	१४६१/०८	१४६१/०८	१५३४/१३	१५३५/००
	125 mm diameter	प्रति मिटर	१९९०/३७	१९९०/३७	२०७५/८९	२०९०/००
	150 mm diameter	प्रति मिटर	२३९०/००	२३९०/००	२४२५/५०	२४५०/००
	200 mm diameter	प्रति मिटर	३५३४/३०	३५३४/३०	३७११/०२	३७२०/००
१४	जि. आई पाइप हेभी क्लास (एन.एस. १९९१)					
	15 mm diameter	प्रति मिटर	१८४/८०	१८४/८०	१९४/०४	१९५/००
	20 mm diameter	प्रति मिटर	२३९/००	२३९/००	२४२/५५	२४५/००
	25 mm diameter	प्रति मिटर	३४९/९७	३४९/९७	३६५/४६	३७०/००
	32 mm diameter	प्रति मिटर	४०७/४०	४०७/४०	४२७/७७	४३०/००
	40 mm diameter	प्रति मिटर	५१६/२९	५१६/२९	५४२/१०	५४५/००
	50 mm diameter	प्रति मिटर	७५८/८४	७५८/८४	७९६/७८	८००/००
	65 mm diameter	प्रति मिटर	८६३/१०	८६३/१०	९०६/२६	९१०/००
	80 mm diameter	प्रति मिटर	१११८/०४	१११८/०४	११७३/९४	११७५/००
	100 mm diameter	प्रति मिटर	१६९२/०८	१६९२/०८	१७७६/६८	१७८०/००
	125 mm diameter	प्रति मिटर	२१७५/१८	२१७५/१८	२२८६/०३	२२९०/००
	150 mm diameter	प्रति मिटर	२४६३/६२	२४६३/६२	२५८६/८०	२५९०/००
	200 mm diameter Mild Steel pipe	प्रति मिटर	३९२७/००	३९२७/००	४१२३/३५	४१२५/००
१५	पि.मि.सी. पाइप (एन.एस. २०६, ४ के.जि. से.सी.)	४"	४३५/००	४३५/००	४५६/७५	४६०/००
१६	पि.मि.सी. पाइप कनेक्टर	" "	२०८/००	२०८/००	२१८/४०	२२०/००
१७	विथोटेसटाईन					०/००
	Ts 30	प्रति बर्ग मि	१९०/००	१९०/००	१९९/१०	२००/००

क्र.सं.	विवरण	फिशिंग	स्वीकृत बररेट वा न २०७६/७७ भ्याट बाहेक	स्वीकृत बररेट वा न २०७७/७८ भ्याट बाहेक	स्वीकृत बररेट वा न २०७८/७९ भ्याट बाहेक	स्वीकृत बररेट वा न २०७९/८० भ्याट बाहेक
	जियो टेक्सटाइल TS-50	प्रति च.मी.	२८०/१००	२८०/१००	२९४/१००	२९५/१००
	जियो टेक्सटाइल TS-60	प्रति च.मी.	३२५/१००	३२५/१००	३४१/१२५	३४५/१००
	जियो टेक्सटाइल 100gm	प्रति च.मी.	१२५/१००	१२५/१००	१३१/१२५	१३५/१००
	जियो टेक्सटाइल 150gm	प्रति च.मी.	१४०/१००	१४०/१००	१४७/१००	१५०/१००
१८	खाली सिमेंट बोरा					०/००
	नया खाली बोरा	प्रति बोरा	३०/००	३०/००	३१/१५०	३२/००
	पुरानी खाली बोरा	प्रति बोरा	२०/००	२०/००	२१/००	२२/००
१९	नायलन डोरी	प्रति के.जी.	२५/०/००	२५/०/००	२६२/५०	२६५/१००
२०	DWC (Double Wall Corrugated) पाइप					०/००
	300 mm dia.	प्रति मिटर	२९६/०/००	२९६/०/००	२९६/०/००	२९७/०/००
	400 mm dia.	प्रति मिटर	४०७/०/००	४०७/०/००	४२७/३५०	४२८/०/००
	500 mm dia.	प्रति मिटर	४८६/०/००	४८६/०/००	५१०/३००	५१०/५१०
	600 mm dia.	प्रति मिटर	८३७/०/००	८३७/०/००	८७८/८५०	८७९/०/००
	800 mm dia.	प्रति मिटर	११०७/५१०	११०७/५१०	११६२/८५०	११७०/०/००
	1000 mm dia.	प्रति मिटर	२०९०/०/००	२०९०/०/००	२१९४/५१०	२२००/०/००
रंगरोपण तर्फे :						०/००
१	सिमेन्ट पेण्ट (स्लोसेम)	प्रति के.जी.	८५/१००	८५/१००	८९/१२५	९०/००
२	तयारी इनामेल पेण्ट	प्रति लिटर	६६५/१००	६६५/१००	६९८/१२५	७००/००
३	उच्च प्राइमर	प्रति लिटर	४५/०/००	४५/०/००	४७२/५०	५००/००
४	आमुनीयम पेण्ट	प्रति लिटर	७००/०/००	७००/०/००	७३५/१००	७४०/०/००
५	वार्निश	"	५००/०/००	५००/०/००	५२५/१००	५३०/०/००
६	ब्लि. वि. लिन्सीड आयल	"	१२५/१००	१२५/१००	१३१/१२५	१३५/१००
७	तारोपन तेल (फिण्टर)	प्रति लिटर	२२५/१००	२२५/१००	२३६/१२५	२४०/०/००
८	अलकसा पेन्ट	प्रति लिटर	१८५/१००	१८५/१००	१९४/१२५	२००/०/००
९	मेटल प्राइमर	प्रति लिटर	४२/०/००	४२/०/००	४४/१००	४४/५१०
१०	फ्लोस्टिक ईमलसेन पेन्ट	प्रति लिटर	१००/०/००	१००/०/००	१०५/०/००	११०/०/००
११	वेटर पाइ (Water proof paint)	प्रति के.जी.	१०५/०/००	१०५/०/००	११०/१५०	११०/५१०
१२	Water proof primer	प्रति के.जी.	४०/०/००	४०/०/००	४२/०/००	४३/०/००
१३	Distemper primer	प्रति के.जी.	२५/०/००	२५/०/००	२६/१५०	२६/५१०
१४	Distemper washable paint	प्रति के.जी.	२८५/१००	२८५/१००	२९९/१२५	३००/०/००
१५	बाल पुटिंग	प्रति के.जी.	७०/०/००	७०/०/००	७३/५०	७४/०/००
१६	सिटर	"	२१/०/००	२१/०/००	२२/०/५०	२२/५१०
१८	रेड अक्साइड पेण्ट (Metal Primer)	"	४२५/१००	४२५/१००	४४६/१२५	४८५/१००
१९	सरेण	प्रति के.जी.	१२५/१००	१२५/१००	१३१/१२५	१३२/०/००
२०	चप्पा	प्रति के.जी.	२००/०/००	२००/०/००	२१०/०/००	२१५/०/००
२१	ग्रेट रंग	"	३५/१००	३५/१००	३६/७५	३७/००
२२	चुना	"	३०/००	३०/००	३१/५०	३२/००
२३	गम चुनामा लगाउने	"	२०/०/००	२०/०/००	२१/०/००	२२/०/००
२४	मैन पोलिश (Wax polish)	"	४५/०/००	४५/०/००	४७/१५०	४८/५१०
२५	केचिकोन (Adhesive)	"	२०/०/००	२०/०/००	२१/०/००	२२/०/००
२६	एम-बिल	१० ग्राम	६०/००	६०/००	६३/००	६५/१००
२७	पेन्टिङ बाल	१"	६५/१००	६५/१००	६८/१२५	७०/०/००
		२"	१४०/१००	१४०/१००	१४७/१००	१५०/१००
		३"	२१५/१००	२१५/१००	२२५/१५०	२३०/१००
		४"	२५०/१००	२५०/१००	२६२/१५०	२६५/१००
निष्पत्त तर्फे :						
१	निष्पत्त सम्बन्धि निर्माण सामग्रीहरु			बाकेको निष्पत्त बररेटमा दुवानी जोडि कायम हुने	बाकेको निष्पत्त बररेटमा दुवानी जोडि कायम हुने	बाकेको निष्पत्त बररेटमा दुवानी जोडि कायम हुने
२	वायर्सिड चार्ज	प्रति प्याकेट	७०/००	७०/००	७३/५०	७५/१००
बीजारहरु :						
१	कारी (हजारी)	१० मिटर	३५/०/००	३५/०/००	३६/५५०	३७/०/००
		५ मिटर	२५/०/००	२५/०/००	२६/१५०	२७/०/००
२	कलामे गाल	१.५" x ५ फिट लम्बाई	१९५/०/००	१९५/०/००	२०४/५५०	२०५/०/००

क्र.सं.	विवरण	किसिम	एकक	स्वीकृत दररेट आ	स्वीकृत दररेट आ	स्वीकृत दररेट आ	स्वीकृत दररेट आ
				न २०७६/७७	न २०७७/७८	न २०७८/७९	न २०७९/८०
				भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
३	कैपी	रुखको हागा काटने	"	६८०।००	६८०।००	७१४।००	७१४।००
४	करीली फेम समेत	"	"	३००।००	३००।००	३१५।००	३२०।००
५	करीली ब्लेड	प्रति पिस	"	२५।००	२५।००	२६।२५	२७।००
६	कुटी	राखी	प्रति धान	२४०।००	२४०।००	२४२।००	२४५।००
७	फन्सा टाटा	राखी	"	५४०।००	५४०।००	५६७।००	५७०।००
८	कोषाली	राखी	"	४५०।००	४५०।००	४७२।५०	४७५।००
९	बेल्ला टाटा	राखी	"	६१०।००	६१०।००	६४०।५०	६४५।००
१०	गैरी १" x ४"	राखी	"	५००।००	५००।००	५२५।००	५३०।००
११	घन	१० पाउण्ड	"	१३००।००	१३००।००	१३६५।००	१३७०।००
१२	घन	३ के जी	"	७२५।००	७२५।००	७६१।२५	७६५।००
१३	घन दुहा कुदने	१ के जी	"	३२५।००	३२५।००	३४१।२५	३४०।००
१४	तल्ला	राखी	"	२५०।००	२५०।००	२६२।५०	२७०।००
१५	कनी	राखी	"	१३५।००	१३५।००	१४१।७५	१४५।००
१६	तार बुश	राखी	"	७०।००	७०।००	७३।५०	७५।००
१७	५०० गेजको पोसिपिन सिट	२.मी.	"	८५।००	८५।००	८९।२५	९०।००
१८	सावन छन्नी खानी	गोटा	"	४२५।००	४२५।००	४४६।२५	४५०।००
१९	सलाईन रेन्वी १२ इन्च	१" x २"	गोटा	६८०।००	६८०।००	७१४।००	७२०।००
२०	ओपन रेन्वी २४" x २७ इन्च	"	गोटा	४८०।००	४८०।००	५०४।००	५१०।००
२१	गोला रेन्वी १८" x १९ इन्च	"	गोटा	४९०।००	४९०।००	४३०।५०	४३५।००
२२	गोला रेन्वी ३०" x ३२ इन्च	"	गोटा	४००।००	४००।००	४२०।००	४२५।००
२३	गोला रेन्वी २४" x २७ इन्च	"	गोटा	५००।००	५००।००	५२५।००	५३०।००
२४	पाईप रेन्वी १८ इन्च	"	गोटा	११५०।००	११५०।००	१२०७।५०	१२१०।००
२५	प्लास्टिक वान्टिन २० लिटर	"	गोटा	५००।००	५००।००	५२५।००	५३०।००
२६	टुल बक्स	"	गोटा	२५००।००	२५००।००	२६२५।००	२६३०।००
२७	३/४ इन्च सरपेन्डर बाई	"	गोटा	४५०।००	४५०।००	४७२।५०	४७५।००
२८	छिन्ना सामो २"	"	गोटा	५००।००	५००।००	५२५।००	५३०।००
२९	दुहा फोडने छिन्ना	"	गोटा	४००।००	४००।००	४२०।००	४२५।००
३०	बटाम ८ इन्च	"	गोटा	२००।००	२००।००	२१०।००	२१५।००
३१	घन्टी (Plum bob)	"	गोटा	२००।००	२००।००	२१०।००	२१५।००
३२	नाफो फिला ५ मी	५ मी	गोटा	१५०।००	१५०।००	१५७।५०	१६०।००
३३	बालुवा घालने जाली	"	प्रति मी	२९०।००	२९०।००	३०४।५०	३०५।००
३४	लेवन पाइप	"	प्रति मी	४०।००	४०।००	४२।००	४५।००
३५	छापी	"	प्रति रोल	३५।००	३५।००	३६।७५	४०।००
दुबानीतर्फ :							
१	भरिया मानिसद्वारा दुबानी	४० के.जी. १२ कि.मी प्रति दिन पोस्ने	प्रति व्यक्ति प्रति दिन	५६५।००	५६५।००	५९३।२५	६००।००
२	भरिया मानिसद्वारा दुबानी *	सजिलो सामानहरू	प्रति के.जी प्रति कोष	२।९०	२।९०	३।०५	३।२०
		जसजिलो सामानहरू	"	३।३०	३।३०	३।४७	३।५०
३	सामग्री लोड अनलोड गर्दा	"	प्रति क्वीन्टल				
	५० के.जी. श्रमको सजिलो सामान	"	"	२२।००	२२।००	२३।१०	२३।२०
	५० के.जी. भन्दा माथिको जसजिलो सामान	"	"	३७।००	३७।००	३८।८५	३९।००
	उपत्यकाभित्र बजारदेखि निर्माणस्थलसम्म निर्माण सामग्री दुबानी	"	प्रति क्वीन्टल	३७।००	३७।००	३८।८५	३९।००
४	शामेल सडकका लागि	सजिलो सामानहरू	प्रति कि.मी प्रति क्वी	३।५०	३।५०	३।६८	४।००
		जसजिलो सामानहरू	"	३।७०	३।७०	३।८९	४।३०
५	माटो सडकका लागि	सजिलो सामानहरू	"	४।५०	४।५०	४।७३	४।२०
		जसजिलो सामानहरू	"	४।७०	४।७०	४।९४	५।२०
६	पिच सडकका लागि	सजिलो सामानहरू	"	३।१०	३।१०	३।२६	३।६०
		जसजिलो सामानहरू	"	३।४०	३।४०	३।५७	३।९०
७	ट्रक भाडा (१० टन क्षमता)	उपत्यकाभित्र मात्र	प्रति टिप	३५००।००	३५००।००	३६७५।००	३७००।००

क्र.सं.	विवरण	किसिम	एकाई	स्वीकृत दररेट आ व २०७५/७६	स्वीकृत दररेट आ व २०७७/७८	स्वीकृत दररेट आ व २०७८/७९	स्वीकृत दररेट आ व २०७९/८०
				भ्याट माहेक	भ्याट माहेक	भ्याट माहेक	भ्याट माहेक
८	विद्युत पोत टुक्राट बुघानी	जिला प्रशासन अति असाजिलो	प्रति पोत	पोत जिल्लाको दररेट भाई बाजार भागी दररेट कायम गर्ने	पोत जिल्लाको दररेट भाई बाजार भागी दररेट कायम गर्ने	पोत जिल्लाको दररेट भाई बाजार भागी दररेट कायम गर्ने	पोत जिल्लाको दररेट भाई बाजार भागी दररेट कायम गर्ने
९	१० टन क्षमता भएको नयाँ टुक्राको मूल्य (दर-विवरण प्रयोजनको लागि)		प्रति गोटा	३७०००००/००	३७०००००/००	३८८५०००/००	४००००००/००
१०	टुक्राट बुघानी गराउने		प्रति टुक्रा आकार	दररेट विवरण अनुसार	दररेट विवरण अनुसार	दररेट विवरण अनुसार	दररेट विवरण अनुसार
११	विभिन्न यान्त्रिक योजन उपकरणहरूका भाडा दररेट (दैनिकी माहेक)			मिति २०६५/१०५/२३ को मन्त्रीस्तरीय निर्णय अनुसार सडक विभाग अर्न्तगतका निकायमा रहेका विभिन्न प्रकारका यान्त्रिक उपकरणहरूको भाडा दररेट (तालीका संलग्न छ)			
खाप व्यवस्था तथा व्यापार कम्पनी लि. प्रयोजनको लागि :							
१	गोलाई		प्रति स्क्विन्टल	६१००	६१००	६१३०	६१३०
२	चौलाई		"	६१००	६१००	६१३०	६१३०
३	क्यामिगेयन		प्रति लट	४४५१००	४४५१००	४६५२५	४६५२५
४	चौरा चिलाई		प्रति चौरा	४१५०	४१५०	४१७३	४१७३
५	सं		प्रति लट	२६५१००	२६५१००	२७८२५	२७८२५
६	छल्ली सारी पलटो गर्ने तीलने,सिलाउन एकमुसट		प्रति स्क्विन्टल	४५१००	४५१००	४५२५	४५२५
७	छल्ली सारी पलटो गर्ने तीलने,सिलाउन ताप छल्ली काटी एकमुसट		प्रति स्क्विन्टल	५३१००	५३१००	५५६५	५५६५
८	मुपध मुन्य पसलमा गोदाम देखी बुघानी (सोड जल्लीड समेत)		प्रति स्क्विन्टल	५०१००	५०१००	५२५०	५२५०
बल / पु-संरक्षणतर्फ :							
१	मेपियर सेट खरिद		सेट	१.२५	१.२५	१.३१	२.५०
२	जम्को राइजम		गोटा	६१००	६१००	६१३०	७०००
३	बाल राइजम कटिड		"	२२५१००	२२५१००	२३६२५	२५०१००
४	दबदब कटिड (५०" लामो, ७ " गोलाई)		"	१११००	१११००	११५५	११५५
५	काको (५०" लामो, ७ " गोलाई)		"	१०१००	१०१००	१०५०	१०५०
६	स्टाइली बास बीज		के जी	५००१००	५००१००	५२५१००	५५०१००
७	निगालो राइजम		गोटा	५१००	५१००	५२५	६१००
८	कास		प्रति स्लिप	०.२५	०.२५	०.२६	०.५०
घाँस तर्फ :							
१	खर		प्रति स्लिप	०.२५	०.२५	०.२५	०.५०
२	बाधियो		प्रति स्लिप	०.२५	०.२५	०.२६	०.५०
३	असुरो कटिड (५०" लामो, ७ " गोलाई)		प्रति गोटा	३.२५	३.२५	३.४१	४.००
४	बैस कटिड (५०" लामो, ७ " गोलाई)		प्रति गोटा	१०१००	१०१००	१०५०	१०५०
५	काडेकुल कटिड (५०" लामो, ७ " गोलाई)		प्रति गोटा	१०१००	१०१००	१०५०	१०५०
६	सिमलि कटिड (५०" लामो, ७ " गोलाई)		प्रति गोटा	१०१००	१०१००	१०५०	१०५०
७	बेसरम कटिड (असुरो)		प्रति स्लिप	१००	१००	१०५	१५०
८	खिर्रो कटिड (५०" लामो, ७ " गोलाई)		प्रति गोटा	१०१००	१०१००	१०५०	१०५०
९	निमारो कटिड (५०" लामो, ७ " गोलाई)		प्रति गोटा	१०१००	१०१००	१०५०	१०५०
१०	बाटरी कटिड		प्रति गोटा	१०१००	१०१००	१०५०	१०५०
११	निलकाडा कटिड २५" लामो, ७ " गोलाई		प्रति गोटा	३००	३००	३१५	३१५
१२	नेमन घाँस स्लिप		प्रति स्लिप	२००	२००	२१०	२१०
१३	सिटोवेला स्लिप		प्रति स्लिप	२००	२००	२१०	२१०

क्र.सं.	विवरण	विनिर्देश	एकक	स्वीकृत दररेट वा	स्वीकृत दररेट वा	स्वीकृत दररेट वा	स्वीकृत दररेट वा
				व २०७६/७७	व २०७७/७८	व २०७८/७९	व २०७९/८०
				भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
१४	जाक कटिड : २५" लांबी, ७" गोलाई		प्रति गोटा	३१००	३१००	३१५५	३१५५
१५	किचन कटिड : २५" लांबी, ७" गोलाई		प्रति गोटा	१०१००	१०१००	१०१५०	१०१५०
१६	सजिवन कटिड : २५" लांबी, ७" गोलाई		प्रति गोटा	५१००	५१००	५१२५	५१२५
१७	मासाला पासपालम बरामे		प्रति सेट	११२५	११२५	११३९	११३९
१८	मेन्डोला विड		प्रति के वि				१०००१००
	६ इन्च अगळी चिठ्ठा खरिद (पोलिशिंग सहित)						
१	अनामिन्टन (अशोक, धुपी, गोल्डमोहोर आदि)		प्रति गोटा	४५१००	४५१००	४५२५	४५१००
२	अनामिन्टन (अशोक, धुपी, गोल्डमोहोर आदि)	४५७ इन्चकी चढवणे	प्रति गोटा				१००१००
३	अनामिन्टन बाहेक अन्य जातका		प्रति गोटा	९१००	९१००	९१४५	९१००
४	सुगन्ध कोकिला		प्रति गोटा	१०१००	१०१००	१०१५०	१०१००
५	मिठा		प्रति गोटा	९१००	९१००	९१४५	९१००
६	निम		प्रति गोटा	९१००	९१००	९१४५	९१००
७	बडहर		प्रति गोटा	१०१००	१०१००	१०१००	१०१००
८	बकाइनो		प्रति गोटा	५१००	५१००	१०१००	१०१००
९	कोइरावी		प्रति गोटा	६१००	६१००	६१३०	७००
१०	कपूर		प्रति गोटा	१५१००	१५१००	१५१५५	१६१००
११	मलता		प्रति गोटा	९१००	९१००	९१४५	१०१००
१२	अमला साईविड		प्रति गोटा	२५१००	२५१००	२६१२५	२६१००
१३	लेजपात		प्रति गोटा	१०१००	१०१००	१०१५०	१०१००
१४	हरी		प्रति गोटा	८१००	८१००	८१४०	९१००
१५	वरी		प्रति गोटा	५१००	५१००	५१२५	५१५०
१६	सिली		प्रति गोटा	९१००	९१००	९१४५	१०१००
१७	जामुन		प्रति गोटा	९१००	९१००	९१४५	१०१००
१८	पिपल कटिड		प्रति गोटा	८१००	८१००	८१४०	९१००
१९	तहरे पिपल कटिड		प्रति गोटा	६१००	६१००	६१३०	७००
२०	टिमुर		प्रति गोटा	३०१००	३०१००	३०१५०	
२०.१	टिमुर	३x७ इन्चकी १ बॉ	प्रति गोटा				३२.००
२०.२	टिमुर	३x७ इन्चकी २ बॉ	प्रति गोटा				४५.००
२०.३	टिमुर	३x७ इन्चकी ३ बॉ	प्रति गोटा				६०.००
२०.४	टिमुर	४x७ इन्चकी १ बॉ	प्रति गोटा				४०.००
२०.५	टिमुर	४x७ इन्चकी २ बॉ	प्रति गोटा				५०.००
२०.६	टिमुर	४x७ इन्चकी ३ बॉ	प्रति गोटा				६५.००
२१	बेल लोकल		प्रति गोटा	८१००	८१००	८१४०	९१००
२२	खैर		प्रति गोटा	९१००	९१००	९१४५	१०१००
२३	काळे चिठ्ठा पोलीशिंग		प्रति गोटा	८१००	८१००	८१४०	९१००
२४	अमला लोकल		प्रति गोटा	९१००	९१००	९१४५	१०१००
२५	मोतासेस		प्रति सेट	०१५०	०१५०	०१५३	०१५५
२६	पिनट गड		प्रति सेट	११००	११००	११०५	११०
२७	रुदात		प्रति गोटा	२००१००	२००१००	२००१००	२०११००
२८	सिरिखण्ड		प्रति गोटा	२५१००	२५१००	२६१२५	२७००
२९	भिमल		प्रति गोटा	८१००	८१००	८१४०	९१००
३०	साकरी		प्रति गोटा	९१००	९१००	९१४५	१०१००
३१	लप्ली		प्रति गोटा	९१००	९१००	९१४५	१०१००
३२	बेत		प्रति गोटा	१११००	१११००	१११५५	१२१००
३३	सिरिस		प्रति गोटा	९१००	९१००	९१४५	१०१००
३४	कुरिलो लोकल		प्रति गोटा	९१००	९१००	९१४५	१०१००
३५	कुरिलो गाहो जरा		प्रति गोटा	९१००	९१००	९१४५	१०१००
३६	सर्प घमटा		प्रति गोटा	५१००	५१००	५१२५	५१५०
३७	रक्त चन्दन		प्रति गोटा	२००१००	२००१००	२००१००	२०११००
३८	दाते ओखर		प्रति गोटा	२५१००	२५१००	२६१२५	२७००
३९	सल्ली		प्रति गोटा	९१००	९१००	९१४५	१०१००
४०	उत्तम		प्रति गोटा	९१००	९१००	९१४५	१०१००
४१	अशोक		प्रति गोटा	७५१००	७५१००	७५१५५	८०१००

क्र.सं.	विवरण	एकाई	स्वीकृत दररेट आ न २०७६/७७	स्वीकृत दररेट आ न २०७७/७८	स्वीकृत दररेट आ न २०७८/७९	स्वीकृत दररेट आ न २०७९/८०
			भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
४२	मिडलेस किंग प्रॉति	प्रॉति गोटा			१०१००	१०१५०
४२	काप्रे	प्रॉति गोटा			२०१००	२११००
४३	सुपर लेथियर	प्रॉति गोटा			१०१००	६१००
४३	भटमासे प्रॉतिगोट	प्रॉति गोटा			११००	११०५
४४	मेनुला	प्रॉति गोटा			११००	११०५
४४	राइखान्यु	प्रॉति गोटा			५०१००	५२१००
४५	अमरीसो	प्रॉति गोटा			११००	११०५
	कलफुल बिरुवा तर्फे					
१	बॉप हाईवीड	प्रॉति गोटा	७५१००	१००१००	१०५१००	११०१००
२	बॉप उन्नत	प्रॉति गोटा	५०१००	७५१००	७८१०५	८५१००
३	लिपी उन्नत	प्रॉति गोटा	१००१००	१००१००	१०५१००	११०१००
४	सगती बिबु	प्रॉति गोटा	२५१००	४५१००	४७२५	५०१००
५	मुन्तला	प्रॉति गोटा	२५१००	४५१००	४७२५	५०१००
६	अनार	प्रॉति गोटा	१००१००	१००१००	१०५१००	११०१००
	बीड खरिद :					
१	मेन्हा	के.जी.	५०१००	५०१००	५२१५०	५५१००
२	ब्यामोमाइन बिड	के.जी.	२०००१००	२०००१००	२१००१००	२२००१००
३	छोटे सल्ला	के.जी.	२५००१००	२५००१००	२६२५१००	२७००१००
४	बडहर	के.जी.	६००१००	६००१००	६३०१००	६५०१००
५	राइखान्यु	के.जी.	५०००१००	५०००१००	५२५०१००	५३००१००
६	खमारी	के.जी.	६००१००	६००१००	६३०१००	६४०१००
७	देवी	के.जी.	५००१००	५००१००	५२५१००	५३०१००
८	लिघारी	के.जी.	५०००१००	५०००१००	५२५०१००	५३००१००
९	बात	के.जी.	२०००१००	२०००१००	२१००१००	२२००१००
१०	अमला हाईवीड	के.जी.	५०००१००	५०००१००	५२५०१००	५३००१००
११	तेजपात	के.जी.	१०००१००	१०००१००	१०५०१००	११००१००
१२	घुपी	के.जी.	५००१००	५००१००	५२५१००	५५०१००
१३	धीवण्ड	के.जी.	३०००१००	३०००१००	३१५०१००	३२००१००
१४	रका चन्दन	के.जी.	२०००१००	२०००१००	२१००१००	२२००१००
१५	वीसू	के.जी.	८००१००	८००१००	८४०१००	८६०१००
१६	सकाडगो	के.जी.	३००१००	३००१००	३१५१००	३२५१००
१७	कपूर	के.जी.	२५००१००	२५००१००	२६२५१००	२६५०१००
१८	सखी	के.जी.	३००१००	३००१००	३१५१००	३२०१००
१९	जामुन	के.जी.	५००१००	५००१००	५२५१००	५५०१००
२०	रुद्रगिया	के.जी.	४००१००	४००१००	४२०१००	४५०१००
२१	सजिजन	के.जी.	४००१००	४००१००	४२०१००	४५०१००
२२	घेर मिनी	के.जी.	६००१००	६००१००	६३०१००	६५०१००
२३	सयागिया सिमिया	के.जी.	८००१००	८००१००	८४०१००	८५०१००
२४	चनुन	के.जी.	८००१००	८००१००	८४०१००	८५०१००
२५	गोलमोहर	के.जी.	५५०१००	५५०१००	५७५५०	६००१००
२६	टाकी कोहरासो	के.जी.	८००१००	८००१००	८४०१००	९००१००
२७	दिमुर	के.जी.	३००१००	३००१००	३१५१००	३४०१००
२८	सुगन्ध कोफिला	के.जी.	२००१००	२००१००	२१०१००	२२५१००
२९	गोलिधन टयुव २ इन्च * ७ इन्च २०० गेजको	के.जी.	२३०१००	२३०१००	२४१५५०	२६०१००
	बन तर्फे					
१	रुख छपान गर्ने कार्य	प्रॉति रुख	१४१००	१४१००	१४१००	१५१००
	कटान मुछन तर्फे					
१	रुख काटी गोसिया बनाउने	प्रॉति अयु.फि.	३७१००	३७१००	३८१८५	
१.१	रुख काटी गोसिया बनाउने	कडा				४५१००
१.२	रुख काटी गोसिया बनाउने	सरस				३५१००
२	गोसियाको वोकत फिको र रिड काटने	"	९१००	९१००	९१४५	१०१००
३	गम्दरिङ गर्ने कार्य	"	५१००	५१००	५१२५	५१००
४	पेरिङ गर्ने कार्य	"	७००	७००	७३५	७५०
५	गोसिया लागने र सफा गर्ने कार्य	"	२५१००	२५१००	२६१२५	
५.१	गोसिया लागने र सफा गर्ने कार्य	कडा				३०१००

क्र.सं.	विवरण	किसिम	स्वीकृत दररेट जा व २०७६/७७	स्वीकृत दररेट जा व २०७७/७८	स्वीकृत दररेट जा व २०७८/७९	स्वीकृत दररेट जा व २०७९/८०
			भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक
५.२	गोलिया तानने र यकलन गर्ने कार्य	नरम				२५१००
६	गोलिया लोड अनलोड		४९१००	४९१००	४३०५	
६.१	गोलिया लोड अनलोड	कडा				४५१००
६.२	गोलिया लोड अनलोड	नरम				३५१००
७	गोलिया पाइपिङ / चटरा लगाउने		१७००	१७००	१७८५	
७.१	गोलिया पाइपिङ / चटरा लगाउने	कडा				२०१००
७.२	गोलिया पाइपिङ / चटरा लगाउने	नरम				१५१००
गोलिया काठ हुवानीदर्फ :						
१	० - ५ कि.मी. सम्म	प्रति स्क्.फि.	४२१००	४२१००	४४१९०	४७०००
२	५ - १० " "	" "	४९१००	४९१००	५११४५	५५१००
३	१० - १५ " "	" "	५७०००	५७०००	५९१८५	६३०००
४	१५ - २० " "	" "	६८१००	६८१००	७११४०	७५१००
५	२० - २५ " "	" "	७३०००	७३०००	७६१६५	८०१००
६	२५ - ३० " "	" "	७९१००	७९१००	८२१९५	८७०००
७	३० - ३५ " "	" "	८४१००	८४१००	८८१२०	९३०००
८	३५ - ४० " "	" "	८९१००	८९१००	९११३५	९६१००
९	४० देखि माथी सबै प्रति कि.मि	" "	२६०	२६०	२१३३	३००
१०	नदी बाट काठ निकाली हुवानी गर्ने कार्य		११०१००	११०१००	११५१५०	१२११००
११	काउरा २०फिट X ५फिट X ५फिट कटान, मुछान, चडा निर्माण साथै	चडा	९१००१००	९१००१००	९५५५१००	१००८०१००
१२	दुईसय गेजको कालो रङ्गको पोलिथिन म्याग र्डेन्स ,७ रून्च"	के.डी	२६०१००	२६०१००	२७३१००	२८८१००
१३	काउरा हुवानी कार्य	प्रति स्क्.फि.				
गोलिया चिरान उत्पादन						
१	विभिन्न साइजका काठ चिरान उत्पादन	प्र स्क्.फिट	३७०००	३७०००	३८१८५	४०१००
२	अनसाइज उत्पादन	प्र स्क्.फिट	८२०००	८२०००	८६१९०	९०१००
३	वाकल उत्पादन	प्र स्क्.फिट	५२०००	५२०००	५४१६०	५७०००
४	चिरान लोडिग	प्र स्क्.फिट	१४१६०	१४१६०	१५१३३	१६१००
५	चिरान अन लोडिग	प्र स्क्.फिट	३१५८	३१५८	३१७६	३१००
६	वाकल लोडिग	प्र स्क्.फिट	३१७०	३१७०	३१८९	३१००
७	वाकलअन लोडिग	प्र स्क्.फिट	३१६०	३१६०	३१७८	३१००
८	अनसाइज लोडिग	प्र स्क्.फिट	६१५०	६१५०	६१८३	६१००
९	अनसाइज अनलोडिग	प्र स्क्.फिट	६१५०	६१५०	६१८३	६१००
१०	चिरान पाइपिग	प्र स्क्.फिट	३१७०	३१७०	३१८९	३१००
११	१०० मि टाढाबाट मिल सम्म वाकले काम	प्र स्क्.फिट	८१२०	८१२०	८१६९	९१००
१२	मितमा गोलिया सिपमेन्ट लोडिग	प्र स्क्.फिट	१४१००	१४१००	१४१७०	१५१००
१३	मितमा गोलिया सिपमेन्ट अन लोडिग	प्र स्क्.फिट	६१७०	६१७०	७०४	७००
चिरान काठ हुवानी						
०	देखि ५ कि.मि सम्म	प्र स्क्.फिट	१८१००	१८१००	१८१९०	१९१००
६	देखि १० कि.मि सम्म	प्र स्क्.फिट	२२१००	२२१००	२३१९०	२४१००
११	११ कि.मि माथी	प्र स्क्.फिट	२७०००	२७०००	२८१३५	२९१००
वाकल अनसाइज हुवानी						
०	देखि ५ कि.मि सम्म	प्र स्क्.फिट	२७०००	२७०००	२८१३५	२९१००
६	देखि १० कि.मि सम्म	प्र स्क्.फिट	३२१००	३२१००	३३१६०	३४१००
११	११ कि.मि माथी	प्र स्क्.फिट	३७०००	३७०००	३८१८५	४०१००

असजिलो सामान भन्नाले भिन्न सामानहरू जनाउँछ ।

- एच.डि.मि. / जि.आई.पाईपहरू
- जि.आई.सिटहरू
- चिसा
- पुलका सामानहरू
- पुलका लट्ठाहरू
- फलामे छड (एक मिटरभन्दा लामो)
- बुनेको ग्याविन जालीहरू
- काँडेनार
- मरियाको लागि भारी बोधेर ४० किलो बनाई ओक्न नसक्ने सबै सामानहरू
- टुकुको लागि १० टन बनाई लोड गर्न नसक्ने सबै सामानहरू

अति असजिलो सामान भन्नाले भिन्न सामानहरू जनाउँछ

१. औषधी उपचार संग सम्बन्धित टुटफुट गर्ई जाने संवेदनशील सामग्रीहरूको हकमा असजिलो हुवानी दररेट लाई १.२५ ले गुणन गरी कायम गर्ने

१४

सामग्री दर ०७९/८०

क्र.सं.	विवरण	इकाई	स्वीकृत दररेट आ	स्वीकृत दररेट आ	स्वीकृत दररेट आ	स्वीकृत दररेट आ
			व २०७६/७७	व २०७७/७८	व २०७८/७९	व २०७९/८०
			भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक	भ्याट बाहेक

२. तीस ज्योदै काय हुने तर आगतत ज्योदै बढी हुने (बासको भकारी, ५० एम एम देडा ५० एम एम सम्मका पोर्लिचिन पाईपहरू)

३. जंगलबाट काठ दुबानीको हकमा बोधा नपुगेको (नहन क्षमतामा नपुग्न बाँकी परिमाण X दुरी वर्गको दर) / २ का दले कायम हुने एकम धप गरिने छ। दुई वा सो भन्दा बढी स्वतन्त्रबाट काठ उठाई पूर्ण क्षमताको बोझ नपुन्याउँदासम्म मात्र यो सुविधा उपलब्ध गराउन सकिने छ।

नोट-

१. उपरोक्त निर्माण सामग्रीहरूको दररेट सुर्खेत उपत्यकाका लागि कायम गरिएको हो ।
२. जि.आई. पाईप-जि.आई. फिर्टाइल तथा अन्य सामग्रीहरू सुर्खेत जिल्लाको स्वीकृत दररेटमा समावेश नभएका निर्माण सामग्रीहरूको हकमा बाँके जिल्लाको स्वीकृत दररेट मा दुबानी जोडि कायम गर्ने ।
३. बाँके जिल्लाको दररेटमा पनि समावेश नभएका सामग्रीको दर काठमाडौं जिल्लाको स्वीकृत दररेटलाई नै आधार मानी कायम गर्ने ।
४. को. पु निर्माण सञ्चालन फलाम सामग्रीहरूको हकमा टि वि.एस.यु र डोविडार बाट भित्रिण गरे सम्मोचित को दररेट लाई आधार मानी कायम गर्ने
५. उपरोक्त दररेटमा उल्लेख हुन नभएका कार्य-सामग्री तथा दुबानीहरूको हकमा आधिकारिक विवेका, उत्पादक निर्माता तथा दुबानीकर्ताहरूबाट उपलब्ध भएसम्म कतिमा तीनबटा दर लिई यो दररेटको न्युनतम दररेट आधार लिई कायम गर्ने।
६. हयुम गाउँको सम्बन्धमा फाचनटौबाट प्राप्त दररेटलाई आधार मानी दररेट कायम गर्ने ।
७. डिजेल, पेट्रोल र मट्टीहेलको सन्दर्भमा नेपाल अवल निगमको दररेट अनुसार हुने लागत अनुमान तयार गरी यो समयको ने.आ.नि.को दररेटलाई आधार लिई तयार गर्ने।
८. कृषि, धु तथा जलाधार र यन संग सम्बन्धित आइटमहरू सुर्खेत जिल्लामा प्राप्त नभएको कारणमा अन्य जिल्लाको दररेटलाई आधार मान्न सकिने छ।




(Handwritten signatures and stamps)

फलामजन्य सामाग्रीहरु सुख्खंत

क्र.सं.	निर्माण सामग्रीको नाम	प्रति ईकाई	म्याट बाहेको रक्तीकत दररेट (रुपैयाँमा)				
			०७१/०७२	०७२/०७३	०७३/०७४	०७४/०७५	आ. बर०७५/०८०
१	सादा सि.जि.आई जस्ता पाता हेभी क्लास (एन.एस. १४१)						
	बेस मेटल मोटाई ०.३२ मि.मि. (२४ गेज)	वण्डल	१०,४३२.००	११,०४१.००	११,०४१.००	११,३१२	१२,१९२.४४
	बेस मेटल मोटाई ०.३१ मि.मि. (२५ गेज)	वण्डल	८,४४४.००	८,९४४.००	८,९४४.००	९,१२३	९,८९२.८४
	बेस मेटल मोटाई ०.३१ मि.मि. (२८ गेज)	वण्डल	६,०४२.००	६,०९०.००	६,०९०.००	६,४४३	६,८९२.४३
२	सादा सि.जि.आई जस्ता पाता मेडियम क्लास (एन.एस. १४१)						
	बेस मेटल मोटाई ०.३० मि.मि. (२४ गेज)	वण्डल	१०,१४४.००	१०,६६२.००	१०,६६२.००	११,११४	११,४४४.८६
	बेस मेटल मोटाई ०.३० मि.मि. (२५ गेज)	वण्डल	८,०५१.००	८,१८१.००	८,१८१.००	८,४९०	९,०१९.४४
	बेस मेटल मोटाई ०.२८ मि.मि. (२८ गेज)	वण्डल	६,१४४.००	६,४८३.००	६,४८३.००	६,८००	७,१४०.४१
३	सादा सि.जि.आई जस्तापाता लाईट क्लास (एन.एस. १४१)						
	बेस मेटल मोटाई ०.४४ मि.मि. (२४ गेज)	वण्डल	९,४४०.००	९,४०२.००	९,४०२.००	९,५८०	१०,६९२.४३
	बेस मेटल मोटाई ०.३५ मि.मि. (२५ गेज)	वण्डल	८,४६६.००	८,८३९.००	८,८३९.००	९,२३१	९,६४२.४०
	बेस मेटल मोटाई ०.२६ मि.मि. (२८ गेज)	वण्डल	४,९०१.००	५,१६६.००	५,१६६.००	५,४०६	५,८३१.०५
४	सादा सि.जि.आई सिट मेडियम क्लासको घुटी						
	बेस मेटल मोटाई ०.३८ मि.मि. (२५ गेज)	वण्डल	८,०५१.००	८,१८१.००	८,१८१.००	८,४९०	९,०१९.४४
	बेस मेटल मोटाई ०.२८ मि.मि. (२८ गेज)	वण्डल	६,१४४.००	६,४८३.००	६,४८३.००	६,८००	७,१४०.४१
५	सादा सि.जि.आई सिट लाईट क्लासको घुटी						
	बेस मेटल मोटाई ०.२५ मि.मि. (२६ गेज)	वण्डल	७,४४४.००	७,८३९.००	७,८३९.००	८,२३१	८,६४२.४०
	बेस मेटल मोटाई ०.२६ मि.मि. (२८ गेज)	वण्डल	४,९०१.००	५,१६६.००	५,१६६.००	५,४०६	५,८३१.०५
६	रंगिन सि.जि.आई जस्तापाता हेभी क्लास (एन.एस. १४१)						
	बेस मेटल मोटाई ०.३२ मि.मि. (२४ गेज)	वण्डल	१२,८५६.००	१३,४६२.००	१३,४६२.००	१४,१३४	१४,८४९.८६
	बेस मेटल मोटाई ०.३१ मि.मि. (२५ गेज)	वण्डल	१०,६४८.००	११,१९१.००	११,१९१.००	११,४४३	१२,३२८.०८
	बेस मेटल मोटाई ०.३१ मि.मि. (२८ गेज)	वण्डल	८,४०४.००	८,६३०.००	८,६३०.००	९,३३३	९,८४४.३३
७	रंगिन सि.जि.आई जस्तापाता मेडियम क्लास (एन.एस. १४१)						
	बेस मेटल मोटाई ०.३० मि.मि. (२४ गेज)	वण्डल	१२,४०१.००	१३,०२१.००	१३,०२१.००	१३,६०२	१४,३४४.४४
	बेस मेटल मोटाई ०.३० मि.मि. (२५ गेज)	वण्डल	९,८४९.००	१०,३४१.००	१०,३४१.००	१०,८४८	११,४००.४४
	बेस मेटल मोटाई ०.२८ मि.मि. (२८ गेज)	वण्डल	७,८९६.००	८,२९१.००	८,२९१.००	८,७०६	९,१४०.८३
८	रंगिन सि.जि.आई जस्तापाता लाईट क्लास (एन.एस. १४१)						
	बेस मेटल मोटाई ०.४४ मि.मि. (२४ गेज)	वण्डल	११,४४४.००	११,९९४.००	११,९९४.००	१२,४९४	१३,२२४.४५
	बेस मेटल मोटाई ०.३५ मि.मि. (२५ गेज)	वण्डल	९,४०१.००	९,८४६.००	९,८४६.००	१०,३३८	१०,८४४.४२
	बेस मेटल मोटाई ०.२६ मि.मि. (२८ गेज)	वण्डल	७,४८७.००	७,८६१.००	७,८६१.००	८,२४४	८,६६६.०५
९	४ फिट चौडाईको सादा जि.आई. प्लेन शीट मेडियम (४X८फिट)						
	बेस मेटलको ०.८० मि.मि.	किलो ग्राम	१२८.००	१३४.००	१३४.००	१४१	१४७.७४
	बेस मेटलको ०.७४ मि.मि.	किलो ग्राम	१२८.००	१३४.००	१३४.००	१४१	१४७.७४
	बेस मेटलको ०.६२ मि.मि.	किलो ग्राम	१२९.००	१३४.००	१३४.००	१४२	१४८.८४
	बेस मेटलको ०.४० मि.मि. (२४ गेज)	किलो ग्राम	१३०.००	१३४.००	१३४.००	१४४	१४९.०४
	बेस मेटलको मोटाई ०.४५ मि.मि.	किलो ग्राम	१३१.००	१३८.००	१३८.००	१४४	१४९.९४
	बेस मेटलको मोटाई ०.४० मि.मि.	किलो ग्राम	१३२.००	१३९.००	१३९.००	१४६	१४९.२४
	बेस मेटलको ०.३७ मि.मि. (२६ गेज)	किलो ग्राम	१३३.००	१४०.००	१४०.००	१४७	१४९.३४
	बेस मेटलको ०.२८ मि.मि. (२८ गेज)	किलो ग्राम	१३८.००	१४४.००	१४४.००	१४८	१४९.८६
१०	४४.८ फिट को कलर जि.आई. प्लेन शीट मेडियम						
	बेस मेटलको मोटाई ०.७५ मि.मि.	पाता	२,४७५.००	२,७०२.००	२,७०२.००	२,८४०	२,९८२.२६
	बेस मेटलको मोटाई ०.६२ मि.मि.	पाता	२,२९३.००	२,३२४.००	२,३२४.००	२,४४०	२,४६२.२१
	बेस मेटलको मोटाई ०.५५ मि.मि.	पाता	१,९९७.००	२,०९७.००	२,०९७.००	२,२०२	२,३१९.९४
	बेस मेटलको मोटाई ०.४० मि.मि.	पाता	१,८२१.००	१,९३२.००	१,९३२.००	२,०१९	२,१२०.११
	बेस मेटलको मोटाई ०.३४ मि.मि.	पाता	१,६६८.००	१,७७२.००	१,७७२.००	१,८७१	१,९४३.६३
	बेस मेटलको मोटाई ०.३० मि.मि.	पाता	१,४७१.००	१,६१८.००	१,६१८.००	१,६९९	१,८०६.८२
	बेस मेटलको मोटाई ०.२७ मि.मि. (२६ गेज)	पाता	१,४२८.००	१,४९९.००	१,४९९.००	१,५७४	१,६२२.४३
	बेस मेटलको मोटाई ०.२८ मि.मि.	पाता	१,१४९.००	१,२१७.००	१,२१७.००	१,३०८	१,३९१.७४
११	०.६० मि.मि. कोरगेटेड फाइबर शीट २.४ फिट चौडाई	२ फिट	१४४.००	१६२.००	१६२.००	१७०	१७८.६१
६ फिट लामो		पाता	१,०४०.००	१,०९२.००	१,०९२.००	१,१४७	१,२०६.९३
	७ फिट लामो	पाता	१,१३९.००	१,२४०.००	१,२४०.००	१,३०३	१,३६७.१०
	८ फिट लामो	पाता	१,२६६.००	१,३४४.००	१,३४४.००	१,४२८	१,५०४.१४
	९ फिट लामो	पाता	१,४४९.००	१,५३०.००	१,५३०.००	१,५९९	१,६८४.७५
	१० फिट लामो	पाता	१,७३३.००	१,८२०.००	१,८२०.००	१,९११	२,००६.२४
	१२ फिट लामो	पाता	२,०७९.००	२,१६३.००	२,१६३.००	२,२९२	२,४०६.७६
१२	जि.आई. बारबेड बायर (एन.एस. १६८)						
	६ गेज किलो ग्राम		१०२.००	१०४.००	१०४.००	११२	११७.९७
	१० गेज किलो ग्राम		१०२.००	१०७.००	१०७.००	११२	११७.९७
	१२ गेज किलो ग्राम		१०३.००	१०८.००	१०८.००	११३	११९.०७

		१० गज	किलो ग्राम	१०३.००	१०३.००	१०३.००	११२	११३.९३
		१२ गज	किलो ग्राम	१०३.००	१०६.००	१०६.००	११३	११५.०३




प्रमुख जिला अधिकारी
 जिला

96

क्र.सं.	निर्माण सामाग्रीको नाम	प्रति इकाई	भ्याट बाटिकको स्वीकृत दररेट (रुपैयामा)				
			०७५/०७५	०७५/०७५	०७५/०७५	०७५/०७५	वा.सं.२०७५/०८०
१२	विभिन्न साइजको गेटबोर्ड	किलो ग्राम	१०५.००	११०.००	११०.००	११५	१२१.२०
१४	फलामे किला १" देखि ४" सम्म (एन.एस. ४६-२०४१)	किलो ग्राम	१२५.००	१३५.००	१३५.००	१४२	१४६.८४
१५	विभिन्न साइजको एम.एस. एङ्गल	किलो ग्राम	९५.००	९५.००	९५.००	१००	१०४.७४
१६	एम.एस. ब्रिडल पाता	किलो ग्राम	१००.००	१००.००	१००.००	१०५	११०.२५
१७	विभिन्न साइजको स्क्वायर पाईप	किलो ग्राम	१००.००	१००.००	१००.००	१०५	११०.२५
१८	विभिन्न साइजको सोलिड कोर स्क्वायर एम.एस. रड	किलो ग्राम	९०.००	९०.००	९०.००	९५	९९.२५
१९	विभिन्न साइजको स्क्वायर होलो पाईप	किलो ग्राम	१००.००	१००.००	१००.००	१०५	११०.२५
२०	ब्याक पाइपको तयारी टयुबुलर टय	किलो ग्राम	११५.००	११५.००	११५.००	१२१	१२६.०९
२१	एम.एस. एङ्गलको तयारी टय	किलो ग्राम	११०.००	११०.००	११०.००	११५	१२१.२५
२२	विभिन्न साइजको एम.एस. एङ्गल फ्रेममा १४ देखि १८ गज एम.एस. पाता प्रयोग गरी गेट बनाई, एककोट प्राईमर लगाई जोड्ने काम पुरा	किलो ग्राम	११५.००	११५.००	११५.००	१२१	१२६.०९
२३	नक्सा अनुसार एम.एस. पाताको गिलहरू बनाई, एककोट प्राईमर लगाई जडान समेत गर्ने काम	किलो ग्राम	११५.००	११५.००	११५.००	१२१	१२६.०९
२४	नक्सा अनुसार ब्लेक पाइपको गेट बनाई, लगाई जडान गर्ने काम	किलो ग्राम	११५.००	११५.००	११५.००	१२१	१२६.०९
२५	फलामे कोल्पापसीम्बल सटर बनाई, एककोट प्राईमर लगाई जडान गर्ने काम	वर्ग फिट	४२५.००	४२५.००	४२५.००	४४६	४६८.४६
२६	फलामे रोभिड सटर बनाई, एककोट प्राईमर लगाई जडान गर्ने काम (१६ गज)	वर्ग फिट	३२५.००	३२५.००	३२५.००	३४१	३४८.२१
२७	विभिन्न साइजको सोलिड स्क्वायर रडको रोल बनाई जडान गर्ने काम	किलो ग्राम	२०५.००	२०५.००	२०५.००	२१३	२२६.०९
२८	विभिन्न साइजको एम.एस. एङ्गल फ्रेममा ७ मि.मि. व्यासको फलामे इन्भिडको जालि बनाई माथिल्लो भागमा एम.एस. पोलको काँडा समेतको गिल बनाई जडान गर्ने काम	किलो ग्राम	१३०.००	१३०.००	१३०.००	१३७	१४३.३३
२९	३"×४" ३"×४" साइजको स्क्वायर पाइपबाट ३ फिट देखि ३ फिट ३" सम्म उचाई भएको रोभिड बनाई ३"×५" साइजको सात वा बिलो काठको रेण्डरेस बनाई पेन्टिङ सहित जडान गर्ने काम	र.मीटर	२,०५०.००	२,०५०.००	२,०५०.००	२,१४३	२,२६०.३३
३०	३"×४" ३"×४" साइजको स्क्वायर पाइपबाट ३ फिट देखि ३ फिट ३" सम्म उचाई भएको रोभिड बनाई १.५" डायाको कालो पाइपको रेण्डरेस बनाई मज्जाई, जडान सहितको सम्पूर्ण काम	र.मीटर	१,८००.००	१,८००.००	१,८००.००	१,८९०	१,९८४.२०
३१	Fixation Charge of Truss / Purlin complete.	Per Kg	३५.००	३५.००	३५.००	३७	३८.२९
३२	Stainless steel pipe 1" dia.	प्रति र.फिट	८५.००	८५.००	८५.००	८९	९३.०९
३३	Stainless steel pipe 1.5" dia.	प्रति र.फिट	११५.००	११५.००	११५.००	१२१	१२६.०९
३४	Stainless steel pipe 2" dia.	प्रति र.फिट	१४५.००	१४५.००	१४५.००	१५३	१६०.८९

Handwritten signatures and stamps are present at the bottom of the page, including a circular stamp with the text 'कलानन्दन सामाग्री' and several handwritten names and initials.

96

कंकट एडमिसर तथा वाटर पुफिङको काम सुर्खेत

क्र.सं.	निर्माण सामग्रीको नाम	प्रति क्विन्टल	भ्याट बाहेकको रबीकृत दररेट (रुपैयामा)				
			मा.सं. ००५/००५	मा.सं. ००५/००५	मा.सं. ००५/००५	मा.सं. ००५/००५	मा.सं. ००५/००५
३	नन पोलिमरबेस कंकट एडमिसरहरू						
१	वाटर पुफिङ, कम्पाउण्ड कम्पासिब पाउडर	के.मि.	६१.००	६२.००	६२.००	६५	६८.२६
२	सिलिका मिमेट एडमिसर	के.मि.	३२०.००	३२०.००	३२०.००	३२६	३५२.८०
३	एन्ड टरमाईट	लिट्र.	३२५.००	३३०.००	३३०.००	३४३	३६२.८३
४	प्रायिडकाइज	लिट्र.	३५०.००	३५५.००	३५५.००	३७३	३९१.३९
५	वाटरपुफ कम्पाउण्ड	लिट्र.	२५९.००	२६३.००	२६३.००	२७६	२८९.९६
६	ब्लिच सेटिङ कम्पाउण्ड	लिट्र.	३५५.००	३६०.००	३६०.००	३७८	३९६.९०
ख	पोलिमरबेस कंकट एडमिसर						
१	Organic based polymer in liquid form which acts as a plasticizer cum accelerator for concrete/mortar. Higher strength is achieved in a shorter time. It conform IS: 9103:1979 and ASTM C-494. Excellent in winter or cold climate.	लिट्र.	२९४.००	२९८.००	२९८.००	३१३	३२८.५५
२	PLASTMASTER It is an additive for plaster of walls. Gives excellent workability and smooth finish. Check seepage of water/moisture.	लिट्र.	४३६.००	४४३.००	४४३.००	४६५	४८८.५९
३	Super plasticizer for concrete- high range water reducing admixture for concrete based on sulphonated naphthalene formaldehyde and is used for reducing the water to cement ratio, increasing compressive strength & producing free flowing concrete.	लिट्र.	२९०.००	२९४.००	२९४.००	३०९	३२४.९४
४	RETARDPLAST Modified sulphonated naphthalene formaldehyde plasticizer-cum-retarder for concrete. It is a dark brown liquid. Water reducing up to 25% can be achieved.	लिट्र.	२९०.००	२९४.००	२९४.००	३०९	३२४.९४
५	Water based emulsion to be applied by brush or spray on fresh concrete surface to remain water in concrete. Suitable for use where curing by water is not possible, or in hot climate.	लिट्र.	१९८.००	२०१.००	२०१.००	२११	२२१.६०
६	An air entraining concrete admixture used for increasing crack resistance, frost resistance etc.	लिट्र.	४६५.००	४७२.००	४७२.००	४९६	५२०.३८
७	TILEBOND LIQUID Single component compound for fixing tiles, marbles, granite etc. on any plain surface (walls as well as floor). Highly economical and easy to use. A very thin coating is required.	लिट्र.	४३५.००	४४२.००	४४२.००	४६४	४८७.३९
८	TILE MASTER Liquid additive and bonding agent for water resistant cement mortar. It is specially formulated liquid polymer additive for use with cement and sand for form mortars having high bond strength and water proofing proportions for the laying of ceramic, mosaic or glazed tiles on the floors and wall. It improves adhesion chemical resistance flexibility, resistant to impact and thermal shock.	लिट्र.	४३५.००	४४२.००	४४२.००	४६४	४८७.३९
९	CONCRETE COAT Protective Coating for reinforced concrete. It is protective coating, which is extremely useful in increasing the life of reinforced cement concrete structures. It protects the RCC from CO ₂ , oxygen, water and other damaging elements in the air.	लिट्र.	४६५.००	४७२.००	४७२.००	४९६	५२०.३८
१०	POLY - SULPHIDE SEALANT Two packed poly sulphide base sealant with available grades. It provides strong and highly elastic sealant through cross linking process. Joint Set (G) gun applied for non - sag type for vertical and inclined expansion contraction joints and (P) pouring type for horizontal joints. BS.4254-1983.	क्विलो ग्राम	१,७४२.००	१,७६८.००	१,७६८.००	१,८४६	१,९४९.२२
११	JOINT SET PRIMER For surface namely concrete, brick work, cement, gypsum board, natural and artificial stone, glass, ceramics, anodized aluminium, timber and rigid PVC etc.	लिट्र.	१,४६६.००	१,४९१.००	१,४९१.००	१,६७१	१,७५४.०८
१२	Waterproofing treatment						
	i) Wall guard (interior wall coating)	वर्ग मिटर	३८.००	३९.००	३९.००	४१	४३.००
	ii) Seal on roof, water proof coating work	वर्ग मिटर	४२.००	४३.००	४३.००	४५	४७.४९
	iii) Seal, long life exterior coating on plastered surface	वर्ग मिटर	३३.००	३३.००	३३.००	३५	३६.३८
	iv) Water repellent on exposed bricks and stones	वर्ग मिटर	२३.००	२३.००	२३.००	२४	२५.३६
ग	स्लोप र फ्ल्याट रफ, संकस्लाव र बेसमेन्ट मा पानी चुह्नेको स्थानमा सालसामान उपलब्ध गरि waterproofing गर्ने काम						
१	Waterproofing treatment by injection and pressure Grouting system using perma GROUT 500 with mixing fresh gray cement all complete. (sloped roof, sunk slab, basement)	वर्ग मिटर	५४.००	५५.००	५५.००	५८	६०.६४
२	Waterproofing treatment by Perma Guard coating (Elastomeric coating) all complete. (roof top, sunk slab, basement)	वर्ग मिटर	५१.००	६०.००	६०.००	६३	६६.१५
३	Waterproofing treatment by using perma shield / AR coating (Semi flexible coating) all Complete (roof top, sunk slab, basement)	वर्ग मिटर	५४.००	५५.००	५५.००	५८	६०.६४
४	Waterproofing treatment by Crystallization Process by applying two coats of perma Seal all complete. (water tank basement)	वर्ग मिटर	५९.००	६०.००	६०.००	६३	६६.१५
५	Minor crack treatment on RCC slab by SBR mortar (sunk slab)	वर्ग मिटर	२३८.००	२४२.००	२४२.००	२५४	२६६.८१
६	Major crack treatment on RCC slab by polyseal	वर्ग मिटर	४९६.००	५०३.००	५०३.००	५२८	५४४.५६
७	Water Repellent work by perma treat (Expose brick)	वर्ग मिटर	२३.००	२३.००	२३.००	२४	२५.३६

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with the text 'सुर्खेत' and various handwritten notes and signatures.

95




क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको स्वीकृत दररेट (रुपैयाँमा)				
			आ.सं. ०५५/०५५	आ.सं. ०५५/०५५	आ.सं. ०५५/०५५	आ.सं. ०५५/०५५	आ.सं. ०५५/०५५
Specification of Silica Cement Admixture							
	Product	Silica Cement Admixture					
	Material	Natural volcanic Ash					
	Chief ingredient	SiO2 above 85%					
	Characteristics of the Material	Amorphous (Shapeless)					
	Partical Size	0.4 cm					
	Specific Surface area by Blaine	60,000 cm2/gm					
	Color	White					
	Combination of all in one	Water proofing, strength enhancement, plasticizer					
	Minimum amount	5% by weight of cement					
9 Surface Treatment							
9.1	Protective, Decorative anti carbonation coating.	Kg	१,३२०.००	१,३२०.००	१,३२०.००	१,३८६	१,४४२.३०
9.2	Protective, Decorative Insulating anti carbonation coating	Kg	१,४८५.००	१,४८५.००	१,४८५.००	१,४४९	१,६३७.२९
9.3	Concrete Penetrating corrosion inhibitor	Kg	४,९२०.००	४,९२०.००	४,९२०.००	४,९९८	४,४५७.३८
9.4	Protective Acrylic Sealer	Kg	१,६२०.००	१,६२०.००	१,६२०.००	१,७३३	१,८९९.९३
9.5	Protective polyurethane Sealer	Kg	१,९८०.००	१,९८०.००	१,९८०.००	२,०७९	२,९८२.९५
9.6	Water based Fire Retardant Coating.	Kg	१,३२०.००	१,३२०.००	१,३२०.००	१,३८६	१,४४२.३०
9.7	High Performance water Repellent Paint	Ltr.	९,९००.००	९,९००.००	९,९००.००	१०,३९५	१०,९९४.७५
9.8	Concentrated & Emulsified Chemical Mould Release Agent.	Ltr.	४२०.००	४२०.००	४२०.००	४०८	६०९.३८
9.9	Ready to use Chemical Mould Release Agent.	Ltr.	४४०.००	४४०.००	४४०.००	४४२	४८५.९०
9.10	Concrete Curing Aid.	Kg	४४०.००	४४०.००	४४०.००	४६२	४८५.९०
9.11	Resin Silica based multi function, water proofing and Curing Compound dose : Cover Area 0.15 Kg/m2	Kg	७००.००	७००.००	७००.००	७३५	७७९.७५
10 Concrete Repairs.							
10.1	Rust Remover & Passivator.	Ltr.	९,९००.००	९,९००.००	९,९००.००	९,९२५	९,२९२.७५
10.2	Corrosion Inhibitor	Kg	९,९००.००	९,९००.००	९,९००.००	९,९२५	९,२९२.७५
10.3	Micro Concrete (M55) for Permanent Repairs.	Kg	१५४.००	१५४.००	१५४.००	१६२	१६९.७९
10.4	Single Component Polymer Modified Cementitious Repair Mortar.	Kg	१९२.४०	१९२.४०	१९२.४०	२०२	२१२.२३
10.5	Two Components Polymer Modified Cementitious Repair Mortar.	Kg	२७५.००	२७५.००	२७५.००	२८९	३०३.९९
10.6	Cementitious Water Proof Crack Repair Mortar.	Kg	२२०.००	२२०.००	२२०.००	२३९	२४२.५५
10.7	Acrylic Based Crack filling Putty.	Kg	१,३२०.००	१,३२०.००	१,३२०.००	१,३८६	१,४४२.३०
10.8	Resin, Polycarboxylate Base for Ultra High Strength Concrete Repairing Dose: Admixture 10% by weight of Cement	Kg	७००.००	७००.००	७००.००	७३५	७७९.७५
11 Prepacked Mortar							
11.1	Tile Marble Granite etc, Adhesive	Kg	८२.४०	८२.४०	८२.४०	८३	९०.९६
11.2	Marble Granite etc, Adhesive	Kg	३८५.००	३८५.००	३८५.००	४०४	४२४.४६
11.3	Coarse & Water resistant Readymix Plastering Mortar	Kg	९०.००	९०.००	९०.००	९५	९९.२३
11.4	High Performance Polymer Based Wall Putty (Skim Coat)	Kg	७०.००	७०.००	७०.००	७४	७७.९८
11.5	High Performance Polymer Based insulating Wall Putty (Skim Coat)	Kg	९०.००	९०.००	९०.००	९५	९९.२३

The bottom of the page features several handwritten signatures in blue ink. There are also official stamps, including one that reads "महानगरपालिका" (Municipality) and another with the name "सुर्खेत" (Surkhet).

विद्यार्थीय सामान तथा विद्युत संबन्धि काम

क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	म्याट बाहेको स्वीकृत दररेट (रुपैयामा)				
			मा.व. ०७५/०७६	मा.व. ०७६/०७७	मा.व. ०७७/०७८	मा.व. २०७८/०७९	मा.व. २०७९/८०
१	सिलिन्ड. फाँडा उपा,ओरिएण्ट,कन्स्टन विन्स वा सो सरह						
	४८ इन्च	गोटा	३,३५९.००	३,३०९.००	३,६४०.००	३,६४०.००	३,६६२.००
	४६ इन्च	गोटा	३,९७८.००	३,९०८.००	३,९७८.००	३,९७८.००	३,९३२.००
	४२ इन्च	गोटा	३,०८८.००	३,०८८.००	३,०८८.००	३,०८८.००	३,३४२.००
२	बाल फिन (१६")	गोटा	२,६४३.००	२,६४३.००	२,६४३.००	२,६४३.००	३,२०२.००
३	एकलस्ट पछा ९ इन्च	गोटा	१,७५४.००	१,७५४.००	१,७५४.००	१,७५४.००	२,११६.००
	६ इन्च	गोटा	१,५४४.००	१,५४४.००	१,७००.००	१,७००.००	१,८४२.००
	१२ इन्च	गोटा	२,८६८.००	२,८६८.००	३,१४०.००	३,१४०.००	३,४१९.००
४	२४ लि - वाटर डिटर-गिजर	बाल	१४,३४१.००	१४,३४१.००	१४,०४९.००	१४,०४९.००	१६,३४८.००
५	३६ लि - वाटर डिटर-गिजर	बाल	१६,४४३.००	१६,४४३.००	१६,३७५.००	१६,३७५.००	१८,८६२.००
६	४८ लि - वाटर डिटर-गिजर	बाल	२२,०६३.००	२२,०६३.००	२२,१६३.००	२२,१६३.००	२४,१४०.००
७	टयुब लाईट फिलिप्स वा सो सरह (वाधारण) ४' साइजमा)	सेट	१,२१३.००	१,२१३.००	१,२७४.००	१,२७४.००	१,३८३.००
८	टयुब लाईट फिलिप्स वा सो सरह (वाधारण) ४' साइजमा)	सेट	१,२१३.००	१,२१३.००	१,२७४.००	१,२७४.००	१,३८३.००
९	४ फिटको बक्स टाईप टयुब लाईट सिगल रड फिलिप्स वा सो सरह	सेट	१,९८६.००	१,९८६.००	२,०८६.००	२,०८६.००	२,२६४.००
१०	४ फिटको बक्स टाईप टयुब लाईट डबल रड फिलिप्स वा सो सरह	सेट	२,१४९.००	२,१४९.००	२,२४७.००	२,२४७.००	२,४४०.००
११	टयुबलाईट सेट रड बाहेक	गोटा	४७३.००	४७३.००	६०२.००	६०२.००	६४३.००
१२	टयुबलाईट रड	गोटा	११६.००	११६.००	१२२.००	१२२.००	१३२.००
१३	डोमलाईट ८ इन्चको	गोटा	३७४.००	३७४.००	३९३.००	३९३.००	४२६.००
१४	डोमलाईट ६ इन्चको	गोटा	३६३.००	३६३.००	३८२.००	३८२.००	४१४.००
१५	इन्फेक्टिभल सेल	गोटा	३६३.००	३६३.००	३८२.००	३८२.००	४१४.००
१६	रिमोट कन्ट्रोल कलवेस	सेट	४४०.००	४४०.००	४७८.००	४७८.००	६२७.००
१७	डि.भि. मेन स्वीच ३० एम्पियर इन्डिकेटर सहित	गोटा	३२४.००	३२४.००	३४१.००	३४१.००	३७०.००
१८	कलामे ३२ एम्पियर मेनस्वीच	गोटा	१,८७४.००	१,८७४.००	१,९६८.००	१,९६८.००	२,१३६.००
१९	कलामे ६३ एम्पियर मेनस्वीच	गोटा	४,४०१.००	४,४०१.००	४,६२२.००	४,६२२.००	४,८१७.००
२०	६ एम्पियर फयुज	गोटा	४८.००	४८.००	६१.००	६१.००	६६.००
२१	१६ एम्पियर फयुज	गोटा	११४.००	११४.००	१२०.००	१२०.००	१३०.००
२२	३८ एम्पियर फयुज	गोटा	१०९.००	१०९.००	११४.००	११४.००	१२४.००
२३	एन.एस. फिक्क प्राफ्ट पि.भि.सि.कोटेड कापर वायर (९० मिटर)						
	१/१८एन.सि.	ब्याचल	९२१.००	९२१.००	९७८.००	९७८.००	१,०६१.००
	३/२० एन.सि.	ब्याचल	१,७१०.००	१,७१०.००	१,८१७.००	१,८१७.००	१,९०२.००
	३/२२ एन.सि.	ब्याचल	१,०९९.००	१,०९९.००	१,१४१.००	१,१४१.००	१,२४९.००
	७/२० एन.सि.	ब्याचल	४,०९३.००	४,०९३.००	४,३४८.००	४,३४८.००	४,६०४.००
	७/२२ एन.सि.	ब्याचल	२,४६३.००	२,४६३.००	२,६९२.००	२,६९२.००	२,९२२.००
	७/२८ एन.सि.	ब्याचल	४,९९३.००	४,९९३.००	६,२९३.००	६,२९३.००	६,८३१.००
	७/१६ एन.सि.	ब्याचल	१२,६२४.००	१२,६२४.००	१३,२८७.००	१३,२८७.००	१४,४२४.००
	१९/१८ एन.सि.	ब्याचल	१६,६४०.००	१६,६४०.००	१७,९८३.००	१७,९८३.००	१८,९७९.००
	१९/१६ एन.सि.	ब्याचल	२३,३०१.००	२३,३०१.००	२४,९६७.००	२४,९६७.००	२७,९६०.००
	०.७५ बर्ग मि.मि. एक.एम.एस.	ब्याचल	७९८.००	७९८.००	८३८.००	८३८.००	९०९.००
	१.०० बर्ग मि.मि. एक.एम.एस.	ब्याचल	१,२१३.००	१,२१३.००	१,२७४.००	१,२७४.००	१,३८३.००
	१.३० बर्ग मि.मि. एक.एम.एस.	ब्याचल	१,४११.००	१,४११.००	१,४८७.००	१,४८७.००	१,६०२.००
	२.३० बर्ग मि.मि. एक.एम.एस.	ब्याचल	२,०९४.००	२,०९४.००	२,२००.००	२,२००.००	२,३८८.००
	४.०० बर्ग मि.मि. एक.एम.एस.	ब्याचल	३,४१९.००	३,४१९.००	३,५९०.००	३,५९०.००	३,८९७.००
	६.०० बर्ग मि.मि. एक.एम.एस.	ब्याचल	४,४०४.००	४,४०४.००	४,६७४.००	४,६७४.००	४,९६०.००
	१०.०० बर्ग मि.मि. एक.एम.एस.	ब्याचल	९,४८७.००	९,४८७.००	९,९६२.००	९,९६२.००	१०,८१४.००
२४	PVC insulated flexible copper wire ९० मीटर)						
	14/80 MDM	ब्याचल	४७४.००	४७४.००	४९८.००	४९८.००	५४०.००
	14/60 SPT	ब्याचल	४९४.००	४९४.००	६२४.००	६२४.००	६७०.००
	23/60 SPT	ब्याचल	७५१.००	७५१.००	८१०.००	८१०.००	८७९.००
	40/80 HV	ब्याचल	१,४४४.००	१,४४४.००	१,६२२.००	१,६२२.००	१,७६०.००
	14/80 TP	ब्याचल	६६२.००	६६२.००	६९६.००	६९६.००	७४४.००
	23/60 TP	ब्याचल	८८२.००	८८२.००	९२७.००	९२७.००	१,००६.००
	40/80 TP	ब्याचल	१,४६६.००	१,४६६.००	१,६४४.००	१,६४४.००	१,७८४.००
	23/50 TWR	ब्याचल	१,७४४.००	१,७४४.००	१,७३७.००	१,७३७.००	१,८८४.००
	40/80 TWR	ब्याचल	१,७६४.००	१,७६४.००	१,८४४.००	१,८४४.००	२,०१२.००

40/80 TWR क्वाटल १,३६२.०० १,३६२.०० १,६२४.०० १,६२४.०० २,०९२.००

88 ~~101~~ 3msdink.  Per     9/2

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेकको सबैकृत दर (रुपैयामा)				
			भा.व. 000/000	भा.व. 000/000	भा.व. 000/000	भा.व. 20000/000	भा.व. 20000/000
	40/60 TCR	स्वायत	२,६६२.००	२,६६२.००	२,६६२.००	२,६६२.००	२,६६२.००
	23/60 TCR	स्वायत	२,६६२.००	२,६६२.००	२,६६२.००	२,६६२.००	२,६६२.००
२५	Concentric Cable						
	4mm	मिटर	२४.००	२४.००	२४.००	२४.००	२४.००
	5mm	मिटर	२४.००	२४.००	२४.००	२४.००	२४.००
	6mm	मिटर	२४.००	२४.००	२४.००	२४.००	२४.००
	10mm	मिटर	४४.००	४४.००	४४.००	४४.००	४४.००
	16mm	मिटर	६४.००	६४.००	६४.००	६४.००	६४.००
	25mm	मिटर	८४.००	८४.००	८४.००	८४.००	८४.००
२६	Multi Stand flexible wire (90meter)						
	0.5mm SC	Coil	४४.००	४४.००	४४.००	४४.००	४४.००
	0.75mm SC	Coil	६४.००	६४.००	६४.००	६४.००	६४.००
	1.0 mm SC	Coil	८४.००	८४.००	८४.००	८४.००	८४.००
	1.5 mm SC	Coil	१,०४.००	१,०४.००	१,०४.००	१,०४.००	१,०४.००
	2.5 mm SC	Coil	१,२४.००	१,२४.००	१,२४.००	१,२४.००	१,२४.००
	4 mm SC	Coil	१,४४.००	१,४४.००	१,४४.००	१,४४.००	१,४४.००
	6 mm SC	Coil	१,६४.००	१,६४.००	१,६४.००	१,६४.००	१,६४.००
	10mm SC	Coil	१,८४.००	१,८४.००	१,८४.००	१,८४.००	१,८४.००
२७	TV Antenna Wire flat type (90 meter coil)		९२४.००	९२४.००	९२४.००	९२४.००	९२४.००
२८	Telecommunication (90 meter coil)						
	2/22 SC	स्वायत	९२४.००	९२४.००	९२४.००	९२४.००	९२४.००
	2/20 SC	स्वायत	१,१२४.००	१,१२४.००	१,१२४.००	१,१२४.००	१,१२४.००
२९	स्वीच साधारण मोकल	गोटा	२४.००	२४.००	२४.००	२४.००	२४.००
३०	स्वीच क्लस टाइप मोकल	गोटा	३२.००	३२.००	३२.००	३२.००	३२.००
३१	एगल होमडर मोकल	गोटा	२९.००	२९.००	२९.००	२९.००	२९.००
३२	प्लास्टिक थिप	पिस	१.०४	१.०४	२.००	२.००	२.००
३३	५ एम्पीयर विद्युत प्लग मोकल	गोटा	२४.००	२४.००	२४.००	२४.००	२४.००
३४	१६ एम्पीयर विद्युत प्लग मोकल	गोटा	३९.००	३९.००	४९.००	४९.००	४९.००
३५	साधारण प्लग मोकल	गोटा	२९.००	२९.००	२९.००	२९.००	२९.००
३६	चोक्र	गोटा	२३६.००	२३६.००	२४८.००	२४८.००	२४८.००
३७	स्टार्टर ट्युबलाइटको लागि	गोटा	३८.००	३८.००	४०.००	४०.००	४३.००
३८	ग.हक	गोटा	१२४.००	१२४.००	१२२.००	१२२.००	१२२.००
३९	विजुलिको बल्ब ६० वाट	गोटा	३४.००	३४.००	३९.००	३९.००	४२.००
४०	विजुलिको बल्ब १०० वाट	गोटा	२८.००	२८.००	३०.००	३०.००	३२.००
४१	विजुलिको बल्ब ४० वाट	गोटा	३४.००	३४.००	३६.००	३६.००	३९.००
४२	विजुलिको बल्ब ० वाट	गोटा	३४.००	३४.००	३६.००	३६.००	४०.००
४३	विजुलिको बल्ब २०० वाट	गोटा	४६.००	४६.००	६०.००	६०.००	६६.००
४४	मेलोलेन बल्ब २०० वाट	गोटा	२४४.००	२४४.००	२९३.००	२९३.००	४२६.००
४५	मेलोलेन बल्ब १००० वाट	गोटा	४४०.००	४४०.००	४७८.००	४७८.००	६२६.००
४६	पि.एल.बल्ब ९ वाट	गोटा	२४४.००	२४४.००	२८९.००	२८९.००	३३३.००
४७	पि.एल.बल्ब १०.९३ वाट	गोटा	३८४.००	३८४.००	४०४.००	४०४.००	४३८.००
४८	पि.एल.बल्ब १८ वाट	गोटा	४१८.००	४१८.००	४३९.००	४३९.००	४७६.००
४९	पि.एल.बल्ब ३६ वाट ४ पिन	गोटा	४९६.००	४९६.००	४९२.००	४९२.००	८९६.००
५०	Compact Fluorescent Lamp (CFL) based Luminaries set all complete. (सम्बन्धित अन्वयक राष्ट्रको गुणवत्ता बिना प्रप)						
	2 *18 W CFL recessed / surface mounting mirror optic complete set WCP32218	सेट			२,६७८.००	२,६७८.००	२,९०३.००
	1*11 W CFL recessed / surface mounting mirror optic complete set WVP41111	सेट			१,८३३.००	१,८३३.००	१,९८९.००
	2*11 W CFL recessed / surface mounting mirror optic complete set WVP41211	सेट			२,२६६.००	२,२६६.००	२,४२९.००
	2*38 W CFL 4 pin with electronic ballast direct/ indirect, surface/ recessed with louver complete set WVP24236	सेट			६,०६३.००	६,०६३.००	६,४८६.००
	3*36 W CFL 4 pin low glare fixture with P 5 luminaire & electronic ballast complete set WVP24336	सेट			६,८२४.००	६,८२४.००	७,४०६.००
	Recess mounting Direct Indirect LED luminaire LM16-321-XXX-60-XX	सेट			१०,८१४.००	१०,८१४.००	११,७४०.००
	Recess mounting Direct Indirect LED luminaire LM11-291-XXX-57-XX	सेट			९४,०६०.००	९४,०६०.००	९४,२६३.००
	Recess Surface mounted LED luminaire CRCO10R038HP57	सेट			१३,३३९.००	१३,३३९.००	१४,४८०.००
	High efficiency circular LED Down Light LD71	सेट			३,२४४.००	३,२४४.००	३,४२२.००
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01	सेट			१४,६००.००	१४,६००.००	१४,८४९.००

Handwritten signatures and stamps at the bottom of the page, including a large blue circular stamp and several handwritten notes in Nepali.

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	म्याट बाहेको स्वीकृत दररेट (रुपैयामा)				
			मा. नं. ०७५/०७५	मा. नं. ०७५/०७५	मा. नं. ०७५/०७५	मा. नं. २०७५/०७५	मा. नं. २०७५/०७५
	IP20 and IP65 non-integral flexible LED Strip Light LS 06/26	सेट			१,०८२.००	१,०८२.००	१,१७४.००
	Circular LED/Dome Light Suitable for true ceiling LW01	सेट			३,२४५.००	३,२४५.००	३,४२२.००
	Square LED Wall/Dome Light Suitable for true ceiling LW02-101-XXX-60-XX	सेट			३,२४५.००	३,२४५.००	३,४२२.००
	Recess Mounted indirect & direct luminaries WVP 64236				६,१२९.००	६,१२९.००	६,६६३.००
	2*36 Watt CFL Surface Mirror Optic WVP44236				६,१२९.००	६,१२९.००	६,६६३.००
५१	LED FIXTURES (सम्बन्धित उत्पादक राष्ट्रको गुणस्तर बिना प्रस)						
	LED BULBS						
	LED Bulb (Wh, R, Bl, Or, G, Y) 0.5 Watt B22	गोटा			६३.००	६३.००	६८.००
	LED Bulb 3Watt B22/E27 2700K/6500K	गोटा			१२४.००	१२४.००	१३४.००
	LED Bulb 5Watt B22/E27 2700K/6500K	गोटा			१३९.००	१३९.००	१४०.००
	LED Bulb 8.3Watt B22/E27 2700K/6500K	गोटा			१८३.००	१८३.००	१९८.००
	LED Bulb 9Watt B22/E27 2700K/6500K	गोटा			१८३.००	१८३.००	१९८.००
	LED Bulb 11Watt B22/E27 2700K/6500K	गोटा			२००.००	२००.००	२१३.००
	LED Bulb 14Watt B22/E27 2700K/6500K	गोटा			२४२.००	२४२.००	२५९.००
	High Power LED 20Watt E27 2700K/6500K	गोटा			३२२.००	३२२.००	३६६.००
	High Power LED 28Watt E27 2700K/6500K	गोटा			७८३.००	७८३.००	८४०.००
	High Power LED 40Watt E27 2700K/6500K	गोटा			१,००७.००	१,००७.००	१,०९३.००
	High Power LED 50Watt E27 2700K/6500K	गोटा			१,२६२.००	१,२६२.००	१,३७०.००
	SURFACE MOUNTING DOWNLIGHT						
	Downlight Square 6W 3000K/6500K	गोटा			४४४.००	४४४.००	४८२.००
	Downlight Square 12W 3000K/6500K	गोटा			६२८.००	६२८.००	६८१.००
	Downlight Square 18W 3000K/6500K	गोटा			७७९.००	७७९.००	८४४.००
	Downlight Round 6W 3000K/6500K	गोटा			४४४.००	४४४.००	४८२.००
	Downlight Round 12W 3000K/6500K	गोटा			६२८.००	६२८.००	६८१.००
	Downlight Round 18W 3000K/6500K	गोटा			७८३.००	७८३.००	८४०.००
	RECESS MOUNTING DOWNLIGHT						
	Downlight Square 6W 3000K/6500K	गोटा			४२३.००	४२३.००	४४९.००
	Downlight Square 12W 3000K/6500K	गोटा			४४७.००	४४७.००	६०४.००
	Downlight Square 18W 3000K/6500K	गोटा			७४६.००	७४६.००	८०९.००
	Downlight Round 6W 3000K/6500K	गोटा			४२३.००	४२३.००	४४९.००
	Downlight Round 12W 3000K/6500K	गोटा			४४७.००	४४७.००	६०४.००
	Downlight Round 18W 3000K/6500K	गोटा			७४६.००	७४६.००	८०९.००
	LED Panel Light (Slim) 2*2 38W 4000K/6500K	गोटा			३,९७८.००	३,९७८.००	४,२९८.००
	LED Panel Cover (Surface/Recess) 2*2	गोटा			७४६.००	७४६.००	८०९.००
	LED TUBELIGHTS						
	LED Tubelight 18 watt 6500K	गोटा			२६८.००	२६८.००	२९०.००
	LED Tubelight with holder 18 watt 6500K	गोटा			४२३.००	४२३.००	४४९.००
	FLOODLIGHTS						
	Flood Light 20watt 6500K	गोटा			१,३१२.००	१,३१२.००	१,४२४.००
	Flood Light 30watt 6500K	गोटा			१,४७३.००	१,४७३.००	१,६०७.००
	Flood Light 50watt 6500K	गोटा			२,२८७.००	२,२८७.००	२,४८२.००
	Flood Light 70watt 6500K	गोटा			३,४४३.००	३,४४३.००	३,८४६.००
५२	SOLAR POWER						
	Solar PV Module	प्रति वाट			९०.००	९०.००	९३.००
	Solar Tubular Battery (200Ah@20, 12V)	गोटा			३२,१००.००	३२,१००.००	३४,८४३.००
	Solar Tubular Battery (150Ah@20, 12V)	गोटा			२४,४००.००	२४,४००.००	२६,४९७.००
	Solar Tubular Battery (100Ah@20, 12V)	गोटा			१७,०००.००	१७,०००.००	१८,४४४.००
	Solar Tubular Battery (80Ah@20, 12V)	गोटा			१४,९००.००	१४,९००.००	१८,३४६.००
	Solar Tubular Battery (60Ah@20, 12V)	गोटा			१२,२००.००	१२,२००.००	१३,२४४.००
	Solar Tubular Battery (40Ah@20, 12V)	गोटा			८,०००.००	८,०००.००	८,६८४.००
	Solar Gel Battery (200Ah@20, 12V)	गोटा			६६,७००.००	६६,७००.००	७२,४०९.००
	Solar Gel Battery (150Ah@20, 12V)	गोटा			४०,२००.००	४०,२००.००	४४,४२७.००
	Solar Gel Battery (100Ah@20, 12V)	गोटा			३६,१००.००	३६,१००.००	३९,१९०.००

Handwritten signatures and stamps are present at the bottom of the page, including a circular stamp with the text "विद्युत मर्मति कार्य" and several handwritten names and initials.

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	मार्ग बाइको स्वीकृत दररेट (रुपैयाँमा)				
			सा.नं. ०३५/०३५	सा.नं. ०३६/०३६	सा.नं. ०३७/०३७	सा.नं. २०३८०/०३८	सा.नं. २०३९०/०३९
	Solar Gel Battery (80Ah@20, 12V)	गोटा			२१,१००.००	२१,१००.००	३३,७६२.००
	Solar Gel Battery (75Ah@20, 12V)	गोटा			२३,६००.००	२३,६००.००	२९,९६२.००
	Solar Gel Battery (40Ah@20, 12V)	गोटा			१५,८००.००	१५,८००.००	१७,१५२.००
	Solar Lithium Ion Battery (100Ah@10, 12v)	गोटा			३६,७००.००	३६,७००.००	३९,८४१.००
	Solar Lithium Ion Battery (80Ah@10, 12v)	गोटा			३२,६००.००	३२,६००.००	३५,२९०.००
	Solar Lithium Ion Battery (50Ah@10, 12v)	गोटा			१८,७००.००	१८,७००.००	२०,३००.००
	Charge Controller (60A/24-48V)	गोटा			३२,५००.००	३२,५००.००	३५,२८२.००
	Charge Controller (45A/12-24-48V)	गोटा			२३,९००.००	२३,९००.००	२५,९४५.००
	Charge Controller (30A/12-24-48V)	गोटा			१९,८००.००	१९,८००.००	२१,४९४.००
	Charge Controller (25A/12-24-48V)	गोटा			१४,८००.००	१४,८००.००	१६,०६६.००
	Charge Controller (20A/12-24V)	गोटा			६,०००.००	६,०००.००	६,४९३.००
	Charge Controller (15A/12-24V)	गोटा			४,९००.००	४,९००.००	५,३१९.००
	Charge Controller (10A/12-24V)	गोटा			२,७००.००	२,७००.००	२,९३१.००
	Charge Controller (5A/12-24V)	गोटा			१,६००.००	१,६००.००	१,७६९.००
	Solar dusk to down controller 20A/12V with driver Circuit.	गोटा			४,५००.००	४,५००.००	४,८८४.००
	Solar Street Light 40W-12V DC with Autodimming system.	गोटा			१३,६००.००	१३,६००.००	१४,७६४.००
	Solar Street Light 30W-12V DC with Autodimming system.	गोटा			२४,३००.००	२४,३००.००	२६,३८०.००
	Solar Street Light 20W-12V DC with Autodimming system.	गोटा			१५,३००.००	१५,३००.००	१६,६०९.००
	Solar Street Light 100 Watt	गोटा			४२,३००.००	४२,३००.००	४५,९२०.००
	Solar Street Light 80 Watt	गोटा			३५,८००.००	३५,८००.००	३८,८६४.००
	Solar Street Light 60 Watt	गोटा			२६,८००.००	२६,८००.००	२९,०९४.००
	Solar Street Light 40 Watt	गोटा			१५,१००.००	१५,१००.००	१६,३९२.००
	Solar Street Light 30 Watt	गोटा			१२,०००.००	१२,०००.००	१३,०२७.००
	Solar Street Light 20 Watt	गोटा			८,६००.००	८,६००.००	९,३३६.००
	Solar Street Light 12 Watt	गोटा			५,६००.००	५,६००.००	६,०३९.००
	MS Pole 6 mtr high with rustproof enamel paint Dimension 4" for bottom 3m 3" for top 3 m	गोटा			१७,४००.००	१७,४००.००	१८,८८९.००
	MS Pole 7 mtr high with rustproof enamel paint Dimension 4" for bottom 4m 6" for top 3 m	गोटा			१९,२००.००	१९,२००.००	२०,८४३.००
	MS Pole 8 mtr high with rustproof enamel paint Dimension 4" for bottom 5m 6" for top 3 m	गोटा			२१,४००.००	२१,४००.००	२३,२३१.००
	MS Pole 9 mtr high with rustproof enamel paint Dimension 4" for bottom 6m 3" for top 3 m	गोटा			२१,७००.००	२१,७००.००	२३,४५७.००
	7m Hot Deep Galvanized Pole with Diameter of section 4" for bottom 4.5 m and 3" for top 2.5 m	गोटा			२१,४००.००	२१,४००.००	२३,२३१.००
	8m Hot Deep Galvanized Pole with Diameter of section 5" for bottom 4.5 m, 4" for Middle 1.75m and 3" for top 1.75m	गोटा			२४,७००.००	२४,७००.००	२६,८१४.००
	9m Hot Deep Galvanized Pole with Diameter of section 5" for bottom 5 m, 4" for Middle 2m and 3" for top 2m	गोटा			२६,९००.००	२६,९००.००	२९,२०२.००
	10m Hot Deep Galvanized Pole with Diameter of section 5" for bottom 5.2 m, 4" for Middle 2.4m and 3" for top 2.4m	गोटा			२९,१००.००	२९,१००.००	३१,४९०.००
	Pure Sine Wave Inverter 250 VA/12V	गोटा			७,२००.००	७,२००.००	७,८१६.००
	Pure Sine Wave Inverter 400 VA/12V	गोटा			१३,४००.००	१३,४००.००	१४,६३२.००
	Pure Sine Wave Inverter 850 VA/12V	गोटा			१६,४००.००	१६,४००.००	१७,९१२.००
	Pure Sine Wave Inverter 1000 VA/12V	गोटा			२२,९००.००	२२,९००.००	२४,८६०.००
	Pure Sine Wave Inverter 1400 VA	गोटा			२४,३००.००	२४,३००.००	२६,३८०.००
	Pure Sine Wave Solar Hybrid Inverter 850 VA with inbuilt charge controller.	गोटा			२०,२००.००	२०,२००.००	२१,९२९.००
	Pure Sine Wave Solar Hybrid Inverter 1000 VA with inbuilt charge controller.	गोटा			२४,२००.००	२४,२००.००	२६,२५१.००
	Pure Sine Wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller.	गोटा			७१,४००.००	७१,४००.००	७७,६२०.००
	Pure Sine Wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller.	गोटा			१४३,०००.००	१४३,०००.००	१५४,२४०.००
	MS Light Arms	सेट			२,२००.००	२,२००.००	२,३८८.००

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and a signature on the right with the word "Rev" written below it.

सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट माहिकको स्वीकृत दररेट (रुपैयामा)				
			मा.व. ०७५/०७६	मा.व. ०७६/०७७	मा.व. ०७७/०७८	मा.व. ०७८/०७९	मा.व. ०७९/०८०
	SPV Mounting Frame	सेट			४,८००.००	४,८००.००	४,२९६.००
	Battery Box	सेट			४,४००.००	४,४००.००	४,८०५.००
	Battery Stand	सेट			४,४००.००	४,४००.००	४,८०५.००
४३	FIRE ALARM SYSTEM (सम्बन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)						
	Photoelectric Smoke Detector	सेट			१,८०४.००	१,८०४.००	२,०३४.००
	Rate of Rise Heat Detector	सेट			१,८०४.००	१,८०४.००	२,०३४.००
	Fixed Temperature Detector	सेट			२,२८०.००	२,२८०.००	२,४८२.००
	Base	सेट			३०९.००	३०९.००	४०२.००
	Conv. Manual Call Point (MCP) Red with LED 470 ohm. With BB, India	सेट			१,४८३.००	१,४८३.००	१,६०९.००
	Wall Mount Horn+Strobe	सेट			४,१२०.००	४,१२०.००	४,४३२.००
	Ceiling Mount Horn+Strobe	सेट			४,१२०.००	४,१२०.००	४,४३२.००
	Break Glass Type Manual Call Point	सेट			१,८००.००	१,८००.००	१,९४४.००
	Fire Alarm Control Panel (FACP)	सेट			३८,८४९.००	३८,८४९.००	४२,९७६.००
४४	EPABX SYSTEM						
	1-4 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट			७,६४८.००	७,६४८.००	८,३०२.००
	2-6 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट			१८,४११.००	१८,४११.००	१९,९८६.००
	3-6 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट			२०,४३८.००	२०,४३८.००	२२,२९६.००
	4-12 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट			२६,८२३.००	२६,८२३.००	२९,९०४.००
	6-16 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट			४९,४६९.००	४९,४६९.००	५३,८१२.००
	8-24 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट			८४,९७४.००	८४,९७४.००	९२,२४८.००
	8-48 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट			९०,९२३.००	९०,९२३.००	९८,७०६.००
	8-72 Line EPABX with 1 set programmable Master telephone set of corresponding Brand; Panasonic, creative, Matrix or Eqvt.	सेट			९७,२८८.००	९७,२८८.००	१०४,६१४.००
४५	पैनलबोर्ड रायो प्लार पाइन्ट थ्रूको डबल कमर पुस टाइप स्वीच लिक्विड-साइड १२X३०X४० मेटल बोर्ड	सेट	२,४२७.००	२,४२७.००	२,४४९.००	२,४४९.००	२,७५३.००
४६	डाक्रेट तैय	गोटा	३८४.००	३८४.००	४०४.००	४०४.००	४३८.००
४७	३३ एम्पियर टि.पि.एम.एस.सी.बी. टान्सफर्मरमा लगाउने पि.के.ज.कमिस्सियन टाइप	गोटा	१,४११.००	१,४११.००	१,४८२.००	१,४८२.००	१,६०८.००
४८	टि.पि.एम.एस.सी.बी. २० एम्पियर	गोटा	७,०६०.००	७,०६०.००	७,४१३.००	७,४१३.००	८,०४७.००
४९	टि.पि.एम.एस.सी.बी. १५ एम्पियर	गोटा	७,०६०.००	७,०६०.००	७,४१३.००	७,४१३.००	८,०४७.००
५०	भोल्टमिटर सेलेक्टेड स्वीच समेत कमिस्सियन टाइप	गोटा	१,८७४.००	१,८७४.००	१,९६८.००	१,९६८.००	२,१३६.००
५१	हेभी ड्युटी इन्फ्रिक्टेड पैनलबोर्ड कमिस्सियन टाइप	गोटा	३६३.००	३६३.००	३८२.००	३८२.००	४१४.००
५२	१० एस.डब्लु.भि.प्लाष्टिक कोटेड कपर वायर अर्बिङको लागि	र.मी.	१३२.००	१३२.००	१३९.००	१३९.००	१४०.००
५३	अर्बिङको लागि ६X४५X३.१४ मी.मी. कपरप्लेट ४ = एम.जु.भि. कपर वायर बोर्ड देखि अर्बिङ.राम्मा आवश्यक नून कोइला समेत	गोटा	७,०६०.००	७,०६०.००	७,४१३.००	७,४१३.००	८,०४७.००
५४	स्तरिय सामान र पि.भि.सी.पाइप प्रयोग गरी सर्वोत्तमवारिङ गर्ने काम राम्रो मेटल बक्स, स्वीच, सिमिड, रोज आदि वायरिङ, सामान समेत प्रयोग गरी वायरिङ को काम						
	क. ३/२२ को तार एन.एस. प्राप्ता (कपर वायर) लाइन्ट पाइन्ट वायरिङ गर्ने काम।	प्याइन्ट	८१४.००	८१४.००	८४६.००	८४६.००	९२९.००
	म. ३/२२, ७/२२ को एन.एस. प्राप्ता तार (कपरवायर) तार प्रयोग गरी १५ एम्पियर कपर प्याइन्ट वायरिङ गर्ने काम।	प्याइन्ट	९७०.००	९७०.००	१,०९९.००	१,०९९.००	१,१०६.००

जिल्ला अधिकारी
 सुर्खेत

क्र.सं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाटोको स्वीकृत दररेट (रुपैयामा)				
			मा.नं. ०७९/०७९	मा.नं. ०७९/०७९	मा.नं. ०७९/०७९	मा.नं. ०७९/०७९	मा.नं. ०७९/०७९
	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरबायर) लगाई १ एमिटर पावर प्वाइन्ट बायरिङ गर्ने काम ।	प्लाइन्ट	१,२१३.००	१,२३४.००	१,२३४.००	१,२३४.००	१,३८३.००
६४	स्तरिय सामान र मि.पी.सी. पाइन प्रयोग गरी कन्सीन्ट्रिड बायरिङ गर्ने काम । (स्वीच, स्वीच बोर्ड, सिमिड रोज, बक्स आदि आवश्यक सम्पूर्ण सामान समेत)						
	क. ३/२२ को तार एन.एस. प्राप्त (कपर बायर) लाई प्लाइन्ट बायरिङ गर्ने काम ।	प्लाइन्ट	६६२.००	६६२.००	६६६.००	६६६.००	७५४.००
	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरबायर) तार प्रयोग गरी १२ एमिटर पावर प्लाइन्ट बायरिङ गर्ने काम ।	प्लाइन्ट	८८२.००	८८२.००	९२७.००	९२७.००	१,००६.००
	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरबायर) लगाई १ एमिटर पावर प्लाइन्ट बायरिङ गर्ने काम ।	प्लाइन्ट	३७१.००	३७१.००	८१०.००	८१०.००	८७९.००
६५	स्तरिय सामान र प्लास्टिक कन्टी लगाई स्फैसबायरिङ गर्ने काम । (स्वीच, स्वीच बोर्ड, सिमिड रोज, बक्स आदि आवश्यक सम्पूर्ण सामान समेत)						
	क. ३/२२ को तार एन.एस. प्राप्त (कपर बायर) लाई प्लाइन्ट बायरिङ गर्ने काम ।	प्लाइन्ट	४४०.००	४४०.००	४७८.००	४७८.००	६२३.००
	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरबायर) तार प्रयोग गरी १६ एमिटर पावर प्लाइन्ट बायरिङ गर्ने काम ।	प्लाइन्ट	७७१.००	७७१.००	८१०.००	८१०.००	८७९.००
	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरबायर) लगाई १ एमिटर पावर प्लाइन्ट बायरिङ गर्ने काम ।	प्लाइन्ट	८८२.००	८८२.००	९२७.००	९२७.००	१,००६.००
६७	घन कोटिङ र साल बैंक फिलिङ	र.मि	२४.००	२४.००	२६.००	२६.००	२८.००
६८	पाइप साईमिड (बायरिङ को लागि)	र.मि	१३.००	१३.००	१४.००	१४.००	१४.००
६९	केवल लेन्थ्रुने काम (बायरिङको लागि)	र.मि	१४.००	१४.००	१६.००	१६.००	१७.००
७०	ली डोमिन्ट पोसिडन पाइन बायरिङका लागि						
	१४ मि.मि. डाय	र.मी	२१.००	२१.००	२३.००	२३.००	२४.००
	२० मि.मि. डाय	र.मी	२८.००	२८.००	३०.००	३०.००	३२.००
	२४ मि.मि. डाय	र.मी	३२.००	३२.००	३४.००	३४.००	३६.००
७१	मि.मि.सि. पाइप बायरिङका लागि						
	१४ मि.मि. डाय	र.मी	४७.००	४७.००	४०.००	४०.००	४४.००
	२० मि.मि. डाय	र.मी	४९.००	४९.००	४२.००	४२.००	४६.००
	२४ मि.मि. डाय	र.मी	७०.००	७०.००	७४.००	७४.००	८०.००
७२	आई एस आई मार्क प्राप्त एम.सि.बी (standard, Rodex, Geco, havells)						
	६-३२ टी.पी.	धान	३६३.००	३६३.००	३८२.००	३८२.००	४१४.००
	६-३२ टी.पी. एन.	धान	९३७.००	९३७.००	९८४.००	९८४.००	१,०६८.००
७३	आई एस आई मार्क प्राप्त एम.सि.बी (standard, rodex, Geco, havells)						
	६-३२ टी.पी.	धान	१,४७३.००	१,४७३.००	१,४४१.००	१,४४१.००	१,६८३.००
	६-३२ टी.पी. एन.	धान	१,८७४.००	१,८७४.००	१,९६८.००	१,९६८.००	२,१३६.००
	४० एस.पी.	धान	४४१.००	४४१.००	४६४.००	४६४.००	४८३.००
	४० डि.पी.	धान	१,०४७.००	१,०४७.००	१,१००.००	१,१००.००	१,१९४.००
	४० डि.पी.	धान	१,६४४.००	१,६४४.००	१,७३७.००	१,७३७.००	१,८८४.००
७४	डाइना / सि.पि.एन. / स्वी स्तरको स्विच र सकेट						
	वेल्ड स्वीच	सेट	१२४.००	१२४.००	१३२.००	१३२.००	१४२.००
	टेलिफोन सकेट	सेट	१६९.००	१६९.००	१७८.००	१७८.००	१९३.००
	टि.मि. सकेट	सेट	१८२.००	१८२.००	१९३.००	१९३.००	२०३.००
	वन ग्याङ वन वे स्वीच	सेट	१३९.००	१३२.००	१३९.००	१३९.००	१४०.००
	वन ग्याङ टु वे	सेट	१४३.००	१४३.००	१४९.००	१४९.००	१६३.००
	टु ग्याङ वन वे	सेट	२४२.००	२४२.००	२४४.००	२४४.००	२५५.००
	थ्रि ग्याङ वन वे	सेट	३०९.००	३०९.००	३२४.००	३२४.००	३३२.००
	फोर ग्याङ वन वे	सेट	४४९.००	४४९.००	४६४.००	४६४.००	४८३.००
७५	३२ एम्पीयर हि.पि.एम.सि.बी. मेन स्वीचको लागि	गोटा	१,१०३.००	१,१०३.००	१,१४९.००	१,१४९.००	१,२४८.००
७६	२० एम्पीयर हि.पि.एम.सि.बी. (आई.एस.आई.)	गोटा	१,१०३.००	१,१०३.००	१,१४९.००	१,१४९.००	१,२४८.००
७७	१६ एम्पीयर एम.सि.बी. मेन स्वीचको लागि	गोटा	१,०९१.००	१,०९१.००	१,१४९.००	१,१४९.००	१,२४४.००
७८	६-३२ एम्पीयर पावर सकेट डायनामि.पि.एन. स्तरको	सेट	३८४.००	३८४.००	४०४.००	४०४.००	४३८.००
७९	डिमर सिड गल ४०० वाट डाइनामि.पि.एन. स्तरको	सेट	४४१.००	४४१.००	४६४.००	४६४.००	४८३.००

Handwritten signatures and stamps are present at the bottom of the page, including a circular stamp with the text "विद्युत निरीक्षण अधिकारी" (Electricity Inspection Officer) and "सम्पत्ति" (Property).


सि.नं.	निर्माण सामग्रीको नाम	प्रति इकाई	भ्याट बाहेको स्वीकृत दररेट (रुपैयामा)				
			मा.नं. ०७७/०७७	मा.नं. ०७७/०७७	मा.नं. ०७७/०७७	मा.नं. २०७७/०७७	मा.नं. २०७७/०७७
८०	डिमर सिङ्गल ८०० वाट हायलाइट सि.पि.एल. स्तरको	सेट	८२६.००	८२६.००	८६८.००	८६८.००	९४२.००
८१	मेटलको जंक्सन बक्स हेवि		-	-	-	-	-
	४"X४"	गोटा	६४.००	६४.००	६९.००	६९.००	७४.००
	४"X६"	गोटा	६४.००	६४.००	६९.००	६९.००	७४.००
	६"X६"	गोटा	१२०.००	१२०.००	१२६.००	१२६.००	१३६.००
	८"X१०"	गोटा	१४८.००	१४८.००	१५६.००	१५६.००	१६९.००
	८"X१२"	गोटा	१५९.००	१५९.००	१६७.००	१६७.००	१८१.००
८२	पि.मि.सि. कमर		-	-	-	-	-
	४"X४"	गोटा	१२४.००	१२४.००	१३२.००	१३२.००	१४३.००
	४"X६"	गोटा	१२४.००	१२४.००	२०२.००	२०२.००	२१९.००
	६"X६"	गोटा	२७४.००	२७४.००	२८९.००	२८९.००	३०३.००
	६"X१०"	गोटा	४१८.००	४१८.००	४३९.००	४३९.००	४७६.००
	८"X१२"	गोटा	४७४.००	४७४.००	४९८.००	४९८.००	५४०.००
८३	एम.सि.बि.को लागि पि.मि.सि. बक्स		-	-	-	-	-
	One pole PVC box GPS	set	९३.००	९३.००	९८.००	९८.००	१०६.००
	Two pole PVC box GPS	set	१५३.००	१५३.००	१६१.००	१६१.००	१७४.००
	Fourpole PVC box GPS	set	२६३.००	२६३.००	३०२.००	३०२.००	३१९.००
८४	वायरिङको लागि पि.मि.सि. लिप्टो डबल सल सिस्टम		-	-	-	-	-
	१/२"	मिटर	६१.००	६१.००	६४.००	६४.००	७०.००
	३/४"		८२.००	८२.००	८७.००	८७.००	९४.००
	१"		१२०.००	१२०.००	१२६.००	१२६.००	१३६.००
	१ १/२"		१७६.००	१७६.००	१८६.००	१८६.००	२००.००
८५	२५ एम्पीयर डि.सि.एम.सि.बी. मेन स्वीचको लागि	गोटा	८३८.००	८३८.००	८८०.००	८८०.००	९४४.००
८६	६ तथा १६ एम्पीयर एम.सि.बी. (standard, rodex, Geco, havells)	गोटा	२८६.००	२८६.००	३०१.००	३०१.००	३२६.००
८७	३२ एम्पीयर एम.सि.बी. (standard, rodex, Geco, havells)	गोटा	३०९.००	३०९.००	३२४.००	३२४.००	३४२.००
८८	Distribution Board GECO, Havells, Rodex, standard or equivalent		-	-	-	-	-
	4way SPN DB Double Cover	Set	१,४२१.००	१,४२१.००	१,४९८.००	१,४९८.००	१,७३४.००
	6way SPN DB Double Cover	Set	१,७६२.००	१,७६२.००	१,८४३.००	१,८४३.००	२,०१२.००
	8way SPN DB Double Cover	Set	२,०६१.००	२,०६१.००	२,१६२.००	२,१६२.००	२,३४०.००
	12way SPN DB Double Cover	Set	२,८६८.००	२,८६८.००	३,०१२.००	३,०१२.००	३,२६९.००
	16way SPN DB Double Cover	Set	३,९७८.००	३,९७८.००	४,१२७.००	४,१२७.००	४,३९४.००
	3/4 TPN DB Double Cover	Set	४,७४३.००	४,७४३.००	४,९८१.००	४,९८१.००	५,४०७.००
	6 TPN DB Double Cover	Set	४,४०३.००	४,४०३.००	४,७७९.००	४,७७९.००	५,२०३.००
	8 TPN DB Double Cover	Set	६,०६६.००	६,०६६.००	६,३७०.००	६,३७०.००	६,९१४.००
८९	T-Type Cross arm	No	-	-	-	-	-
९०	100x50x5x2250 mm Channel for transformer fix	Pc	-	-	-	-	-
९१	PSC pole Clamp (Single)	PC	-	-	-	-	-
९२	PSC pole Clamp (Double)	PC	-	-	-	-	-
९३	11 KV Disc Insulator with all accessories	PC	-	-	-	-	-
९४	11 KV Pin Insulator with all accessories	PC	-	-	-	-	-
९५	11 KV Pin Insulator with Spindle.	PC	४२४.००	४२४.००	४४२.००	४४२.००	४६९.००
९६	Shackle Insulator with D- Iron	PC	२४२.००	२४२.००	२४४.००	२४४.००	२७६.००
९७	5/8x7" Nut Bolt	Kg	२४२.००	२४२.००	२६४.००	२६४.००	२८७.००
९८	5/8x3" Nut Bolt	Kg	२४२.००	२४२.००	२६४.००	२६४.००	२८७.००
९९	Stay set	set	१,८७४.००	१,८७४.००	१,९६८.००	१,९६८.००	२,१३६.००
१००	Stay Insulator	PC	१४८.००	१४८.००	१६६.००	१६६.००	१८०.००
१०१	Stay Wire	kg	३४३.००	३४३.००	३७१.००	३७१.००	४०२.००
	Neck or Equivalent with NS.		-	-	-	-	-
१०२	Transformer (11/040 kv, 25 KVA, 50 Hz)	PC	२३६,२४०.००	२३६,२४०.००	२४८,०६३.००	२४८,०६३.००	२६९,२९३.००
१०३	Transformer (11/040 kv, 50 KVA, 50 Hz)	PC	३४१,२४०.००	३४१,२४०.००	३४८,३९३.००	३४८,३९३.००	३८८,९८४.००
१०४	Transformer (11/040 kv, 100 KVA, 50 Hz)	PC	४४६,०००.००	४४६,०००.००	४७३,३००.००	४७३,३००.००	५२२,३७४.००
१०५	Transformer (11/040 kv, 150 KVA, 50 Hz)	PC	६४१,०००.००	६४१,०००.००	६८३,४४०.००	६८३,४४०.००	७४२,०६१.००
१०६	Transformer (11/040 kv, 200 KVA, 50 Hz)	PC	८९१,६४०.००	८९१,६४०.००	९२३,२३३.००	९२३,२३३.००	९९४,१८४.००
१०७	Electrical panelled box with incoming 60-100 MCCB, out going MCCB & MCBS for AC & internal lighting	1 set	२७४,७८.००	२७४,७८.००	२८९,४४०.००	२८९,४४०.००	३१,४३४.००
१०८	Electrical panelled box with incoming 75-100 MCCB, out going MCCB & MCBS for AC & internal lighting size (1'X2'6"x4'8") made of mild steel sheet 14 gauge push type lockable bus bar chamber included screw, cable shoe etc all complete set near or equivalent	1 set	३०,८८८.००	३०,८८८.००	३२,४३३.००	३२,४३३.००	३४,२०९.००
१०९	Supplying & fixing 4x6" size metal duct for wiring purposes in floor	per m	६६२.००	६६२.००	६९६.००	६९६.००	७४४.००
११०	2.00 TR capacity wall mounted split type air condition Mc Quay, midea, fulgore, malaysian or equ. co	1 set	१०४,७९९.००	१०४,७९९.००	११०,०३९.००	११०,०३९.००	११९,४४८.००
१११	1.5 TR capacity wall mounted split type air condition Mc Quay, midea, fulgore, malaysian or equ. co	1 set	-	-	-	-	-

सि.नं.	निर्माण सामग्री का नाम	प्रति इकाई	म्याट बाह्यक की स्वीकृत दर (रुपैयां)				
			मा. २.०३५/०३५	मा. २.०३५/०३५	मा. २.०३५/०३५	मा. २.०३५/०३५	मा. २.०३५/०३५
११०	1.0 TR capacity wall mounted split type air condition Mc Quay, midea, fullaire, malaysian or any co	1 set					
१११	Automatic centrl voltage stabilizer 30 kva	No	२०४,०८३.००	२०४,०८३.००	२०४,२८८.००	२०४,२८८.००	२०४,२८८.००
११२	9 Kv lighting arrestor (Set of 3)	set	११,०२४.००	११,०२४.००	११,४७३.००	११,४७३.००	११,४७३.००
११३	11 Kv Drop out fuse set (Set of 3)	set	२२,०४०.००	२२,०४०.००	२३,१४३.००	२३,१४३.००	२३,१४३.००
११४	0.03 sq inch ACSR conductor	प्रति मि.	३४.००	३४.००	३५.००	३५.००	३५.००
११५	0.05 sq inch ACSR conductor	प्रति मि.	४६.००	४६.००	४९.००	४९.००	४९.००
११६	0.10 sq inch ACSR conductor	प्रति मि.	९३.००	९३.००	९८.००	९८.००	९८.००
११७	50 AMP MCCB set	set	१२,१३४.००	१२,१३४.००	१२,७४१.००	१२,७४१.००	१२,७४१.००
११८	75 AMP MCCB set	set	१४,८९१.००	१४,८९१.००	१५,६३६.००	१५,६३६.००	१५,६३६.००
११९	MCCB Box	No	१४,८९१.००	१४,८९१.००	१५,६३६.००	१५,६३६.००	१५,६३६.००
१२०	3 phase metallic meter box	No	६,०९६.००	६,०९६.००	६,३००.००	६,३००.००	६,३००.००
१२१	11 Kv D.O. switch with all fitting accessories	set	-	-	-	-	-
१२२	3 core 4 sqmm size flat PVC insulated copper submersible cable	प्रति मि.	४२३.००	४२३.००	४४४.००	४४४.००	४४४.००
१२३	3 core 6 sqmm size flat PVC insulated copper submersible cable	प्रति मि.	६४४.००	६४४.००	६८८.००	६८८.००	६८८.००
१२४	35 sq mm 4 core electric connecting cable	प्रति मि.	४९४.००	४९४.००	५२४.००	५२४.००	५२४.००
१२५	25 sq mm 4 core electric connecting cable	प्रति मि.	४२३.००	४२३.००	४४४.००	४४४.००	४४४.००
१२६	16 sq mm 4 core electric connecting cable	प्रति मि.	३४८.००	३४८.००	३६६.००	३६६.००	३६६.००
१२७	11KVA disc.insulator with tension set	set	२,२०४.००	२,२०४.००	२,२१६.००	२,२१६.००	२,२१६.००
१२८	T-channel(size 6*50*100*50*1200*305 mm	No					
१२९	D.O. Chanell (size 6*50*100*2250)	No					
१३०	Tapping channel (size 6*50*100*50*1200)	No					
१३१	Internet wiring (Surface wiring) with materials all complete works	Point	३,१९८.००	३,१९८.००	३,३४८.००	३,३४८.००	३,३४८.००
१३२	Surface wiring by 1x1/10+2x7/20 copper wire	No	१,४३३.००	१,४३३.००	१,४७४.००	१,४७४.००	१,४७४.००
१३३	Washer,	Kg	२७८.००	२७८.००	२९२.००	२९२.००	२९२.००
१३४	Earthna Copper wire	Kg	२,३१०.००	२,३१०.००	२,४२६.००	२,४२६.००	२,४२६.००
१३५	Copper Coated Earthing Rod.	No	३,६७४.००	३,६७४.००	३,८४९.००	३,८४९.००	३,८४९.००
१३६	Copper Strip (Special)	Kg	२,९४०.००	२,९४०.००	३,०८३.००	३,०८३.००	३,०८३.००
१३७	G.I. Earthing Pipe (6 Ft. 1.5 inch dia.	No	२,६२४.००	२,६२४.००	२,७४३.००	२,७४३.००	२,७४३.००

Handwritten signatures and initials are present below the table, including a large signature on the left and several initials and smaller signatures on the right.

25

rkhet 2079












25

S.N	Description of material	Per Unit	078/079	079/080
38	46.5x35.5x26.5 cm White glaze flat back Urinal (Hindware, Parryware, Somany, cera or equivalent)	Set	1880.0	2040.00
39	61x41x38 cm Large Flat back White glazed urinal with bracket (Hindware, Parryware, Classica, cera or equivalent.)	Set	4174.0	4531.00
40	Wall mounted Urinal with sensor complete set (Duravit, Grohe, American standard and equivalent)	Set	100291.0	108875.00
41	1½" Ø C.P. bottle trap including 1½" Ø PVC. waste coupling.		1852.0	2010.00
42			0.0	0.00
43	17"x14"x13 White glaze Angle back Urinal (Hindustan)	No	1619.0	1757.00
44	23"x14" White glaze squatting plate urinal (Hindustan or equivalent)	No	1212.0	1315.00
45	68X30 cm White glaze Division plate urinal Partation	No	1690.0	1834.00
46	Solar water heater 300 litres complete with 3 nos. of solar panel size 1000x2000mm, thermostat, stands, pipe connections, testing and operation.	Set	49376.0	53602.00
47	500ltrs net capacity stainless steel water tank with Inlet, outlet, over flow, cleanout hole etc. (304 grade steel)	No	12610.0	13689.00
48	1000ltrs net capacity stainless steel water tank with Inlet, outlet, over flow, cleanout hole etc. (304 grade steel)	No	18580.0	20170.00
49	1500ltrs net capacity stainless steel water tank with Inlet, outlet, over flow, cleanout hole etc. (304 grade steel)	No	28540.0	30983.00
50	2000ltrs net capacity stainless steel water tank with Inlet, outlet, over flow, cleanout hole etc. (304 grade steel)	No	34510.0	37464.00
51	5000Ltr. PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	53000.0	57536.00
52	1000Ltr. PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	10300.0	11181.00
53	500 ltr PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	5150.0	5590.00
54	2000 Ltr PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	20600.0	22363.00
55	1 HP Chinese pump	No	3270.0	3549.00
56	1 HP Chinese submersible pump	No	9240.0	10030.00
57	1.0 H P Electric motor pump (Submersible) Italian or equivalent	No	26089.0	28322.00
58	1.5 H P Electric motor pump (Vertical Submersible) Sarvo/Bimal or equivalent	No	32932.0	35750.00
59	0.5 H P Electric motor pump mono block type with base plate nuts, bolts etc.set	No	6258.0	6793.00
60	1.0 H P Electric motor pump mono block type with base plate nuts, bolts, etc.set	No	9465.0	10275.00
61	1 H P Electric motor pump (super suction) with base plate nuts, bolts etc.set	No	14258.0	15478.00
62	2 H P Electric motor pump with base plate nuts, bolts etc.set	No	22587.0	24520.00
63	3 H P Electric motor pump with base plate nuts, bolts etc.set	No	23847.0	25888.00
64	5 H P Electric motor pump with base plate nuts, bolts etc.set	No	28656.0	31108.00
65	Motor Starter Switch	No	3398.0	3688.00
66	Pressure Sensor Switch (Italian)	No	3675.0	3989.00
67	White glaze toilet paper holder	No	1157.0	1256.00
68	C.P. toilet paper holder	No	929.0	1008.00
69	Stainless steel liquid soap container European pattern	No	6062.0	6580.00
70	White glazed Porcelain clay soap dish	No	661.0	717.00
71	Stainless steel towel rod 1.5x45cm (½"x 18")	No	1240.0	1346.00
72	C.P Soap dish	No	510.0	553.00
73	C.P Soap dish (polyurethane)	No	1042.0	1131.00
74	C P Towel rod 3/4"x24" size	No	567.0	615.00
75	C P Towel rod 1/2"x 18" size	No	510.0	553.00
76	C P Towel rod 18" size Heavy	No	1578.0	1713.00

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and a circular stamp on the right.

(30)

S.N	Description of material	Per Unit	078/079	079/080
77	C.P. Towel rod 24" size Heavy	No	1663.0	1805.00
78	Glass Shelf with CP Guard rail	No	680.0	738.00
79	C.P. Glass Shelf 22" size		2260.0	2453.00
80	Porcelaine clay basin shelf	No	3653.0	3985.00
81	Bevelled edge looking mirror	No	600.0	651.00
82	Looking Mirror Modi guard 450x600mm (18"x 24")	No	1459.0	1583.00
83	73 mm OD 3" Ms Seamless Pipes SCH 40 5.16mm thickness	No	1695.0	2057.00
84	101.6 mm OD 4" Ms Seamless Pipes SCH 40	No	3205.0	3479.00
85	7.5cm dia shower rose revolving type	No	906.0	983.00
86	Stainless Steel Shower rose with sliding bar complete set.	No	2976.0	3230.00
87	Stainless Steel Telephonic Shower	No	1240.0	1348.00
88	15 mm C.P. Shower head with arm and flange	No	1094.0	1187.00
89	C.P. Flush valve	No	5404.0	5866.00
90	Sensor Flush valve for urinal	No	10651.0	11562.00
91	Basin cock sensor (Battery operating)		14418.0	15652.00
92	Sensor mixer for basin (Battery operating)	No	20481.0	22234.00
93	15mm C.P. Bib Cock	No	1361.0	1477.00
94	15mm C.P. Swan Neck Pillar Cock	No	1331.0	1444.00
95	CP Pillar Cock with aerator	No	1263.0	1371.00
96	15mm C.P. Concealed Stop Cock	No	1807.0	1961.00
97	15mm C.P. Sink Cock	No	1309.0	1421.00
98	15mm C.P. Angle valve	No	927.0	1006.00
99	15mm C.P. Sink Mixture	No	4472.0	4854.00
100	15mm C.P. Basin Mixture	No	4640.0	5037.00
101	15mm C.P. Wall Mixture	No	5435.0	5900.00
102	15mm dia Stainless Steel Bib Cock	No	4425.0	4803.00
103	15 mm dia Stainless Steel Pillar Cock	No	4425.0	4803.00
104	15mm dia Stainless Steel Sink Cock	No	5565.0	6041.00
105	15mm S.S. Concealed mixture	No	6455.0	7007.00
106	15mm Stainless steel angle valve	No	827.0	897.00
107	15mm SS two way angle valve	No	1157.0	1256.00
108	Stainless steel wall mixture single control complete set.	set	4182.0	4539.00
109	Stainless steel Sink mixture single control complete set		8408.0	9127.00
110	Stainless steel Basin mixture single control complete set.		6943.0	7537.00
111	15mm C.P. Urinal Auto closing Valve with built in control cock	No	2694.0	2924.00
112	15mm C.P. Auto Closing Bib Cock with Aerator	No	2612.0	2835.00
113	15mm C.P. Auto Closing Pillar Cock with Aerator		2527.0	2743.00
114	Water spray (Health faucet) with 1.2 m. long flexible pipe	Set	1146.0	1244.00
115	15mm flush cock push type	No	1133.0	1229.00
116	15mm Urinal C.P. Spreader	No	940.0	1020.00
117	C.P. Grab bar European pattern 300mm long bend type Grohe, Essel or equivalent	set	5360.0	5818.00
118	C.P. Grab bar European pattern 600-900mm long bend type Grohe, Essel or equivalent	set	6062.0	6580.00
119	GM 15mm gate valve	No	962.0	1044.00
120	GM 20 mm gate valve	No	1198.0	1300.00
121	GM 25mm gate valve	No	1930.0	2095.00
122	GM 32 mm gate valve	No	2753.0	2988.00
123	GM 40mm gate valve	No	3467.0	3763.00
124	GM 50 mm gate valve	No	5519.0	5991.00
125	GM 65 mm gate valve	No	11411.0	12387.00
126	GM 80 mm gate valve	No	14188.0	15402.00
127	GM 100 mm gate valve	No	23238.0	25227.00
128	15 mm G M check valve	No	893.0	969.00
129	20 mm G M check valve	No	1200.0	1302.00
130	25 mm G M check valve	No	1775.0	1926.00
131	32 mm G M check valve	No	2623.0	2847.00
132	40 mm G M check valve	No	3035.0	3294.00

गुड क...	Pe
निम्न...	Un
	N
	N

[Handwritten signatures and initials across the bottom of the page]

32

महानगरपालिका
नगर प्रशासन

S.N	Description of material	Per Unit	078/079	079/080
182	Cl Tank Cover 24" X 24" (50 kg) Square (Locking Type)	No	10138.0	11005.00
183	100 kg -20" dia Cl round Manhole cover with square frame.	Set	14630.0	15882.00
184	5 kg Fire extinguisher ABC type minimax	No	7130.0	7740.00
185	Fire Post complete set	Set	27214.0	29543.00
186	Fire pump 20 HP two pump set with panel board and accessories pedrollo, Italian,	Set	550000.0	597080.00
187	Swinging hose reel with 20 mm hydraulic rubber braided hose 30 mt. Long, swinging up to 170° nozzle	Set	19700.0	21386.00
188	Flange 80 mm dia.	No	1892.0	2053.00
189	Flange 100 mm dia	No	2348.0	2548.00
190	Stainless steel Bowl with ordinary drain board 37"long size	Set	2314.0	2512.00
191	Stainless steel double Bowl with single drain Ordinary board 62" x 20" size.	Set	5786.0	6281.00
192	High density poethylene pipe 50mm. 4kg/cm2	Rm	81.0	87.00
193	High density poethylene pipe 110mm 4kg/cm2	Rm	364.0	395.00
194	High density poethylene pipe 125 mm. 4kg/cm2	Rm	490.0	531.00
195	High density poethylene pipe 140mm dia 4kg/cm2	Rm	621.0	674.00
196	High density poethylene pipe 160mm. Dia 4kg/cm2	Rm	807.0	876.00
197	High density poethylene pipe 180mm. 4kg/cm2	Rm	1019.0	1106.00
198	High density poethylene pipe 200mm. 4kg/cm2	Rm	1260.0	1367.00
199	15 mm Insulation for hot water pipe 'Aeroflex" of 6 mm wall thickness	Rm	85.0	92.00
200	25 mm Insulation for hot water pipe 'Aeroflex" of 6 mm wall thickness	Rm	126.0	136.00
201	32 mm Insulation for hot water pipe 'Aeroflex" of 6 mm wall thickness	Rm	158.0	171.00
202	15 mm CPVC Pipe SDR 11 CTS, 28.1 kg/cm2	Rm	133.0	144.00
203	20 mm CPVC Pipe SDR 11 CTS, 28.1 kg/cm2	Rm	178.0	193.00
204	25 mm CPVC Pipe SDR 11 CTS, 28.1 kg/cm2	Rm	248.0	269.00
205	32 mm CPVC Pipe SDR 11 CTS, 28.1 kg/cm2	Rm	300.0	325.00
206	40 mm CPVC Pipe SDR 11 CTS, 28.1 kg/cm2	Rm	418.0	453.00
207	50 mm CPVC Pipe SDR 11 CTS, 28.1 kg/cm2	Rm	677.0	734.00
208	15 mm CPVC ball valve, CTS sockets,	No	365.0	396.00
209	20 mm CPVC ball valve, CTS sockets,	No	486.0	527.00
210	25 mm CPVC ball valve, CTS sockets,	No	588.0	638.00
211	32 mm CPVC ball valve, CTS sockets,	No	1371.0	1488.00
212	40 mm CPVC ball valve, CTS sockets,	No	1643.0	1783.00
213	50 mm CPVC ball valve, CTS sockets,	No	2117.0	2298.00
214	16 mm multi-layer composite pipe (sangai or equiv.)	rm	101.0	109.00
215	20 mm multi-layer composite pipe (sangai or equiv.)	rm	119.0	129.00
216	25 mm multi-layer composite pipe (sangai or equiv.)	rm	180.0	195.00
217	32 mm multi-layer composite pipe (sangai or equiv.)	rm	281.0	305.00
218	40 mm multi-layer composite pipe (sangai or equiv.)	rm	446.0	484.00
219	50 mm multi-layer composite pipe (sangai or equiv.)	rm	653.0	708.00
220	20 mm PPR pipe, PN-10, Pachanya, Nepatop or eqv,	rm	63.0	68.00
221	25 mm PPR pipe, PN-10, Pachanya, Nepatop or eqv,	rm	95.0	103.00
222	32 mm PPR pipe, PN-10, Pachanya, Nepatop or eqv,	rm	152.0	165.00
223	40 mm PPR pipe, PN-10, Pachanya, Nepatop or eqv,	rm	239.0	259.00
224	50 mm PPR pipe, PN-10, Pachanya, Nepatop or eqv,	rm	372.0	403.00
225	150 mm NP-2 RCC hump pipe	rm	503.0	546.00
226	200 mm NP-2 RCC hump pipe	rm	653.0	708.00
227	300 mm NP-2 RCC hump pipe	rm	1109.0	1203.00
228	400 mm NP-2 RCC hump pipe	rm	1543.0	1675.00
229	600 mm NP-2 RCC hump pipe	rm	2417.0	2623.00
230	150 mm NP-3 RCC hump pipe	rm	1158.0	1254.00
231	200 mm NP-3 RCC hump pipe	rm	1540.0	1671.00
232	300 mm NP-3 RCC hump pipe	rm	2767.0	3003.00
233	400 mm NP-3 RCC hump pipe	rm	3536.0	3838.00
234	600 mm NP-3 RCC hump pipe	rm	5488.0	5936.00
235	150 mm NP-2 RCC hump pipe collar	No	129.0	140.00

Handwritten signatures and marks at the bottom of the page.

30 R.C.C. Ring upto 25 ft

Rm	5088.0	5523.00
----	--------	---------

Handwritten notes and signatures:

Handwritten text: "Handwritten notes and signatures, including 'Rm', '5088.0', '5523.00', and various scribbles and signatures." (Note: The original image contains very faint and illegible handwritten text, which has been summarized for accuracy.)

28

गुड मर्यादा
जिला मजदूर

S.N	Description of material	Per Unit	078/079	079/080
291	2' 4" Ø R.C.C. Ring upto 25 ft	Rm	4009.0	4352.00
292	Seat Cover	No	276.0	299.00

Handwritten signatures and stamps are present below the table. A circular stamp is visible on the left, and a rectangular stamp is visible on the right. The signatures are in various colors (blue, black) and styles.

३५

आन्तर्निष्ठ, यु. पि. नि. सि. का भूयान होका, जिपसमबोडे, पाटिपुन, विष्णुमबोडे, पाटिपुन नगरपालिका

सि.नं.	निर्माण कामको नाम	एकक	भ्याट बाहेको स्वीकृत दररेट (रुपैयाँमा)				
			सा.म. ०५५/०५५	सा.म. ०५५/०५५	सा.म. ०५५/०५५	सा.म. ०५५/०५५	सा.म. ०५५/०५५
१	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 101*45*1.2 mm including 5mm clear glass, all complete works	वर्ग फिट	६००.००	६००.००	६००.००	६२०	६६१.५५
२	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 101*45*1.2 mm including 5 mm every colour reflective glass, all complete	वर्ग फिट	६२५.००	६२५.००	६२५.००	६४५	६८९.०६३
३	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 101*45*1.2 mm including 5mm clear glass, all complete	वर्ग फिट			६३५.००	६६२	६८९.८३८
४	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 101*45*1.2 mm including 5 mm every colour reflective glass, all complete	वर्ग फिट			६८०.००	६०९	६३९.४५
५	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 101*45*1.1 mm including 5mm clear glass, all complete	वर्ग फिट			६९५.००	६४१	६६३.७८८
६	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 101*45*1.1 mm including 5 mm every colour reflective glass, all complete	वर्ग फिट			७४०.००	७७८	६०६.३७५
७	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 90*38*1.2 mm including 5mm clear glass, all complete	वर्ग फिट			७५५.००	७७८	७०९.६३८
८	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 90*38*1.2 mm including 5 mm every colour reflective glass, all complete	वर्ग फिट			८८०.००	८०४	८२९.२
९	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 90*38*1.1 mm including 5mm clear glass, all complete	वर्ग फिट			८४०.००	८७३	८९६.१२५
१०	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 90*38*1.1 mm including 5 mm every colour reflective glass, all complete	वर्ग फिट			८८०.००	८०४	८२९.२
११	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 78*45*1.2 mm including 5mm clear glass, all complete	वर्ग फिट	५६०.००	५६०.००	५६०.००	५८८	६१७.४
१२	Sliding window and sliding window with ventilation) Supply and fixing of aluminium sliding window with net section size 78*45*1.2 mm including 5 mm every colour reflective glass, all complete	वर्ग फिट	५८५.००	५८५.००	५८५.००	६१४	६४४.९६३
१३	Main Entrance 12 mm thick clear glass door) Supply and fixing of aluminium Door section size 65*38*1.20 mm all complete works	वर्ग फिट	८००.००	८००.००	८००.००	८४०	८८२
१४	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.3 mm all complete works	वर्ग फिट	६५०.००	६५०.००	६५०.००	६८३	७१६.६२५
१५	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.2 mm all complete works	वर्ग फिट			७८०.००	८०९	६३९.४५
१६	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.1 mm all complete works	वर्ग फिट			७४०.००	७७८	६०६.३७५
१७	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 50*38*1.2 mm all complete works	वर्ग फिट			७३०.००	७५७	७८४.३२५
१८	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 60*38*1.1 mm all complete works	वर्ग फिट			७००.००	७२४	७५९.२३
१९	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.5 mm all complete works	वर्ग फिट			७००.००	७२४	७५९.२३
२०	(Aluminium swing door and hinges door with aluminium composite panel) Supply and fixing of aluminium door without ventilation and with ventilation section size 85*38*1.2 mm all complete works	वर्ग फिट	४७५.००	४७५.००	४७५.००	६०४	६३३.९३८
२१	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.3 mm including 5 mm nepal board or 5 mm clear glass all complete works	वर्ग फिट	६००.००	६००.००	६००.००	६२०	६६१.५५
२२	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.2 mm including 9 mm nepal board or 5 mm clear glass all complete works	वर्ग फिट			७८०.००	८०९	६३९.४५
२३	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 101*45*1.1 mm including 5 mm nepal board or 5 mm clear glass all complete works	वर्ग फिट			७४०.००	७७८	६०६.३७५
२४	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 90*38*1.2 mm including 9 mm nepal board or 5 mm clear glass all complete works	वर्ग फिट			७७५.००	८०४	६३३.९३८
२५	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 80*38*1.1 mm including 5 mm nepal board or 5 mm clear glass all complete works	वर्ग फिट			७३०.००	७५७	७८४.३२५
२६	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 65*38*1.2mm including 9 mm nepal board or 5 mm clear glass all complete works	वर्ग फिट	४४०.००	४४०.००	४४०.००	४७८	६०६.३७५
२७	(Aluminium swing door and hinges door) Supply and fixing of aluminium door without ventilation and with ventilation section size 65*38*1.2mm including 9 mm nepal board or 5 mm reflective glass all complete works	वर्ग फिट	४७५.००	४७५.००	४७५.००	६०४	६३३.९३८
२८	(Fix partition) Supply and fixing of aluminium fix partition section size 101*40*1.3 mm thickness aluminium frame, with 5 mm clear glass or 9 mm Nepal board with all necessary fittings	वर्ग फिट	४७५.००	४७५.००	४७५.००	४९९	५२३.६८८
२९	(Fix partition) Supply and fixing of aluminium fix partition section size 101*40*1.3 mm thickness aluminium frame, with 5 mm reflective glass or 9 mm Nepal board with all necessary fittings	वर्ग फिट	४००.००	४००.००	४००.००	४२४	४५९.२३
३०	(Fix partition) Supply and fixing of aluminium fix partition section size 65*38*1.2 mm thickness aluminium frame, with 5 mm clear glass or 9 mm Nepal board with all necessary fittings	वर्ग फिट	४००.००	४००.००	४००.००	४२०	४४१
३१	(Fix partition) Supply and fixing of aluminium fix partition section size 65*38*1.2 mm thickness aluminium frame, with 5 mm reflective glass or 9 mm Nepal board with all necessary fittings	वर्ग फिट	४२५.००	४२५.००	४२५.००	४४६	४६८.५६३
३२	(Fix partition with aluminium composite panel) supply and fixing of aluminium fix partition section size 101*40*1.30 net aluminium frame with 4 mm thick aluminium composite panel with all necessary fittings	वर्ग फिट	४४५.००	४४५.००	४४५.००	४५१	४७८.८१३
३३	(Fix partition with aluminium composite panel) supply and fixing of aluminium fix partition section size 65*38*1.2 net aluminium frame with 4 mm thick aluminium composite panel with all necessary fittings	वर्ग फिट	४००.००	४००.००	४००.००	४२४	४५९.२३

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the left and various signatures across the bottom.


36

सि. नं.	निर्माण सामग्री का नाम	यूनिट	भ्याट बाईको स्वीकृत दररेट (रुपैयां/मा)				
			मा. नं. ०४५/०४५	मा. नं. ०४६/०४६	मा. नं. ०४७/०४७	मा. नं. ०४८/०४८	मा. नं. ०४९/०४९
३४	(Structure glazing) Supply and fixing of structure glazing section size 101'50" x 1.6 mm thickness aluminium frame with 5 mm reflective glass and all necessary fittings	वर्ग फिट	३००.००	३००.००	३००.००	३३५	३३५.०५
३५	(Structure glazing) Supply and fixing of structure glazing section size 56'50" x 1.6 mm thickness aluminium frame with 5 mm reflective glass and all necessary fittings	वर्ग फिट	६००.००	६००.००	६००.००	६३०	६६५.५५
३६	(Potico stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every 5' distance with 39" height and 3/4" dia. Pipe 3 line horizontal pipe and all complete work	रफिट	११५०.००	११५०.००	११५०.००	१२०८	१२६७.८८
३७	(Potico stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every 5' distance with 39" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	रफिट	१४५०.००	१४५०.००	१४५०.००	१४२३	१४९८.६३
३८	(Stair case stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every three step distance with 34" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	रफिट	१४००.००	१४००.००	१४००.००	१४७७	१५४३.५५
३९	(Round staircase stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every three step distance with 34" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	रफिट	१२००.००	१२००.००	१२००.००	१२६०	१३२३
४०	(Round staircase stainless steel pipe railing) Supply and fixing of stainless steel pipe railing with 2" dia. Hand rail pipe, vertical 1.5" dia. Pipe every three step distance with 34" height and 3/4" dia. Pipe 4 line horizontal pipe and all complete work	रफिट	१५००.००	१५००.००	१५००.००	१५७५	१६४३.०५
४१	(For Teller counter normal ht 4 ft) Supply and fixing of wooden (18 mm, 10mm, and 6 mm plywood) finish with formica including lock, handle granite finished top and accessories with all complete work	रफिट	६५००.००	६५००.००	६५००.००	६८२५	७०६६.२५
४२	(For wooden File Rack) Supply and fixing of wooden (18 mm, 10mm, and 6 mm plywood) finish with formica including lock, handle, and accessories with all complete work	रफिट	१४५०.००	१४५०.००	१४५०.००	१५२३	१५९८.६३
४३	MR Suspended Ceiling with GYP For RCC Ceiling/Plane Ceiling Supply fixing, Filing in position GI under Frame using Gypsteel branded channel and fixing 9.00-12mm thick gypsum board or boral plaster finishing joint filling with compounds being all complete	वर्ग फिट	१३०.००	१३०.००	१३०.००	१३७	१४३.३२५
४४	MR Suspended Ceiling with GYP For RCC Ceiling/Plane Ceiling Supply fixing, Filing in position GI under Frame using Gypsteel branded channel and fixing 9.00-12mm thick gypsum board or boral plaster finishing joint filling with compounds being all complete for designed ceiling	वर्ग फिट	१५०.००	१५०.००	१५०.००	१५८	१६५.३७५
४५	MR Suspended Ceiling with MPL Board (for CGI roofing ceiling) Supply fixing, Filing in position GI under Frame using Gypsteel branded channel and fixing 9.00-12.5mm thick MPL (metalized polyester laminated) board or MPL Boral Plaster Board in position GI Underframe using Gypsteel branded channel filling joints with compounds all complete	वर्ग फिट	१५०.००	१५०.००	१५०.००	१५८	१६५.३७५
४६	MR Suspended Ceiling with MPL Board (for CGI roofing ceiling) Supply fixing, Filing in position GI under Frame using Gypsteel branded channel and fixing 9.00-12.5mm thick MPL (metalized polyester laminated) board or MPL Boral Plaster Board in position GI Underframe using Gypsteel branded channel filling joints with compounds all complete for designed ceiling	वर्ग फिट	१६०.००	१६०.००	१६०.००	१६८	१७६.४
४७	Drywall partition with metal stud: Supply fixing filing GI under frame using Gypsteel Branded channel fixing 10.5mm thick GYPsum or boral plaster board with all accessories all complete	वर्ग फिट	२२०.००	२२०.००	२२०.००	२२९	२४२.५५
४८	Wall paneling supplying fixing and fitting in position GI under frame using gypsteel branded channel fixing 10.5 mm thick gypsum or boral plaster board with all accessories all complete	वर्ग फिट	१३५.००	१३५.००	१३५.००	१३९	१४७.८१३
४९	Wall paneling supplying fixing and fitting in position GI under frame using gypsteel branded channel fixing armstrong mineral fiber board (line textured ANF) for suspended false ceiling with all accessories all complete	वर्ग फिट	२२५.००	२२५.००	२२५.००	२३५	२४८.०६३
५०	बाइकोलरम बनेको जिप्सम बोर्डबाट गरिने कामहरू					०	०
	False ceiling	वर्ग फिट	१३०.००	१३०.००	१३०.००	१३७	१४३.३२५
	wall partition	वर्ग फिट	२००.००	२००.००	२००.००	२०७	२२०.५
	wall paneling	वर्ग फिट	१५०.००	१५०.००	१५०.००	१५९	१६५.३७५
५१	Supply and fitting Flat Wall Panel Ivory Color					०	०
	50mm	वर्ग फिट	१३५.००	१३५.००	१३५.००	१३९	१४७.८१३
	75mm	वर्ग फिट	२१०.००	२१०.००	२१०.००	२२१	२३१.५२५
	100mm	वर्ग फिट	२४५.००	२४५.००	२४५.००	२५७	२७०.११३
५२	Supply and fitting R.P. Boltless Wall Panel Grey Color					०	०
	50mm	वर्ग फिट	२००.००	२००.००	२००.००	२०७	२२०.५
	75mm	वर्ग फिट	२३५.००	२३५.००	२३५.००	२४३	२५५.६७८
	100mm	वर्ग फिट	२६५.००	२६५.००	२६५.००	२७३	२९१.०६
५३	Supply and fitting Roof Panel Orange & Blue Color					०	०
	50mm	वर्ग फिट	२०५.००	२०५.००	२०५.००	२११	२३०.४२३
	75mm	वर्ग फिट	२४२.००	२४२.००	२४२.००	२४४	२६६.८०५
	100mm	वर्ग फिट	२७५.००	२७५.००	२७५.००	२८५	३०३.९८८
५४	Supply and fitting Wood Siding Wall Panel Wood Color					०	०
	75mm	वर्ग फिट	२५२.००	२५२.००	२५२.००	२६५	२७८.९३३
	100mm	वर्ग फिट	२८६.००	२८६.००	२८६.००	३००	३१५.३१५
५५	Supply and fitting Zinc Wall & Roof Panel ZINC Color					०	०
	50mm	वर्ग फिट	२५३.००	२५३.००	२५३.००	२६६	२७८.९३३
	75mm	वर्ग फिट	२८६.००	२८६.००	२८६.००	३००	३१५.३१५
	100mm	वर्ग फिट	३१९.००	३१९.००	३१९.००	३३३	३५१.६९८
५६	Supply and fitting Steel Door, 30 min fire rated					०	०
	900*2100 set		१२२००.००	१२२००.००	१२२००.००	१३८६०	१४५५३

Handwritten signatures and stamps at the bottom of the page, including a large circular stamp on the left and various signatures across the bottom.

36

क्र.सं.	निर्माण सामग्रीको नाम	प्रति	अन्तर्गत माटेको स्वीकृत दररेट (रुपैयाँमा)				
			मा.सं. ००१/००१	मा.सं. ००२/००२	मा.सं. ००३/००३	मा.सं. ००४/००४	मा.सं. ००५/००५
		१००*२०० set		१२२००.००	१२३००.००	१२०१२	१२३६५.८
४७	Supply and fitting ABS					०	०
		१००*२०० set		१२२००.००	१२३००.००	१२०१२	१२३६५.८
४८	Supply and fitting Panel Door					०	०
		१००*२०० set		१२२००.००	१२३००.००	१२०१२	१२३६५.८
४९	Supply and fitting U.PVC Window					०	०
		११५mm		६९६.००	६९६.००	६९६	६९६.९४



 The bottom section of the document contains several handwritten signatures and stamps. On the right side, there is a circular stamp with the text "प्रमुख जिला अधिकारी" (Chief District Officer) and "सुर्खेत" (Sukhet). Below this, there are more signatures and a date "२०७३/०८/२५".

35

रङ्गरोगन सम्बन्धि सामाग्रीहरु सुर्खेत

सि.नं.	निर्माण सामाग्रीको नाम	जिल्ला	मिति/वर्ग	भ्याट बाहेकको स्वीकृत दररेट (रुपैयाँमा)			
				आ.व. ०७५/७६	आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
१	सेतो सिमेन्ट	बोरा	५० के.जी.	१०५०.००	११०३.००	११०३.००	११५८.००
२	पाउडर वाटरप्रूफ सिमेन्ट पेन्ट - (एन.एस. ८५-२०४२)	के.जी.		६८.००	७१.००	७१.००	७४.००
३	प्लास्टर अफ पेरिस	कि. ग्राम		३२.००	३४.००	३४.००	३५.००
४	प्लाष्टिक इमोलेशन पेन्ट एक्स्टेरियर साइड राम्रो प्रिमियम (एन.एस. १६१)	लिटर		१०५०.००	११०३.००	११०३.००	११५८.००
५	आक्यालिक एक्स्टेरियर इमलसन	लिटर		८४०.००	८८२.००	८८२.००	९२६.००
६	एक्स्टेरियर इमलसन	लिटर		४७३.००	४९७.००	४९७.००	५२९.००
७	प्लाष्टिक इमोलेशन पेन्ट इन्टरियर साइड राम्रो (एन.एस. १६१)	लिटर		९७१.००	१०२०.००	१०२०.००	१०७१.००
८	प्लाष्टिक इमोलेशन पेन्ट इन्टरियर साइड मध्यम (एन.एस. १६१)	लिटर		७८८.००	८२७.००	८२७.००	८६८.००
९	इन्टरियर इमलसन	लिटर		४४१.००	४६३.००	४६३.००	४८६.००
१०	वेदरकोट पेन्ट	लिटर		९४५.००	९९२.००	९९२.००	१०४९.००
११	आक्यालिक डिस्टेम्पर	किलो ग्राम		१६८.००	१७६.००	१७६.००	१८४.००
१२	बासेबल डिस्टेम्पर	किलो ग्राम		२५२.००	२६५.००	२६५.००	२७८.००
१३	मेटल प्राइमर	लिटर		३३१.००	३४८.००	३४८.००	३६५.००
१४	प्राइमर क्राइको लागि (एन.एस. २०५)	लिटर		३६८.००	३८६.००	३८६.००	४०५.००
१५	सिमेन्ट प्राइमर	लिटर		३९४.००	४१४.००	४१४.००	४३४.००
१६	बाल सिमेन्ट पुटिन	कि. ग्राम		६८.००	७१.००	७१.००	७४.००
१७	काठमा लगाउने पुटिन	के.जी.		२७८.००	२९२.००	२९२.००	३०६.००
१८	फलाममा लगाउने पुटिन	के.जी.		२७८.००	२९२.००	२९२.००	३०६.००
१९	सिन्थेटिक इनामेल पेन्ट	लिटर		५२५.००	५४१.००	५४१.००	५७८.००
२०	तयारी अल्मुनिम पेन्ट - (एन.एस. ११७)	लिटर		५३६.००	५६३.००	५६३.००	५९१.००
२१	तयारी बार्नेस शेन्थेटिक (एन.एस. १६३)	लिटर		३५७.००	३७५.००	३७५.००	३९३.००
२२	स्वीमिङ्ग पुल पेन्ट	लिटर		८४०.००	८८२.००	८८२.००	९२६.००
२३	क्लेकबोर्ड पेन्ट	लिटर		३३१.००	३४८.००	३४८.००	३६५.००
२४	रोड मार्किङ पेन्ट एस टि	लिटर		६६२.००	६९५.००	६९५.००	७२९.००
२५	रोड मार्किङ पेन्ट डब्लु टि	लिटर		६०९.००	६३९.००	६३९.००	६७०.००
२६	रोड मार्किङ thermoplastic पेन्ट्स	के.जी.		४७३.००	४९७.००	४९७.००	५२९.००
२७	Cats eye	ग्राम		५२५.००	५४१.००	५४१.००	५७८.००
२८	उड प्रिन्टमेन्टिभ आयल	लिटर		५७८.००	६०७.००	६०७.००	६३७.००
२९	मिनिअड आयल - (एन.एस. १३३-२०४३)	लिटर		१४७.००	१५४.००	१५४.००	१६१.००
३०	थिनर (नेपाली)	लिटर		१३१.००	१३८.००	१३८.००	१४४.००
३१	थिनर (भारती)	लिटर		१६८.००	१७६.००	१७६.००	१८४.००
३२	फिलर	लिटर		२१०.००	२२१.००	२२१.००	२३२.००
३३	टरपेन्टाइन	लिटर		१८४.००	१९३.००	१९३.००	२०२.००
३४	गम चुगामा लगाउने	के.जी.		१८४.००	१९३.००	१९३.००	२०२.००
३५	चुना	के.जी.		२२.००	२३.००	२३.००	२४.००
३६	चुना (रौंगन)	के.जी.		३७.००	३९.००	३९.००	४०.००
३७	टच उड	लिटर		५२५.००	५४१.००	५४१.००	५७८.००
३८	रेड अक्साईड पेन्ट	लिटर		३९४.००	४१४.००	४१४.००	४३४.००
३९	स्प्रिट	लिटर		१५८.००	१६६.००	१६६.००	१७४.००
४०	अलकनरा पेन्ट	लिटर		१८९.००	१९८.००	१९८.००	२०७.००
४१	चप्रा	किलो ग्राम		७८८.००	८२७.००	८२७.००	८६८.००
४२	चप्रा पालिश पेन्ट	किलो ग्राम		३६८.००	३८६.००	३८६.००	४०५.००
४३	सरेस	के.जी.		१४७.००	१५४.००	१५४.००	१६१.००
४४	नेपाल रेड	के.जी.		७४.००	७८.००	७८.००	८१.००
४५	काठमा लगाउने खाक्सी	वर्गन		७९.००	८३.००	८३.००	८७.००
४६	फलाममा लगाउने खाक्सी	वर्गन		७९.००	८३.००	८३.००	८७.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with the text "सुर्खेत" and various handwritten notes and signatures.

४७	आर्ट जालर - ध्यानर लेख	लिटर	६३०.००	६६२.००	६६२.००	६९५.००
४८	फालोर कोटेड अक्साइड सिमेन्ट पेन्ट	लिटर	१७९.००	१८८.००	१८८.००	१९७.००
४९	ब्लैक जापान अलक्रेजा पेन्ट	लिटर	२२१.००	२३२.००	२३२.००	२४३.००
५०	पेन्टिङ ब्रश- (एन एस. १७०-२०४५)					
	१ इन्चको	धान	६८.००	७१.००	७१.००	७४.००
	१.५० इन्चको	धान	१३१.००	१३८.००	१३८.००	१४४.००
	२.० इन्चको	धान	२००.००	२१०.००	२१०.००	२२०.००
	२.५० इन्चको	धान	२६८.००	२८१.००	२८१.००	२९५.००
	४ इन्चको	धान	४७३.००	४९७.००	४९७.००	५२१.००
५१	रामराज माटो	के.जी.	३४.००	३६.००	३६.००	३७.००
५२	रातो माटो (गेरु रंग)	के.जी.	३४.००	३६.००	३६.००	३७.००
५३	रामतिलक	के.जी.	३४.००	३६.००	३६.००	३७.००
५४	लिनसिड आयल	लिटर	१५८.००	१६६.००	१६६.००	१७४.००
५५	स्वामिय स्टीट	लिटर	१०५.००	११०.००	११०.००	११५.००
५६	मोबिकल / फेबिकोम	के.जी.	३१५.००	३३१.००	३३१.००	३४७.००
५७	बास गेयर फिटिंग गर्ने कार्य	प्रति व मी		९५.४०	९५.४०	१००.००

जिल्ला प्रशासन
सुर्खेत

महोदय, सुर्खेत

प्रमुख जिल्ला अधिकारी
सुर्खेत

१६/०५/२०७३